

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
18 March 2004 (18.03.2004)

PCT

(10) International Publication Number  
**WO 2004/022747 A1**

(51) International Patent Classification<sup>7</sup>: C12N 15/10,  
G06F 17/50, 19/00

(21) International Application Number:  
PCT/IB2003/004255

(22) International Filing Date:  
8 September 2003 (08.09.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/410,258 9 September 2002 (09.09.2002) US  
60/457,063 21 March 2003 (21.03.2003) US

(71) Applicant (for all designated States except US): NAU-  
TILUS BIOTECH [FR/FR]; 1 rue Pierre Fontaine,  
F-91000 EVRY (FR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): GANTIER, René  
[FR/FR]; 2 rue de Dublin, La Clef de Saint-Pierre, F-78990  
ELANCOURT (FR). GUYON, Thierry [FR/FR]; 8 rési-  
dence les Terres Rouges, F-91120 PALAISEAU (FR).

CRUZ RAMOS, Hugo [MX/FR]; 1 place du Rouillon,  
F-91000 EVRY (FR). VEGA, Manuel [IT/FR]; 49 rue  
Félix Faure, F-91270 VIGNEUX-SUR-SEINE (FR).  
DRITTANTI, Lila [IT/FR]; 49 rue Félix Faure, F-91270  
VIGNEUX-SUR-SEINE (FR).

(74) Agent: CABINET ORES; 36 rue de St Pétersbourg,  
F-75008 PARIS (FR).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC,  
SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA,  
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,  
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,  
SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,  
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

[Continued on next page]

(54) Title: RATIONAL DIRECTED PROTEIN EVOLUTION USING TWO-DIMENSIONAL RATIONAL MUTAGENESIS  
SCANNING



(57) Abstract: Processes and systems for the high throughput directed evolution of peptides and proteins are provided. Also provided is a rational method for generating protein variants.

WO 2004/022747 A1

BEST AVAILABLE COPY



— *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



-1-

**RATIONAL DIRECTED PROTEIN EVOLUTION USING TWO-DIMENSIONAL  
RATIONAL MUTAGENESIS SCANNING**

**RELATED APPLICATIONS**

Benefit of priority is claimed to U.S. provisional application Serial  
5 No. 60/457,063, filed March 21, 2003, entitled "RATIONAL EVOLUTION  
OF CYTOKINES FOR HIGHER STABILITY, ENCODING NUCLEIC ACID  
MOLECULES AND RELATED APPLICATIONS," and to U.S. Provisional  
Application Serial No. 60/410,258, entitled "RATIONAL EVOLUTION OF  
CYTOKINES FOR HIGHER STABILITY, ENCODING NUCLEIC ACID  
10 MOLECULES AND RELATED APPLICATIONS," filed September 9, 2002,  
each to Rene Gantier, Thierry Guyon, Hugo Cruz Ramos, Manuel Vega  
and Lila Drittanti.

This application is related to U.S. application Serial No. attorney  
docket number 37851-922, entitled "RATIONAL EVOLUTION OF  
15 CYTOKINES FOR HIGHER STABILITY, ENCODING NUCLEIC ACID  
MOLECULES AND RELATED APPLICATIONS;" U.S. Provisional  
Application Serial No. 60/457,135, entitled "RATIONAL EVOLUTION OF  
CYTOKINES FOR HIGHER STABILITY, ENCODING NUCLEIC ACID  
MOLECULES AND RELATED APPLICATIONS;" filed March 21, 2003, and  
20 to U.S. Provisional Application Serial No. 60/409,898, entitled  
"RATIONAL EVOLUTION OF CYTOKINES FOR HIGHER STABILITY,  
ENCODING NUCLEIC ACID MOLECULES AND RELATED APPLICATIONS,"  
filed September 9, 2002, each to Rene Gantier, Thierry Guyon, Manuel  
Vega and Lila Drittanti. This application also is related to co-pending  
25 U.S. application Serial No. 10/022,249, filed December 17, 2001, entitled  
"HIGH THROUGHPUT DIRECTED EVOLUTION BY RATIONAL  
MUTAGENESIS," to Manuel Vega and Lila Drittanti.

-2-

Where permitted, the subject matter of each of the above-noted applications and provisional applications is incorporated by reference in its entirety.

#### **FIELD OF INVENTION**

5           Mutant proteins having improved activities, and nucleic acid molecules encoding these proteins are provided. Uses of these proteins for treatment of diseases also are provided.

#### **BACKGROUND**

10           Directed evolution refers to biotechnological processes devoted to the optimization of the protein activity by means of changes introduced into selected respective genes. Directed evolution includes the generation of a collection of mutated genes followed by the selection of mutants encoding proteins with desired features. These processes can be iterative when gene products having an improvement in a desired property are  
15           subjected to further cycles of mutation, selection and screening. The concept of mutant or mutation is used here in the wide sense of "change." Directed evolution provides a way to adapt natural proteins to work in new chemical or biological environments, and/or to elicit new functions.

20           Proteins intrinsically possess an enormous potential plasticity, which allows them to face new challenges, such as a new environment and a desired new or altered activity. It is possible to take advantage of this plasticity to generate new proteins with altered activity. In a sufficiently large pool of modified mutant proteins, there is a chance of  
25           finding an appropriately modified protein having a desired activity. Problems arise, however, in generating and identifying a modified protein having a desired activity. Among the practical approaches intended to tackle these problems, two types can be distinguished. One is a purely predictive approach that is based on the

-3-

assumption that the optimized proteins can be rationally designed in a predictable manner. This approach, however, requires sufficient information regarding the physiochemical properties of individual amino acids and amino acid sequences that govern protein folding, molecular  
5 interactions, intra-molecular forces and other dynamics of protein activity. The predictive approach is extremely dependent on a number of variables and parameters that are not known, even if the secondary and/or tertiary structures of a protein are available.

In contrast to the predictive approach, random or stochastic  
10 approaches have also been employed. One random approach requires synthesis of all possible protein sequences or a statistically sufficient large number of proteins followed by the screening to identify proteins having a desired activity or property. Other random approaches are based on gene shuffling methods, such as, for example, PCR-based methods  
15 that generate random rearrangements between or among two or more sequence-related genes to randomly generate variants of the original gene.

The development and scope of directed evolution, has been limited by both of the approaches described above, and its full potential remains  
20 therefore to be exploited. In order to capitalize on the full potential of directed evolution, alternative approaches for generating and identifying evolved proteins are needed. Therefore, among the objects herein, it is an object to provide methods for generating and identifying evolved proteins having desired activities.

## 25 SUMMARY

Provided herein are methods, designated two-dimensional (2D) rational mutagenesis scanning (also referred to as 2D scanning). This method relies on an indirect search for protein improvement for a particular activity, such as increased resistance to proteolysis, based on a

-4-

rational amino acid replacement and sequence change at single or a limited number of amino acid positions at a time. As a result, optimized proteins having modified amino acid sequences at some regions along the protein that perform better than the starting sequence are identified and  
5 isolated.

Target amino acids are selected based on properties of the target polypeptide, including *i)* the particular protein properties to be evolved, *ii)* the protein's amino acid sequence, and *iii)* the known properties of the individual amino acids, a number of target amino acid positions along the  
10 protein sequence are selected *in silico* for replacement. The target amino acid positions along the protein sequence selected *in silico* for replacement are referred to as "is-HIT target positions." The number of is-HIT target position is generally selected to be as large as possible such that all reasonably possible target positions for the particular feature being  
15 evolved are included. In particular, embodiments where a restricted number of is-HIT target positions are selected for replacement, the amino acids selected to replace the is-HIT target positions on the particular protein being optimized can be either all of the remaining 19 amino acids or, more frequently, a more restricted group of selected amino acids that  
20 are contemplated to have the desired effect on protein activity. In another embodiment, where a restricted number of replacement amino acids are used, all of the amino acid positions along the protein backbone can be selected as is-HIT target positions for amino acid replacement.

Mutagenesis then is performed by the replacement of a single  
25 amino acid residue at one is-HIT target position on the protein backbone (e.g., "one-by-one," such as in addressable arrays), such that each individual mutant generated is the single product of each single mutagenesis reaction. The single amino acid replacement mutagenesis reactions are repeated for each of the replacing amino acids selected at

-5-

each of the is-HIT target positions. Thus, a plurality of mutant protein molecules are produced, whereby each mutant protein contains a single amino acid replacement at only one of the is-HIT target positions.

Activity assessment then is individually performed on each individual  
5 protein mutant molecule, following protein expression and measurement of an activity, such as set forth in the Examples provided herein for the optimization of IFN $\alpha$ -2b. The positions in polypeptides that contain modifications that lead to an alteration in the targeted protein activity are referred to as LEADs.

10 Any protein known or otherwise available to those of skill in the art is suitable for optimization using the directed evolution methods provided herein, including cytokines (e.g., IFN $\alpha$ -2b) or any other proteins, including those that already have been mutated or optimized.

#### DESCRIPTION OF THE FIGURES

15 Figure 1(A) shows a schematic of the initial step in the methods provided herein for 2D-scanning. Once the protein feature(s) to be optimized is (are) selected (indicated as "?"), diverse sources of information or previous knowledge (i.e., protein primary, secondary or tertiary structures, literature, patents) are exploited to determine those  
20 amino acid positions that may be amenable to improved protein fitness by replacement with a different amino acid. This step utilizes protein analysis "*in silico*." All possible candidate positions that might be involved in the feature being evolved are referred to herein as "*in silico* HITs" ("is-HITs"). The collection (or library) of all is-HITs identified during  
25 this step represents the first dimension (target residue position) of the two-dimensional scanning methods provided herein. The first dimension is restricted because only aminoacids along the protein sequence that are the is-HITs.

-6-

Figure 1(B) shows a representation of the methods provided herein to identify a collection of LEAD candidates. A series of steps is conducted, *in silico* as in FIG1A, to identify all appropriate replacing amino acids expected to improve fitness when substituted at the is-HIT positions to form candidate LEADs.

Figure 2 shows a representation of methods provided herein for identification of LEADs. Based on the positions defined by the is-HITs and on the selected replacing amino acids (e.g., *in silico* candidate LEADs), a collection (library) of individual mutant molecules is produced (*in vitro*) such that the native amino acids at the is-HIT positions are replaced by other selected amino acids. The replacing amino acids are any of the remaining 19 amino acids so that all 20 natural amino acids are in the position, although typically they are a smaller group of selected amino acids with sets of properties appropriate to the evolving feature. Often only a subset of amino acids are used as a replacing amino acid so that the second dimension is restricted. The collection of mutant molecules, or *in silico* candidate LEADS, is generated, tested and phenotypically characterized one-by-one, for example, in addressable arrays. Each individual mutant in the collection is designed and produced as the single product of an independent mutagenesis reaction. Mutant molecules are such that each molecule contains one and only one mutation. Those molecules displaying improved fitness for the evolving feature are called LEADs.

Figure 3(A) shows a further step in the methods provided herein for rational evolution of peptides and proteins. Following identification of LEADs, a new collection of mutant molecules is obtained by combination of any two or more of the mutations present in the LEAD molecules. The collection of new mutant molecules is generated, tested and phenotypically characterized such as in the the one-by-one in addressable

-7-

arrays exemplified in the Figure. Each individual mutant in the collection is designed and produced as the single product of an independent mutagenesis reaction. Mutant molecules are such that each molecule contains a variable number and type of LEAD mutations. Those  
5 molecules displaying further improved fitness for the evolving feature, are referred to herein as super-LEADs.

Figure 3(B) shows an embodiment of the methods provided herein intended to redesign proteins such that they maintain levels and type of activity comparable to those of the native protein while their sequences  
10 are significantly changed by amino acid replacement. Pseudo-wild type amino acids are those amino acids that are different from the native amino acid at a given amino acid position and replace the native residue at that position without introducing any measurable change in protein activity. A population of sets of nucleic acid molecules encoding a  
15 collection of mutant molecules is generated and phenotypically characterized such that proteins with amino acid sequences different from the native ones but that still elicit the same level and type of activity as the native protein are selected.

Figure 4 shows a schematic of the "Additive Directional  
20 Mutagenesis" (ADM) methods provided herein. ADM is a repetitive multi-step process such that at each step a new LEAD mutation is added onto the protein being evolved. The process is repeated as many times as necessary until the total number of desired mutations is introduced on the same molecule. The collection of new mutant molecules is generated,  
25 tested and phenotypically characterized one-by-one in addressable arrays. Each individual mutant in the collection is designed and produced as the single product of an independent mutagenesis reaction.

Figure 5 depicts different levels of biological activity of a protein, designated Rep protein, super-LEADs obtained by ADM. Rep protein is is



-8-

involved in replication of Adeno associated virus (see, *e.g.*, copending U.S. application Serial No. 10/022,390, published as US-2003-0129203-A1). It was used to exemplify the ADM method.

Figure 6(A) displays the sequence of the mature IFN $\alpha$ -2b. Residues 5 targeted by a mixture of proteases, including  $\alpha$ -chymotrypsin (F, L, M, W, and Y), endoproteinase Arg-C (R), endoproteinase Asp-N (D), endoproteinase Glu-C (E), endoproteinase Lys-C (K), and trypsin (K, and R), are underlined and in bold lettering.

Figure 6(B) shows the structure of IFN $\alpha$ -2b obtained from the NMR 10 structure of IFN $\alpha$ -2a (PDB Code 1ITF) in ribbon representation. Surface residues exposed to the action of the proteases considered in FIG6A are in space filling representation.

Figure 7 depicts the "Percent Accepted Mutation" (PAM250) matrix. Values given to identical residues are shown in gray squares. 15 Highest values in the matrix are shown in black squares and correspond to the highest occurrence of substitution between two residues.

Figure 8 presents the scores obtained from PAM250 analysis for the amino acid substitutions (replacing amino acids on the vertical axis; amino acid position on the horizontal axis) aimed at introducing resistance 20 to proteolysis into the IFN $\alpha$ -2b at the protease target sequences. The two best replacing residues for each target amino acid according to the highest substitution scores are shown in black rectangles.

Figure 9(A) depicts a zoomed portion of a tri-dimensional protein model. Both, a loop and a  $\beta$ -strand in the 3-dimensional (3D) structure of 25 the protein appear to share the same neighborhood, displaying phenylalanine, cysteine and histidine residues (F, C and H in the one-letter code, respectively).

Figure 9(B) shows the type of residue substitutions, namely F to C, H to C, and C to H, expected to allow the creation of a disulfide bond

-9-

between two cysteines located in different portions of the protein. It is important to note that the sole replacement of phenylalanine by cysteine is not sufficient to form a disulfide bond due to the separating distance between replacing residues. Disulfide bonds bring rigidity to wobbling  
5 portions eventually permitting the protein to resist heating, *i.e.*, thermostabilizing the protein.

Figure 10(A) depicts a zoomed portion of a tri-dimensional protein model. An  $\alpha$ -helix and a loop are linked by both a hydrogen bond and a salt bridge (dotted lines) formed between serine-histidine (S and H in the  
10 one-letter code), and arginine-glutamate residues (R and E in the one-letter code), respectively.

Figure 10(B) shows an example of the kind of residue substitutions, namely E to A, and H to A, expected to interfere with the formation of both the hydrogen bond and the salt bridge illustrated in FIG10A. The  
15 lack of this linking interaction would lead to a local wobbling of protein portions, which would increase exposure of otherwise less exposed epitopes.

Figure 11 shows a tri-dimensional model of an amphipathic polypeptide: human  $\beta$ -defensin (PDB code 1IJV). Its amphipathic nature  
20 is defined by the presence of two different faces in a molecule (separated by a dotted line) composed of hydrophobic and cationic (positively charged) amino acids, respectively. The positive charges of the cationic face in these amphipathic peptides are functionally important and are mainly due to arginine and/or lysine residues.

25 Figure 12 illustrates the two-dimensional (2D) matrix representation of a protein sequence, wherein the vertical axis represents the amino acid present at the corresponding position indicated on the horizontal axis and the horizontal axis represents the amino acid position along the length protein sequence (such that the first cell corresponds to amino acid

-10-

position No. 1, the second cell to amino acid position No. 2, etc.). The matrix always contains 20 cells in one direction (the amino acid type) and a variable number of position-cells depending on the size of the protein, the number of position-cells equaling the number of amino acids in the protein sequence. An exemplary protein sequence is shown above the matrix and within the matrix, such that those cells corresponding to the actual sequence of the protein are indicated with shaded squares.

Figure 13(A) shows an amphipathic peptide in a 2D matrix representation, where residues in dark gray boxes and white lettering correspond to the amino acid sequence. The horizontal axis corresponds to the 37-residue sequence and the vertical axis includes the 20 amino acids in the one-letter code. A middle horizontal line separates uncharged and charged residues. The first step of one particular embodiment of the 2D-scanning methods provided herein to optimize the peptide traits also is schematized. In this particular embodiment, amino acids at all positions along the peptide sequence are sequentially replaced by either lysine or arginine residues in an attempt to further cationize and improve the amphipathic feature of the peptide. The outcome of the "Lys/Arg-scanning," herein represented by the substitutions in the black box and white lettering, is a collection of molecules including the optimized number and positions of positive charges.

Figure 13(B) depicts of the hypothetical combined LEADs (in light gray boxes and black lettering) resulting from the "Lys/Arg-scanning" of the peptide sequence in FIG13A.

Figure 13(C) shows the next step in the 2D-scanning methods used herein to optimize the activity of the amphipathic peptide sequence in FIG13A. A systematic analysis corresponding to a first *in silico* PAM250-based analysis followed by *in vitro* synthesis and testing of the mutant molecules is undertaken involving each of the uncharged residues LEAD

-11-

candidates (shown in black boxes and white lettering), which neighbor the previously obtained LEADs (shown in light gray boxes and black lettering).

Figure 13(D) represents a hypothetical optimized amphipathic peptide sequence (in light gray boxes and black lettering) corresponding to a "super-LEAD" sequence, resulting from K/R scanning and mutagenesis followed by 2D-scanning (FIGS13B through C).

Figure 14 shows the methods provided herein for "multi-overlapped primer extensions" used for the rational combination of mutant LEADs.

The method allows the simultaneous introduction of several mutations throughout a small protein/region of known sequence. Overlapping oligonucleotides of about 70 bases (since longer oligonucleotides lead to increased error) are designed from the DNA sequence (gene) of interest in such a way that they overlap with each other on a region of about 20 bases. These overlapping oligonucleotides (which can include point mutations) act as both template and primers in a first step of PCR (using a proofreading polymerase, e.g., Pfu DNA polymerase, to avoid unexpected mutations) to create small amounts of full-length gene. The full-length gene resulting from the first PCR then is selectively amplified in a second step of PCR using flanking primers, each one tagged with a restriction site in order to facilitate subsequent cloning. One multi-overlapped extension process yields a full-length (multi-mutated) molecule having multiple mutations therein.

#### DETAILED DESCRIPTION

##### A. Definitions

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as is commonly understood by one of skill in the art to which the invention(s) belong. All patents, patent applications, published applications and publications, Genbank sequences,

-12-

websites and other published materials referred to throughout the entire disclosure herein, unless noted otherwise, are incorporated by reference in their entirety. In the event that there is a plurality of definitions for terms herein, those in this section prevail. Where reference is made to a  
5 URL or other such identifier or address, it is understood that such identifiers can change and particular information on the internet can come and go, but equivalent information can be found by searching the internet. Reference thereto evidences the availability and public dissemination of such information.

10 As used herein, biological activity of a protein refers to any activity manifested by the protein *in vivo*.

As used herein, directed evolution refers to methods that "adapt" either natural proteins, synthetic proteins or protein domains to work in new or existing natural or artificial chemical or biological environments  
15 and/or to elicit new functions and/or to increase or decrease a given activity, and/or to modulate a given feature.

As used herein, two dimensional (2D) rational mutagenesis scanning (also referred to herein as 2D-scanning) refers to the process provided herein in which two dimensions of a particular protein sequence  
20 are scanned: (1) in one dimension specific amino acid residues along the protein sequence for replacement with different amino acids are identified; these are referred to as is-HIT target positions; and (2) in the second dimension the amino acid type for replacing a particular is-HIT target is selected, these amino acids are referred to as the replacing or  
25 replacement amino acid(s).

As used herein, *in silico* refers to research and experiments performed using a computer. *In silico* methods include, but are not limited to, molecular modeling studies, and biomolecular docking experiments.

-13-

As used herein, "is-HIT" refers to an *in silico* identified amino acid position along a target protein sequence that has been identified based on i) the particular protein properties to be evolved, ii) the protein's amino acid sequence, and/or iii) the known properties of the individual amino acids. These is-HIT loci on the protein sequence are identified without use of experimental biological methods. For example, once the protein feature(s) to be optimized is (are) selected, diverse sources of information or previous knowledge (i.e., protein primary, secondary or tertiary structures, literature, patents) are exploited to determine those amino acid positions that may be amenable to improved protein fitness by replacement with a different amino acid. This step utilizes protein analysis "*in silico*." All possible candidate amino acid positions along a target protein's primary sequence that might be involved in the feature being evolved are referred to herein as "*in silico* HITs" ("is-HITs"). The collection of all is-HITs identified during this step represents the first dimension (target residue position) of the two-dimensional scanning methods provided herein.

As used herein, "amenable to providing the evolved predetermined property or activity," in the context of identifying is-HITs, refers to an amino acid position on a target protein, based on *in silico* analysis, to possess properties or features that when replaced would alter the activity being evolved.

As used herein, high-throughput screening (HTS) refers to processes that test a large number of samples, such as samples of test proteins or cells containing nucleic acids encoding the proteins of interest to identify structures of interest or the identify test compounds that interact with the variant proteins or cells containing them. HTS operations are amenable to automation and are typically computerized to

-14-

handle sample preparation, assay procedures and the subsequent processing of large volumes of data.

As used herein, the term "restricted," when used in the context of the identification of is-HIT amino acid positions along the protein  
5 sequence selected for amino acid replacement and/or the identification of replacing amino acids, means that fewer than all amino acids on the protein-backbone are selected for amino acid replacement; and/or fewer than all of the remaining 19 amino acids available to replace the original amino acid present in the unmodified starting protein are selected for  
10 replacement. In particular embodiments of the methods provided herein, the is-HIT amino acid positions are restricted, such that fewer than all amino acids on the protein-backbone are selected for amino acid replacement. In other embodiments, the replacing amino acids are restricted, such that fewer than all of the remaining 19 amino acids  
15 available to replace the native amino acid present in the unmodified starting protein are selected as replacing amino acids. In a particular embodiment, both of the scans to identify is-HIT amino acid positions and the replacing amino acids are restricted, such that fewer than all amino acids on the protein-backbone are selected for amino acid replacement  
20 and fewer than all of the remaining 19 amino acids available to replace the native amino acid are selected for replacement.

As used herein, "candidate LEADs," are mutant proteins that are contemplated as potentially having an alteration in any attribute, chemical, physical or biological property in which such alteration is  
25 sought. In the methods herein, candidate LEADs are generally generated by systematically replacing is-HITS loci in a protein or a domain thereof with typically a restricted subset, or all, of the remaining 19 amino acids, such as obtained using PAM matrix analysis and the like. Candidate



-15-

LEADs may be generated by other methods known to those of skill in the art tested by the high throughput methods herein (see FIG1B).

As used herein, "LEADs" are "candidate LEADs" whose activity has been demonstrated to be optimized or improved for the particular attribute, chemical, physical or biological property. For purposes herein a "LEAD" typically has activity with respect to the function of interest that differs by at least 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%, 150%, 200% or more from the unmodified and/or wild type (native) protein. In certain embodiments, the change in activity is at least about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 100%, of the activity of the unmodified target protein. In other embodiments, the change in activity is not more than about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 100%, of the activity of the unmodified target protein. In yet other embodiments, the change in activity is at least about 2 times, 3 times, 4 times, 5 times, 6 times, 7 times, 8 times, 9 times, 10 times, 20 times, 30 times, 40 times, 50 times, 60 times, 70 times, 80 times, 90 times, 100 times, 200 times, 300 times, 400 times, 500 times, 600 times, 700 times, 800 times, 900 times, 1000 times, or more greater than the activity of the unmodified target protein. The desired alteration, which can be either an increase or a reduction in activity, will depend upon the function or property of interest (e.g.,  $\pm 10\%$ ,  $\pm 20\%$ , etc.). The LEADs may be further optimized by replacement of a plurality (2 or more) of "is-HIT" target positions on the same protein molecule to generate "super-LEADs."

As used herein, the term "super-LEAD" refers to protein mutants (variants) obtained by combining the single mutations present in two or more of the LEAD molecules into a single protein molecule (see FIG3A). Accordingly, in the context of the modified proteins provided herein, the phrase "proteins comprising one or more single amino acid replacements"

-16-

encompasses any combination of two or more of the mutations described herein for a respective protein. For example, the modified proteins provided herein having one or more single amino acid replacements can have any combination of 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 or more of the amino acid replacements at the disclosed replacement positions. The collection of new super-LEAD mutant molecules is generated, tested and phenotypically characterized one-by-one in addressable arrays. Super-LEAD mutant molecules are such that each molecule contains a variable number and type of LEAD mutations. Those molecules displaying further improved fitness for the particular feature being evolved, are referred to as super-LEADs. Super-LEADs may be generated by other methods known to those of skill in the art and tested by the high throughput methods herein. For purposes herein a super-LEAD typically has activity with respect to the function of interest that differs from the improved activity of a LEAD by a desired amount, such as at least 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%, 150%, 200% or more from at least one of the LEAD mutants from which it is derived. In certain embodiments, the change in activity is at least about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 100%, of the activity of the unmodified target protein. In other embodiments, the change in activity is not more than about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 100%, of the activity of the unmodified target protein. In yet other embodiments, the change in activity is at least about 2 times, 3 times, 4 times, 5 times, 6 times, 7 times, 8 times, 9 times, 10 times, 20 times, 30 times, 40 times, 50 times, 60 times, 70 times, 80 times, 90 times, 100 times, 200 times, 300 times, 400 times, 500 times, 600 times, 700 times, 800 times, 900 times, 1000 times, or more greater than the activity of the unmodified target protein. As with LEADs, the change in the activity for super-

-17-

LEADs is dependent upon the activity that is being "evolved." The desired alteration, which can be either an increase or a reduction in activity, will depend upon the function or property of interest.

As used herein, an exposed residue presents more than 15% of its  
5 surface exposed to the solvent.

As used herein, the phrase "unmodified target protein," "unmodified protein" or "unmodified cytokine," or grammatical variations thereof, refers to a starting protein that is selected for optimization using the methods provided herein. The starting unmodified target protein can  
10 be the naturally occurring, wild type form of a protein. In addition, the starting unmodified target protein may have previously been altered or mutated, such that it differs from the native wild type isoform, but is nonetheless referred to herein as an starting unmodified target protein relative to the subsequently modified proteins produced herein. Thus,  
15 existing proteins known in the art that have previously been modified to have a desired increase or decrease in a particular biological activity compared to an unmodified reference protein can be selected and used herein as the starting "unmodified target protein." For example, a protein that has been modified from its native form by one or more single amino  
20 acid changes and possesses either an increase or decrease in a desired activity, such as resistance to proteolysis, can be utilized with the methods provided herein as the starting unmodified target protein for further optimization of either the same or a different biological activity.

As used herein, the phrase "only one amino acid replacement  
25 occurs on each target protein" refers to the modification of a target protein, such that it differs from the unmodified form of the target protein by a single amino acid change. For example, in one embodiment, mutagenesis is performed by the replacement of a single amino acid residue at only one is-HIT target position on the protein backbone (e.g.,

-18-

"one-by-one" in addressable arrays), such that each individual mutant generated is the single product of each single mutagenesis reaction. The single amino acid replacement mutagenesis reactions are repeated for each of the replacing amino acids selected at each of the is-HIT target  
5 positions. Thus, a plurality of mutant protein molecules are produced, whereby each mutant protein contains a single amino acid replacement at only one of the is-HIT target positions.

As used herein, the phrase "pseudo-wild type" amino acids in the context of single or multiple amino acid replacements, are those amino  
10 acids that are different from the native amino acid at a given amino acid position but can replace the native one at that position without introducing any measurable change (typically a change less than 10%, 5% or 1%, depending upon the activity) in a particular protein activity. A population of sets of nucleic acid molecules encoding a collection of  
15 mutant molecules can be generated and phenotypically characterized such that proteins with amino acid sequences different from the native ones but that still elicit the same level and type of desired activity as the native protein can be produced.

As used herein, biological and pharmacological activity includes any  
20 activity of a biological pharmaceutical agent and includes, but is not limited to, resistance to proteolysis, biological efficiency, transduction efficiency, gene/transgene expression, differential gene expression and induction activity, titer, progeny productivity, toxicity, cytotoxicity, immunogenicity, cell proliferation and/or differentiation activity, anti-viral  
25 activity, morphogenetic activity, teratogenetic activity, pathogenetic activity, therapeutic activity, tumor suppressor activity, ontogenetic activity, oncogenetic activity, enzymatic activity, pharmacological activity, cell/tissue tropism and delivery.

-19-

As used herein, "output signal" refers to parameters that can be followed over time and, if desired, quantified. For example, when a recombinant protein is introduced into a cell, the cell containing the recombinant protein undergoes a number of changes. Any such change  
5 that can be monitored and used to assess the transformation or transfection, is an output signal, and the cell is referred to as a reporter cell; the encoding nucleic acid is referred to as a reporter gene, and the construct that includes the encoding nucleic acid is a reporter construct. Output signals include, but are not limited to, enzyme activity,  
10 fluorescence, luminescence, amount of product produced and other such signals. Output signals include expression of a gene or gene product, including heterologous genes (transgenes) inserted into the plasmid virus. Output signals are a function of time ("t") and are related to the amount of protein used in the composition. For higher concentrations of protein,  
15 the output signal may be higher or lower. For any particular concentration, the output signal increases as a function of time until a plateau is reached. Output signals may also measure the interaction between cells, expressing heterologous genes, and biological agents.

As used herein, the activity of an IFN $\alpha$ -2b protein refers to any  
20 biological activity that can be assessed. In particular, herein, the activity assessed for the IFN $\alpha$ -2b proteins is resistance to proteolysis, antiviral activity and cell proliferation activity.

As used herein, the Hill equation is a mathematical model that relates the concentration of a drug (*i.e.*, test compound or substa  
25 nce) to the response measured

$$y = \frac{y_{\max}[D]^n}{[D]^n + [D_{50}]^n}$$

30

-20-

where  $y$  is the variable measured, such as a response, signal,  $y_{\max}$  is the maximal response achievable,  $[D]$  is the molar concentration of a drug,  $[D_{50}]$  is the concentration that produces a 50% maximal response to the drug,  $n$  is the slope parameter, which is 1 if the drug binds to a single site  
 5 and with no cooperativity between or among sites. A Hill plot is  $\log_{10}$  of the ratio of ligand-occupied receptor to free receptor vs.  $\log [D]$  (M). The slope is  $n$ , where a slope of greater than 1 indicates cooperativity among binding sites, and a slope of less than 1 can indicate heterogeneity of binding. This general equation has been employed for assessing  
 10 interactions in complex biological systems (see, published International PCT application No. WO 01/44809 based on PCT No. PCT/FR00/03503, see, also, the EXAMPLES).

As used herein, in the Hill-based analysis (see, published International PCT application No. WO 01/44809 based on PCT No.  
 15 PCT/FR00/03503), the parameters,  $\pi, \kappa, \tau, \epsilon, \eta, \theta$ , are as follows:

- $\pi$  is the potency of the biological agent acting on the assay (cell-based) system;
- $\kappa$  is the constant of resistance of the assay system to elicit a response to a biological agent;
- 20  $\epsilon$  is the global efficiency of the process or reaction triggered by the biological agent on the assay system;
- $\tau$  is the apparent titer of the biological agent;
- $\theta$  is the absolute titer of the biological agent; and
- $\eta$  is the heterogeneity of the biological process or reaction.

25 In particular, as used herein, the parameters  $\pi$  (potency) or  $\kappa$  (constant of resistance) are used to respectively assess the potency of a test agent to produce a response in an assay system and the resistance of the assay system to respond to the agent.

-21-

As used herein,  $\epsilon$  (efficiency), is the slope at the inflexion point of the Hill curve (or, in general, of any other sigmoidal or linear approximation), to assess the efficiency of the global reaction (the biological agent and the assay system taken together) to elicit the  
5 biological or pharmacological response.

As used herein,  $\tau$  (apparent titer) is used to measure the limiting dilution or the apparent titer of the biological agent.

As used herein,  $\theta$  (absolute titer), is used to measure the absolute limiting dilution or titer of the biological agent.

10 As used herein,  $\eta$  (heterogeneity) measures the existence of discontinuous phases along the global reaction, which is reflected by an abrupt change in the value of the Hill coefficient or in the constant of resistance.

As used herein, a population of sets of nucleic acid molecules  
15 encoding a collection of mutants refers to a collection of plasmids or other vehicles that carrying (encoding) the gene variants, such that individual plasmid or other vehicles carry individual gene variants. Each element of the collection (library) is physically separated from the others, individually set in an appropriate format, such as an addressable array, and  
20 is generated as a single product of an independent mutagenesis reaction. When a collection of proteins is contemplated, it will be so-stated.

As used herein, a "reporter cell" is the cell that "reports," *i.e.*, undergoes the change, in response to the treatment with for example a protein or a virus.

25 As used herein, "reporter" or "reporter moiety" refers to any moiety that allows for the detection of a molecule of interest, such as a protein expressed by a cell. Reporter moieties include, but are not limited to, for example, fluorescent proteins, such as red, blue and green fluorescent proteins; LacZ and other detectable proteins and gene products. For



-22-

expression in cells, nucleic acid encoding the reporter moiety can be expressed as a fusion protein with a protein of interest or under to the control of a promoter of interest.

As used herein, phenotype refers to the physical, physiological or  
5 other manifestation of a genotype (a sequence of a gene). In methods herein, phenotypes that result from alteration of a genotype are assessed.

As used herein, "activity" means in the largest sense of the term any change in a system (either biological, chemical or physical system) of any nature (changes in the amount of product in an enzymatic reaction,  
10 changes in cell proliferation, in immunogenicity, in toxicity, and the like) caused by a protein or protein mutant when they interact with that system. In addition, the term "activity," "higher activity" or "lower activity" as used herein in reference to resistance to either proteases, proteolysis, incubation with serum or with blood, means the ratio or  
15 residual biological (antiviral) activity between "after" protease/blood or serum treatment and "before" protease/blood or serum treatment.

As used herein, activity refers to the function or property to be evolved. An active site refers to a site(s) responsible or that participates in conferring the activity or function. The activity or active site evolved  
20 (the function or property and the site conferring or participating in conferring the activity) may have nothing to do with natural activities of a protein. For example, it could be an 'active site' for conferring immunogenicity (immunogenic sites or epitopes) on a protein.

As used herein, the amino acids, which occur in the various amino  
25 acid sequences appearing herein, are identified according to their known, three-letter or one-letter abbreviations (see, Table 1). The nucleotides,

-23-

which occur in the various nucleic acid fragments, are designated with the standard single-letter designations used routinely in the art.

As used herein, amino acid residue refers to an amino acid formed upon chemical digestion (hydrolysis) of a polypeptide at its peptide  
5 linkages. The amino acid residues described herein are presumed to be in the "L" isomeric form. Residues in the "D" isomeric form, which are so-designated, can be substituted for any L-amino acid residue, as long as the desired functional property is retained by the polypeptide. NH<sub>2</sub> refers to the free amino group present at the amino terminus of a polypeptide.  
10 COOH refers to the free carboxy group present at the carboxyl terminus of a polypeptide. In keeping with standard polypeptide nomenclature described in *J. Biol. Chem.*, 243:3552-3559, 1969, and adopted at 37 C.F.R. §§ 1.821 - 1.822, abbreviations for amino acid residues are shown in Table 1:

15

**Table 1**  
Table of Correspondence

20

25

SYMBOL		AMINO ACID
1-Letter	3-Letter	
Y	Tyr	tyrosine
G	Gly	glycine
F	Phe	phenylalanine
M	Met	methionine
A	Ala	alanine
S	Ser	serine
I	Ile	isoleucine
L	Leu	leucine
T	Thr	threonine
V	Val	valine
P	Pro	proline

-24-

5

10

SYMBOL		
K	Lys	lysine
H	His	histidine
Q	Gln	glutamine
E	Glu	glutamic acid
Z	Glx	Glu and/or Gln
W	Trp	tryptophan
R	Arg	arginine
D	Asp	aspartic acid
N	Asn	asparagine
B	Asx	Asn and/or Asp
C	Cys	cysteine
X	Xaa	Unknown or other

It should be noted that all amino acid residue sequences represented herein by formulae have a left to right orientation in the conventional direction of amino-terminus to carboxyl-terminus. In addition, the phrase "amino acid residue" is broadly defined to include the amino acids listed in the Table of Correspondence (Table 1) and modified and unusual amino acids, such as those referred to in 37 C.F.R. §§ 1.821-1.822, and incorporated herein by reference. Furthermore, it should be noted that a dash at the beginning or end of an amino acid residue sequence indicates a peptide bond to a further sequence of one or more amino acid residues or to an amino-terminal group such as NH<sub>2</sub> or to a carboxyl-terminal group such as COOH.

As used herein, nucleic acids include DNA, RNA and analogs thereof, including protein nucleic acids (PNA) and mixture thereof. Nucleic acids can be single or double stranded. When referring to probes

-25-

or primers, optionally labeled, with a detectable label, such as a fluorescent or radiolabel, single-stranded molecules are contemplated. Such molecules are typically of a length such that they are statistically unique of low copy number (typically less than 5, generally less than 3) for probing or priming a library. Generally a probe or primer contains at least 14, 16 or 30 contiguous of sequence complementary to or identical a gene of interest. Probes and primers can be 10, 14, 16, 20, 30, 50, 100 or more nucleic acid bases long.

Therefore, as used herein, the term "identity" represents a comparison between a test and a reference polypeptide or polynucleotide. For example, a test polypeptide may be defined as any polypeptide that is 90% or more identical to a reference polypeptide.

As used herein, the term at least "90% identical to" refers to percent identities from 90 to 100% relative to the reference polypeptides. Identity at a level of 90% or more is indicative of the fact that, assuming for exemplification purposes a test and reference polypeptide length of 100 amino acids are compared. No more than 10% (i.e., 10 out of 100) amino acids in the test polypeptide differ from that of the reference polypeptides. Similar comparisons may be made between a test and reference polynucleotides. Such differences may be represented as point mutations randomly distributed over the entire length of an amino acid sequence or they may be clustered in one or more locations of varying length up to the maximum allowable, e.g., 10/100 amino acid difference (approximately 90% identity). Differences are defined as nucleic acid or amino acid substitutions, or deletions.

As used herein, it also is understood that the terms substantially identical or similar varies with the context as understood by those skilled in the relevant art.

-26-

As used herein, a therapeutically effective dose refers to that amount of the compound sufficient to result in amelioration of symptoms of disease.

5 A cell extract that contains the DNA or protein of interest should be understood to mean a homogenate preparation or cell-free preparation obtained from cells that express the protein or contain the DNA of interest. The term "cell extract" is intended to include culture media, especially spent culture media from which the cells have been removed.

10 As used herein, receptor refers to a biologically active molecule that specifically binds to (or with) other molecules. The term "receptor protein" may be used to more specifically indicate the proteinaceous nature of a specific receptor.

As used herein, recombinant refers to any progeny formed as the result of genetic engineering.

15 As used herein, a promoter region refers to the portion of DNA of a gene that controls transcription of the DNA to which it is operatively linked. The promoter region includes specific sequences of DNA that are sufficient for RNA polymerase recognition, binding and transcription initiation. This portion of the promoter region is referred to as the  
20 promoter. In addition, the promoter region includes sequences that modulate this recognition, binding and transcription initiation activity of the RNA polymerase. These sequences may be *cis* acting or may be responsive to *trans* acting factors. Promoters, depending upon the nature of the regulation, may be constitutive or regulated.

25 As used herein, the phrase "operatively linked" generally means the sequences or segments have been covalently joined into one piece of DNA, whether in single or double stranded form, whereby control or regulatory sequences on one segment control or permit expression or replication or other such control of other segments. The two segments

-27-

are not necessarily contiguous. For gene expression a DNA sequence and a regulatory sequence(s) are connected in such a way to control or permit gene expression when the appropriate molecular, e.g., transcriptional activator proteins, are bound to the regulatory sequence(s).

5       As used herein, production by recombinant means by using recombinant DNA methods means the use of the well known methods of molecular biology for expressing proteins encoded by cloned DNA, including cloning expression of genes and methods, such as gene shuffling and phage display with screening for desired specificities.

10       As used herein, a composition refers to any mixture of two or more products or compounds. It may be a solution, a suspension, liquid, powder, a paste, aqueous, non-aqueous or any combination thereof.

As used herein, a combination refers to any association between two or more items.

15       As used herein, substantially identical to a product means sufficiently similar so that the property of interest is sufficiently unchanged so that the substantially identical product can be used in place of the product.

As used herein, the term "vector" refers to a nucleic acid molecule  
20   capable of transporting another nucleic acid to which it has been linked. One type of vector is an episome, i.e., a nucleic acid capable of extra-chromosomal replication. Exemplary vectors are those capable of autonomous replication and/or expression of nucleic acids to which they are linked. Vectors capable of directing the expression of genes to which  
25   they are operatively linked are referred to herein as "expression vectors." In general, expression vectors of utility in recombinant DNA techniques are often in the form of "plasmids" which refer generally to circular double stranded DNA loops which, in their vector form are not bound to the chromosome. "Plasmid" and "vector" are used interchangeably as

-28-

the plasmid is the most commonly used form of vector. Other such other forms of expression vectors that serve equivalent functions and that become known in the art subsequently hereto.

As used herein, vector also is used interchangeable with "virus  
5 vector" or "viral vector." In this case, which will be clear from the context, the "vector" is not self-replicating. Viral vectors are engineered viruses that are operatively linked to exogenous genes to transfer (as vehicles or shuttles) the exogenous genes into cells.

As used herein, transduction refers to the process of gene transfer  
10 and expression into mammalian and other cells mediated by viruses. Transfection refers to the process when mediated by plasmids.

As used herein, transformation refers to the process of gene transfer and expression into bacterial cells, mediated by plasmids.

As used herein, "allele," which is used interchangeably herein with  
15 "allelic variant" refers to alternative forms of a gene or portions thereof. Alleles occupy the same locus or position on homologous chromosomes. When a subject has two identical alleles of a gene, the subject is said to be homozygous for the gene or allele. When a subject has two different alleles of a gene, the subject is said to be heterozygous for the gene.  
20 Alleles of a specific gene can differ from each other in a single nucleotide, or several nucleotides, and can include substitutions, deletions, and insertions of nucleotides. An allele of a gene also can be a form of a gene containing a mutation.

As used herein, the term "gene" or "recombinant gene" refers to a  
25 nucleic acid molecule comprising an open reading frame and including at least one exon and (optionally) an intron sequence. A gene can be either RNA or DNA. Genes may include regions preceding and following the coding region (leader and trailer).



-29-

As used herein, "intron" refers to a DNA sequence present in a given gene which is spliced out during mRNA maturation.

As used herein, "nucleotide sequence complementary to the nucleotide sequence set forth in SEQ ID NO:" refers to the nucleotide  
5 sequence of the complementary strand of a nucleic acid strand having the particular SEQ ID NO:. The term "complementary strand" is used herein interchangeably with the term "complement." The complement of a nucleic acid strand can be the complement of a coding strand or the complement of a non-coding strand. When referring to double stranded  
10 nucleic acids, the complement of a nucleic acid having a particular SEQ ID NO: refers to the complementary strand of the strand set forth in the particular SEQ ID NO: or to any nucleic acid having the nucleotide sequence of the complementary strand of the particular SEQ ID NO:. When referring to a single stranded nucleic acid having a nucleotide  
15 sequence corresponding to a particular SEQ ID NO:, the complement of this nucleic acid is a nucleic acid having a nucleotide sequence which is complementary to that of the particular SEQ ID NO:.

As used herein, the term "coding sequence" refers to that portion of a gene that encodes an amino acid sequence of a protein.

20 As used herein, the term "sense strand" refers to that strand of a double-stranded nucleic acid molecule that has the sequence of the mRNA that encodes the amino acid sequence encoded by the double-stranded nucleic acid molecule.

As used herein, the term "antisense strand" refers to that strand of  
25 a double-stranded nucleic acid molecule that is the complement of the sequence of the mRNA that encodes the amino acid sequence encoded by the double-stranded nucleic acid molecule.

As used herein, an array refers to a collection of elements, such as nucleic acid molecules, containing three or more members. An

-30-

addressable array is one in which the members of the array are identifiable, typically by position on a solid phase support or by virtue of an identifiable or detectable label, such as by color, fluorescence, electronic signal (*i.e.*, RF, microwave or other frequency that does not  
5 substantially alter the interaction of the molecules of interest), bar code or other symbology, chemical or other such label. In certain embodiments, the members of the array are immobilized to discrete identifiable loci on the surface of a solid phase or directly or indirectly linked to or otherwise associated with the identifiable label, such as affixed to a microsphere or  
10 other particulate support (herein referred to as beads) and suspended in solution or spread out on a surface.

As used herein, a library of molecules is a collection of molecules; the terms are used interchangeably.

As used herein, a support (also referred to as a matrix support, a  
15 matrix, an insoluble support or solid support) refers to any solid or semisolid or insoluble support to which a molecule of interest, typically a biological molecule, organic molecule or biospecific ligand is linked or contacted. Such materials include any materials that are used as affinity matrices or supports for chemical and biological molecule syntheses and  
20 analyses, such as, but are not limited to: polystyrene, polycarbonate, polypropylene, nylon, glass, dextran, chitin, sand, pumice, agarose, polysaccharides, dendrimers, buckyballs, polyacryl-amide, silicon, rubber, and other materials used as supports for solid phase syntheses, affinity separations and purifications, hybridization reactions, immunoassays and  
25 other such applications. The matrix herein can be particulate or can be in the form of a continuous surface, such as a microtiter dish or well, a glass slide, a silicon chip, a nitrocellulose sheet, nylon mesh, or other such materials. When particulate, typically the particles have at least one dimension in the 5-10 mm range or smaller. Such particles, referred

-31-

collectively herein as "beads," are often, but not necessarily, spherical. Such reference, however, does not constrain the geometry of the matrix, which may be any shape, including random shapes, needles, fibers, and elongated. Roughly spherical "beads," particularly microspheres that can  
5 be used in the liquid phase, also are contemplated. The "beads" may include additional components, such as magnetic or paramagnetic particles (see, *e.g.*, Dynabeads (Dynal, Oslo, Norway)) for separation using magnets, as long as the additional components do not interfere with the methods and analyses herein.

10 As used herein, a matrix or support particles refers to matrix materials that are in the form of discrete particles. The particles have any shape and dimensions, but typically have at least one dimension that is 100 mm or less, 50 mm or less, 10 mm or less, 1 mm or less, 100  $\mu\text{m}$  or less, 50  $\mu\text{m}$  or less and typically have a size that is 100  $\text{mm}^3$  or less, 50  
15  $\text{mm}^3$  or less, 10  $\text{mm}^3$  or less, and 1  $\text{mm}^3$  or less, 100  $\mu\text{m}^3$  or less and may be order of cubic microns. Such particles are collectively called "beads."

As used herein, the abbreviations for any protective groups, amino acids and other compounds, are, unless indicated otherwise, in accord with their common usage, recognized abbreviations, or the IUPAC-IUB  
20 Commission on Biochemical Nomenclature (see, *Biochem.*, 11:942-944, 1972).

#### B. Directed Evolution

To date, there have been three general approaches described for protein directed evolution based on mutagenesis.

##### 25 1) Pure Random Mutagenesis

Random mutagenesis methodology requires that the amino acids in the starting protein sequence are replaced by all (or a group) of the 20 amino acids. Either single or multiple replacements at different amino acid positions are generated on the same molecule, at the same time.

-32-

The random mutagenesis method relies on a direct search for fitness improvement based on random amino acid replacement and sequence changes at multiple amino acid positions. In this approach neither the amino acid position (first dimension) nor the amino acid type (second  
5 dimension) are restricted; and everything possible is generated and tested. Multiple replacements can randomly happen at the same time on the same molecule. For example, random mutagenesis methods are widely used to develop antibodies with higher affinity for its ligand, by the generation of random-sequence libraries of antibody molecules, followed by expression  
10 and screening using filamentous phages.

## 2) Restricted Random Mutagenesis

Restricted random mutagenesis methods introduce either all of the 20 amino acids or DNA-biased residues, wherein the bias is based on the sequence of the DNA and not on that of the protein, in a stochastic or  
15 semi-stochastic manner, respectively, within restricted or predefined regions of the protein, known in advance to be involved in the biological activity being "evolved." This method relies on a direct search for fitness improvement based on random amino acid replacement and sequence changes at either restricted or multiple amino acid positions, with the  
20 hope that a new, unpredictable amino acid sequence at specific regions would perform better than the starting sequence. In this approach the scanning can be restricted to selected amino acid positions and/or amino acid types, while material changes continue to be random in position and type. For example, the amino acid position can be restricted by prior  
25 selection of the target region to be mutated (selection of target region is based upon prior knowledge on protein structure/function); while the amino acid type is not primarily restricted as replacing amino acids are stochastically or at most "semi-stochastically" chosen. As an example,

-33-

this method is used to optimize known binding sites on proteins, including hormone-receptor systems and antibody-epitope systems.

**3) Non-restricted Rational mutagenesis**

Rational mutagenesis is a two-step process and is described in co-  
5 pending U.S. application Serial No. 10/022,249. Briefly, the first step  
requires amino acid scanning where all and each of the amino acids in the  
starting protein sequence are replaced by a third amino acid of reference  
(e.g., alanine). Only a single amino acid is replaced on each protein  
molecule at a time; while a collection of protein molecules having a single  
10 amino acid replacement is generated such that molecules are  
differentiated by the amino acid position at which the replacement has  
taken place. Mutant DNA molecules are designed, generated by  
mutagenesis and cloned individually, such as in addressable arrays, such  
that they are physically separated from each other and that each one is  
15 the single product of an independent mutagenesis reaction. Mutant  
protein molecules derived from the collection of mutant DNA molecules  
also are physically separated from each other, such as by formatting in  
addressable arrays.

Activity assessment on each protein molecule allows for the  
20 identification of those amino acid positions that result in a drop in activity  
when replaced, thus indicating the involvement of that particular amino  
acid position in the protein's biological activity and/or conformation that  
leads to fitness of the particular feature being evolved. Those amino acid  
positions are referred to as HITs. At the second step, a new collection of  
25 molecules is generated such that each molecule differs from each other  
by the amino acid present at the individual HIT positions identified in  
step 1. All 20 amino acids (19 amino acids and the original) are  
introduced at each of the HIT positions identified in step 1; while each  
individual molecule contains, in principle, one and only one amino acid

-34-

replacement. Mutant DNA molecules are designed, generated by mutagenesis and cloned individually, such as in addressable arrays, such that they are physically separated from each other and that each one is the single product of an independent mutagenesis reaction. Mutant  
5 protein molecules derived from the collection of mutant DNA molecules also are physically separated from each other and can be formatted in addressable arrays.

Activity assessment then is individually performed on each individual mutant molecule. The newly generated sequences that lead to  
10 an improvement in the protein activity are referred to as LEADs (FIG2). This method permits an indirect search for activity improvement based on one rational amino acid replacement and sequence change at single amino acid positions at a time, in search of a new, unpredictable amino acid sequence at some unpredictable regions along the protein that performs  
15 better than the starting sequence.

In this approach neither the amino acid position nor the replacing amino acid type are restricted. Full length protein scanning is performed during the first step to identify HIT positions, and then all 20 amino acids are tested at each of the HIT positions, to identify LEAD sequences;  
20 while, as a starting point, only one amino acid at a time is replaced on each molecule. The selection of the target region (HITs and surrounding amino acids) for the second step is based upon experimental data on activity obtained in the first step. Thus, no prior knowledge of protein structure and/or function is necessary. Using this approach, LEAD  
25 sequences have been found on proteins that are located at regions of the protein not previously known to be involved in the particular biological activity being optimized; thus emphasizing the power of this approach to discover unpredictable regions (HITs) as targets for fitness improvement.

### C. 2-Dimensional Scanning

-35-

Provided herein are 2-Dimensional rational scanning (or "2D-scanning") methods for protein rational evolution that are based on scanning over two dimensions: (1) one dimension is the amino acid position along the protein sequence to identify is-HIT target positions, and  
5 (2) the second dimension is the amino acid type selected for replacing the particular is-HIT amino acid position.

In particular embodiments, based on *i)* the particular protein properties to be evolved, *ii)* the protein's amino acid sequence, and *iii)* the known properties of the individual amino acids, a number of target  
10 positions along the protein sequence are selected, *in silico*, "as is-HIT target positions." This number of is-HIT target positions is as large as possible such that all reasonably possible target positions for the particular feature being evolved are included. In particular, embodiments where a restricted number of is-HIT target positions are selected for  
15 replacement, the amino acids selected to replace the is-HIT target positions on the particular protein being optimized can be either all of the remaining 19 amino acids or, more frequently, a more restricted group comprising selected amino acids that are contemplated to have the desired effect on protein activity. In another embodiment, so long as a  
20 restricted number of replacement amino acids are used, all of the amino acid positions along the protein backbone can be selected as is-HIT target positions for amino acid replacement.

Mutagenesis then is performed by the replacement of single amino acid residues at specific is-HIT target positions on the protein backbone  
25 (e.g., "one-by-one" in addressable arrays), such that each individual mutant generated is the single product of each single mutagenesis reaction. Mutant DNA molecules are designed, generated by mutagenesis and cloned individually, in addressable arrays, such that they are physically separated from each other and that each one is the single



-36-

product of an independent mutagenesis reaction. Mutant protein molecules derived from the collection of mutant DNA molecules also are physically separated from each other and can be formatted in addressable arrays. Thus, a plurality of mutant protein molecules are produced,

5 whereby each mutant protein contains a single amino acid replacement at only one of the is-HIT target positions. Activity assessment then is individually performed on each individual protein mutant molecule, following protein expression and measurement of the appropriate activity, such as set forth in the Examples provided herein for optimization of IFN $\alpha$ -

10 2b. The newly generated sequences that lead to an improvement in the protein activity are referred to as LEADs. This method relies on an indirect search for protein improvement for a particular activity, such as increased resistance to proteolysis, based on a rational amino acid replacement and sequence change at single or, in another embodiment, a

15 limited number of amino acid positions at a time. As a result, optimized proteins having newly discovered amino acid sequences at some regions along the protein that perform better than the starting sequence are identified and isolated.

A variety of protein properties and/or biological activities can be

20 modified using the rational mutagenesis methods provided herein, such as an increase or decrease in protein stability, the optimal pH or pH-activity of a protein, protein digestibility, protein thermostabilization, protein antigenicity, the amphipathic properties of a protein, ligand-receptor interactions of a protein.

25 An advantage of the 2D-scanning methods provided herein is that at least one, and typically both, of the two dimensions for scanning (amino acid position and the replacing amino acid) are restricted. This means that fewer than all amino acids on the protein-backbone are selected for amino acid replacement; and/or fewer than all of the

-37-

remaining 19 amino acids available to replace the original, such as native, amino acid are selected for replacement. The 2D-scanning methods provided herein are not limited to a restrictive number of selected target amino acid positions; instead the entire length of the protein is "scanned" or checked, *in silico*, to identify candidate amino acid positions amenable to improving the desired activity, wherein these positions are designated "*in silico* HITs" ("is-HITs"). Each possible amino acid and amino acid position that might be involved in the feature being evolved is identified and referred to herein as "is-HITs." The methods provided herein are not limited to only those amino acid positions that would be the preferred candidates based on either existing algorithms, previous knowledge or intuition (this would be purely predictive). Neither do the methods provided herein replace every amino acid position along the protein (this would be purely random or stochastic). Once all the candidate amino acid positions (is-HITs) are identified, the next step involves identifying the amino acids that will be used to replace them at the respective is-HITs in the natural unmodified sequence.

Each possible amino acid that can be used as a replacing amino acid in order to evolve the selected feature while, at the same time, not having a deleterious effect on either activity or structure, is identified. The methods provided herein are not limited to a restrictive number of preferred replacing amino acids; instead all possible replacing amino acids are "tested" for each possible target position, or said the other way around, each is-HIT position is "scanned" for all possible candidate replacing amino acids. The methods are not restricted to only those amino acids that would be the preferred candidates based on existing algorithms, knowledge or intuition (this would be purely predictive). Neither do the methods provided herein replace every one of the

-38-

remaining 19 amino acids as replacing amino acids (this would be purely random or stochastic).

To compare the 2D-scanning methods provided herein to the "Pure Random Mutagenesis," "Restricted Random Mutagenesis" and "Rational Mutagenesis" methods described above, the following example in which  
5 enzyme activity at a pH different from the optimal pH for the native protein is improved is considered. The object is to identify mutants in which specific amino acid replacement(s) lead to a shift in the pH profile of the enzyme.

10 The "pure random mutagenesis" approach would proceed by blinded random (stochastic) amino acid replacement at any place on the protein sequence, whether the protein 3-dimensional structure is known or not. The "restricted random mutagenesis" approach, however, in the absence of knowledge about the 3-dimensional structure. Where where  
15 the 3-dimensional structure of the protein is known, this method joins and becomes a sort of "pure random mutagenesis" approach.

In a rational mutagenesis" approach, an amino acid-scanning step would be performed, in order to identify those amino acid positions (HITs) that would be involved in the determination of the optimal pH. As the  
20 outcome of the second step, suitable amino acids would have been identified such that when put at the HIT positions lead to a change in optimal pH.

In the example of the enzyme pH activity profile, in practicing the "2D-scanning" methods provided those amino acid positions (the "is-  
25 HITs") that may either affect optimal pH or are otherwise related to pH-activity are identified. This is done solely based on the primary amino acid sequence. In the example, the is-HITs will, in principle, be located at every position along the protein sequence where there is an amino acid susceptible to be either proton donor or proton acceptor. Each and every

-39-

one of those amino acids is considered potentially involved in the determination of the optimal pH. No other assumptions are made. These is-HITs are chosen independently from any assumptions based on protein structure; the choice, in the example, is based only on intrinsic properties  
5 of the individual amino acids. These amino acids positions (target positions) are taken to the next step in the process as is-HITs.

At the second step, a collection of physical (i.e., this step is not "*in silico*") "candidate LEAD" mutant molecules is generated such that each candidate LEAD molecule differs from each other by the amino acid  
10 present at one or more is-HIT positions. In certain embodiments, all 20 amino acids may be introduced at each of the is-HIT positions; while each individual molecule contains, in principle, either only one or a few amino acid replacements at different is-HIT positions. In another embodiment, only a restricted group of amino acids could be used to replace the  
15 original amino acids at the is-HIT positions. These replacing amino acids are chosen based on their intrinsic properties: i.e., in our example of the optimal pH, the subset of replacing amino acids would be restricted to only those amino acids able to function as either a proton donor or a proton receptor.

20 The 2D rational scanning methods provided herein still maintain the value of performing a "blinded" screening, that is observed in the other three approaches; although it is more conditioned by previous knowledge of amino acid properties, in the sense that it relies on a higher number of assumptions and hypotheses. This effect is partially countered by the  
25 fact that as many alternative is-HIT positions as possible, identified based on different criteria (helix-turn disruption, hydrophobicity, and other parameters), are covered. On the other hand, the number of different replacing amino acids is kept as large as reasonably possible, up to all the 20 amino acids (at each position), whenever appropriate. Despite of the

-40-

restrictions introduced by the rational assumptions made in the choice of is-HIT target positions and of the replacing amino acids, because the selection of both is-HIT target positions and replacing amino acids is limited to a minimum (keeping the number of is-HIT as large as possible) and the replacing amino acid type as broad as possible, the 2D-scanning method provided herein is extremely rich in its potential for exploring unexpected and innovative amino acid sequences, while at the same time, being highly efficient in terms of attrition rate between mutants generated and LEAD molecules obtained.. Given the number of different candidate LEAD protein molecules that are generated (e.g., a few thousands per collection), a high-throughput screening is typically necessary.

1) Identifying *In-silico* HITs

Provided herein is a method for directed evolution that includes identifying and selecting (using *in silico* analysis) specific amino acids and amino acid positions (referred to herein as is-HITs; see, e.g., FIG1A) along the residues in a protein that are contemplated to be directly or indirectly involved in a feature being evolved. The 2D-scanning methods provided herein use the following two-steps. The first step is an *in silico* search on the particular protein's amino acid sequence to identify all possible amino acid positions that can potentially be targets for the activity being evolved. This is effected, for example, by assessing the effect of amino acid residues on the property or properties to be altered on the protein, using standard software. The particulars of the *in silico* analysis is a function of the property to be modified. For example, as provided herein, the property improved is the resistance of a protein to proteolysis. To determine amino acid residues that are potential targets as is-HITs, in this example, all possible target residues for proteases are first identified. The 3-dimensional structure of the protein is the considered in order to identify surface residues. Comparison of exposed residues with

-41-

proteolytically cleavable residues yields residues that are targets for change.

Once identified, these amino acid positions or target sequences are referred to as "is-HITs" (*in silico* HITs; FIG1A). *In silico* HITs are defined  
5 as those amino acid positions (or target positions) that potentially are involved in the "evolving" feature, such as increased resistance to proteolysis. In one embodiment, the discrimination of the is-HITs among all the amino acid positions in a protein sequence is made based on i) the amino acid type at each position in addition to, whenever available but  
10 not necessarily, ii) the information on the protein secondary or tertiary structure. *In silico* HITs constitute a collection of mutant molecules such that all possible amino acids, amino acid positions or target sequences potentially involved in the evolving feature are represented. No strong theoretical discrimination among amino acids or amino acid positions is  
15 made at this stage.

*In silico* HIT positions are spread over the full length of a protein sequence. In one embodiment, only one single is-HIT amino acid at a time is replaced on the target protein. In another embodiment, a limited number of is-HIT amino acids are replaced at the same time on the same  
20 target protein molecule. The selection of target regions (is-HITs and surrounding amino acids) for the second step is based upon rational assumptions and predictions. No prior knowledge of protein structure/function is necessary. In some embodiments, the use of the 2D-scanning methodology provided herein does not necessarily require  
25 any previous knowledge of the 3-dimensional conformational structure of the protein.

Any protein known or otherwise available to those of skill in the art is suitable for optimization using the directed evolution methods provided

-42-

herein, including cytokines (e.g., IFN $\alpha$ -2b) or any other proteins that have already been mutated or optimized.

A variety of parameters can be analyzed to determine whether or not a particular amino acid on a protein might be involved in the evolving  
5 feature. For example, the information provided by crystal structures of proteins can be rationally exploited in order to perform a computer-assisted (*in silico*) analysis towards the prediction of variants with desired features. In a particular embodiment, a limited number of initial premises (typically no more than 2) are used to determine the *in silico* HITS. In  
10 other embodiments, the number of premises used to determine the *in silico* HITS can range from 1 to 10 premises, including no more than 9, no more than 8, no more than 7, no more than 6, no more than 5, no more than 4, no more than 3, but are typically no more than 2 premises. It is important to the methods provided herein that the number of initial  
15 premises be kept to a minimum, so as to maintain the number of potential is-HITS at a maximum (here is where the methods provided are not limited by too much prediction based on theoretical assumptions). When two premises are employed, the first condition is typically the amino acid type itself, which is directly linked to the nature of the evolving feature. For  
20 example, if the goal were to change the optimum pH for an enzyme, then the replacing-amino acids selected at this step for the replacement of original sequence would be only those with a certain pKa value. The second premise is typically related to the specific position of those amino acids along the protein structure. For example, some amino acids might  
25 be discarded if they are not expected to be exposed enough to the solvent, even when they might have appropriate pKa values.

During the first step of identification of is-HITS according to the methods provided herein, each individual amino acid along the protein sequence is considered individually to assess whether it is a candidate for



-43-

is-HIT. This search is done one-by-one and the decision on whether the amino acid is considered to be a candidate for a is-HIT is based on (1) the amino acid type itself; (2) the position on the amino acid sequence and protein structure if known; and (3) the predicted interaction between that  
5 amino acid and its neighbors in sequence and space.

In an additional embodiment, once one protein within a family of proteins (e.g., IFN $\alpha$ -2b within the cytokine family) is optimized using the methods provided herein for generating LEAD mutants, is-HITs can be readily identified on the remaining proteins within the particular family by  
10 identifying the corresponding amino acid positions therein using a structural homology analysis (see, co-pending U.S. application Serial No. 923, filed the same day herewith). The is-HITs identified in this manner can then be subjected to the next step of identifying replacing amino acids and further assayed to obtain LEADs or super-LEADs as described  
15 herein.

## 2) Identifying Replacing Amino Acids

Once the is-HITs target positions (target loci) have been selected, the next step is identifying those amino acids that will replace the original, such as native, amino acid at each is-HIT position to alter the  
20 activity level for the particular feature being evolved. The set of replacing amino acids to be used to replace the original, such as native, amino acid at each is-HIT position can be different and specific for the particular is-HIT position. The choice of the replacing amino acids takes into account the need to preserve the physicochemical properties such as  
25 hydrophobicity, charge and polarity, of essential (e.g., catalytic, binding, etc.) residues. The number of replacing amino acids, of the remaining 19 non-native (or non-original) amino acids, that can be used to replace a particular is-HIT target position ranges from 1 up to about 19, from 1 up to about 15, from 1 up to about 10, from 1 up to about 9, from 1 up to

-44-

about 8, from 1 up to about 7, from 1 up to about 6, from 1 up to about 5, from 1 up to about 4, from 1 up to about 3, or from 1 to 2 amino acid replacements.

Numerous methods of selecting replacing amino acids are well known in the art. Protein chemists determined that certain amino acid substitutions commonly occur in related proteins from different species. As the protein still functions with these substitutions, the substituted amino acids are compatible with protein structure and function. Often, these substitutions are to a chemically similar amino acid, but other types of changes, although relatively rare, also can occur.

Knowing the types of changes that are most and least common in a large number of proteins can assist with predicting alignments and amino acid substitutions for any set of protein sequences. Amino acid substitution matrices are used for this purpose.

In amino acid substitution matrices, amino acids are listed across the top of a matrix and down the side, and each matrix position is filled with a score that reflects how often one amino acid would have been paired with the other in an alignment of related protein sequences. The probability of changing amino acid A into amino acid B is assumed to be identical to the reverse probability of changing B into A. This assumption is made because, for any two sequences, the ancestor amino acid in the phylogenetic tree is usually not known. Additionally, the likelihood of replacement should depend on the product of the frequency of occurrence of the two amino acids and on their chemical and physical similarities. A prediction of this model is that amino acid frequencies will not change over evolutionary time (Dayhoff *et al.*, *Atlas of Protein Sequence and Structure*, 5(3):345-352, 1978). Below are several exemplary amino acid substitution matrices, including, but not limited to block substitution matrix (BLOSUM), Jones, Gonnet, Fitch, Feng, McLachlan, Grantham,

-45-

Miyata, Rao, Risler, Johnson and percent accepted mutation (PAM). Any such method known to those of skill in the art can be employed.

**(a) Percent Accepted Mutation (PAM)**

Dayhoff and coworkers developed a model of protein evolution that  
5 resulted in the development of a set of widely used replacement matrices  
(Dayhoff *et al.*, *Atlas of Protein Sequence and Structure*, 5(3):345-352,  
1978) termed percent accepted mutation matrices (PAM). In deriving  
these matrices, each change in the current amino acid at a particular site  
is assumed to be independent of previous mutational events at that site.  
10 Thus, the probability of change of any amino acid A to amino acid B is  
the same, regardless of the previous changes at that site and also  
regardless of the position of amino acid A in a protein sequence.

In the Dayhoff approach, replacement rates are derived from  
alignments of protein sequences that are at least 85% identical; this  
15 constraint ensures that the likelihood of a particular mutation being the  
result of a set of successive mutations is low. Because these changes  
are observed in closely related proteins, they represent amino acid  
substitutions that do not significantly change the function of the protein.  
Hence, they are called "accepted mutations," as defined as amino acid  
20 changes that are accepted by natural selection.

**(i) PAM Analysis**

In particular embodiments of the methods provided herein, "Percent  
Accepted Mutation" (PAM; Dayhoff *et al.*, *Atlas of Protein Sequence and  
Structure*, 5(3):345-352, 1978, FIG7) PAM values are used to select an  
25 appropriate group of replacement amino acids. PAM matrices were  
originally developed to produce alignments between protein sequences  
based evolutionary distances (see FIG7). Because, in a family of proteins  
or homologous (related) sequences, identical or similar amino acids (85%  
similarity) are shared, conservative substitutions for, or "allowed point

-46-

mutations" of the corresponding amino acid residues can be determined throughout an aligned reference sequence. In this regard, "conservative substitutions" of a residue in a reference sequence are those substitutions that are physically and functionally similar to the corresponding reference residues, e.g., that have a similar size, shape, electric charge, chemical properties, including the ability to form covalent or hydrogen bonds, or the like. Particularly suitable conservative amino acid substitutions are those that show the highest scores and fulfill the PAM matrix criteria in the form of "accepted point mutations." For example, by comparing a family of scoring matrices, Dayhoff *et al.*, *Atlas of Protein Sequence and Structure*, 5(3):345-352, 1978, found a consistently higher score significance when using PAM250 matrix to analyze a variety of proteins, known to be distantly related.

(ii) PAM 250

In a particular embodiment, the PAM250 matrix set forth in FIG7 is used for determining the replacing amino acids based on "similarity" criteria. The PAM250 matrix uses data obtained directly from natural evolution to facilitate the selection of replacing amino acids for the is-HITs to generate conservative mutations without much affecting the overall protein function. By using the PAM250 matrix, candidate replacing amino acids are identified from related proteins from different organisms.

(b) Jones and Gonnet

This method (see, e.g., Jones *et al.*, *Comput. Appl. Biosci.*, 8:275-282, 1992 and Gonnet *et al.*, *Science*, 256:1433-1445, 1992) uses much of the same methodology as Dayhoff (see below), but with modern databases. The matrix of Jones *et al.*, is extracted from Release 15.0 of the SWISS-PROT protein sequence database. Point mutations totaling 59,160 from 16,130 protein sequences were used to calculate a PAM250 (see below) matrix.

-47-

The matrix published by Gonnet *et al.*, *Science*, 256:1433-1445, 1992, was built from a sequence database of 8,344,353 amino acid residues. Each sequence was compared against the entire database, such that  $1.7 \times 10^6$  subsequent matches resulted for the significant  
5 alignments. These matches were then used to generate a matrix with a PAM distance of 250.

(c) Fitch and Feng

Fitch, *J. Mol. Evol.*, 16(1):9-16, 1966 used an exchange matrix that contained for each pair (A, B) of amino acid types the minimum  
10 number of nucleotides that must be changed to encode amino acid A instead of amino acid B. Feng *et al.*, *J. Mol. Evol.*, 21:112-125, 1985, used an enhanced version of Fitch, *J. Mol. Evol.*, 16(1):9-16, 1966, to build a Structure-Genetic matrix. In addition to considering the minimum number of base changes required to encode amino acid B instead of A,  
15 this method also considers the structural similarity of the amino acids.

(d) McLachlan, Grantham and Miyata

McLachlan, *J. Mol. Biol.*, 61:409-424 1971, used 16 protein families, each with 2 to 14 members. The 89 sequences were aligned and the pairwise exchange frequency, observed in 9280 substitutions,  
20 was used to generate an exchange matrix with values varying from 0 to 9.

Grantham, *Science*, 185:862-864, 1974, considers composition, polarity and molecular volume of amino acid side-chains, properties that were highly correlated to the relative substitution frequencies tabulated by  
25 McLachlan, *J. Mol. Biol.*, 61:409-424, 1971, to build the matrix.

Miyata, *J. Mol. Evol.*, 12:219-236, 1979, uses the volume and polarity values of amino acids published by Grantham, *Science*, 185:862-864, 1974. For every amino acid type pair, the difference for both properties was calculated and divided by the standard deviation of all the

-48-

differences. The square root of the sum of both values then is used in the matrix.

(e) Rao

Rao, *J. Pept. Protein Res.*, 29:276-281, 1987, employs five amino  
5 acid properties to create a matrix; namely, alpha-helical, beta-strand and reverse-turn propensities as well as polarity and hydrophobicity. The standardized properties were summed and the matrix rescaled to the same average as that for PAM (Dayhoff *et al.*, *Atlas of Protein Sequence and Structure*, 5(3):345-352, 1978).

10 (f) Risler

Risler *et al.*, *J. Mol. Biol.*, 204:1019-1029, 1988, aligned 32 three-dimensional structures from 11 protein families by rigid-body superposition of the backbone topology. Only substitutions were considered where at least three adjacent and equivalent main-chain C  
15 alpha atom pairs in the compared structures were each not more than 1.2 Å apart. A total of 2860 substitutions were considered and used to build a matrix based on  $\chi^2$  distance calculations.

(g) Johnson

Johnson *et al.*, *J. Mol. Biol.*, 233:716-738, 1993, derived their  
20 matrix from the tertiary structural alignment of 65 families in a database of 235 structures created with the method of Sali *et al.*, *J. Mol. Biol.*, 212:403-428, 1990. Their examination of the substitutions was based on the expected and observed ratios of occurrences and the final matrix values were taken as  $\log_{10}$  of the ratios.

25 (h) Block Substitution Matrix (BLOSUM)

One empirical approach (Henikoff *et al.*, *Proc. Natl. Acad. Sci. USA*, 89:10915-10919, 1992) uses local, ungapped alignments of distantly related sequences to derive the blocks amino acid substitution matrix (BLOSUM) series of matrices. The matrix values are based on the

-49-

observed amino acid substitutions in a larger set of about 2000 conserved amino acid patterns, termed blocks. These blocks act as signatures of families of related proteins. Matrices of this series are identified by a number after the matrix (e.g., BLOSUM50), which refers to the minimum  
5 percentage identity of the blocks of multiple aligned amino acids used to construct the matrix. It is noteworthy that these matrices are directly calculated without extrapolations, and are analogous to transition probability matrices  $P(T)$  for different values of  $T$ , estimated without reference to any rate matrix  $Q$ .

10 The outcome of these two steps set forth above, which is performed *in silico* is that: (1) the amino acid positions that will be the target for mutagenesis are identified; these positions are referred to as is-HITs; (2) the replacing amino acids for the original, such as native, amino acids at the is-HITs are identified, thus providing a collection (library) of  
15 candidate LEAD mutant molecules that are expected to perform better than the native one and that are assayed for the desired optimized biological activity.

### 3) Physical Construction of Mutant Proteins and Biological Assays

20 Once is-HITs are selected as set forth above, replacing amino acids are introduced. Mutant proteins typically are prepared using recombinant DNA methods and assessed in appropriate biological assays for the particular biological activity (feature) optimized (see, *e.g.*, Example 1 and FIG5). An exemplary method of preparing the mutant proteins is by  
25 mutagenesis of the original, such as native, gene using methods well known in the art. Mutant molecules are generated one-by-one, such as in addressable arrays, such that each individual mutant generated is the single product of each single and independent mutagenesis reaction. Individual mutagenesis reactions are conducted such that they are



-50-

physically separated from each other, for example, in addressable arrays. Once a population of sets of nucleic acid molecules encoding the respective mutant proteins is prepared, they are transfected one-by-one into appropriate cells for the production of the corresponding mutant proteins. This also can be performed in addressable arrays where each set of nucleic acid molecules encoding a respective mutant protein is introduced into cells confined to a discrete location, such as in a well of a multi-well microtiter plate. Each individual mutant protein is individually phenotypically characterized and performance is quantitatively assessed using assays appropriate for the feature being optimized (i.e., feature being evolved). Again, this step can be performed in addressable arrays. Those mutants displaying a desired increased or decreased performance compared to the original, such as native molecules are identified and designated LEADs.

From the beginning of the process of generating the mutant DNA molecules up through the readout and analysis of the performance results, each candidate LEAD mutant can be generated, produced and analyzed individually from its own address in an addressable array.

**D. Super-LEADs and Additive Directed Mutagenesis (ADM).**

Also provided herein are methods for generating super-LEAD mutant proteins and exemplary resulting super-LEAD mutant products. Super-LEAD mutant proteins contain a combination of single amino acid mutations present in two or more of the respective LEAD mutant proteins. The LEAD mutant proteins can be generated by the 2D scanning methods provided herein or by other methods known to those of skill in the art.

Super-LEAD mutant proteins have two or more of the single amino acid mutations derived from two or more of the respective LEAD mutant proteins. As described herein, LEAD mutant proteins provided are defined as mutants whose performance or fitness has been optimized with

-51-

respect to the native protein. LEADs typically contain one single mutation relative to its respective native protein. This mutation represents an appropriate amino acid replacement that takes place at one is-HIT position. Super-LEAD mutant proteins are created such that they carry on  
5 the same protein molecule, more than one LEAD mutation, each at a different is-HIT position (see FIG3A). In one embodiment, once the LEAD mutant proteins have been identified using the 2D-scanning methods provided herein, super-LEADs can be generated by combining two or more individual LEAD mutant mutations using any method known in the  
10 art. These methods, include recombination, mutagenesis and DNA shuffling and any others known to those of skill in the art and/or provided herein, such as additive directional mutagenesis and multi-overlapped primer extensions.

**1) Additive Directional Mutagenesis.**

15 Also provided herein are methods for assembling on a single mutant protein multiple mutations present on the individual LEAD molecules, so as to generate super-LEAD mutant proteins. This method is referred to herein as "Additive Directional Mutagenesis" (ADM; see FIG4). ADM comprises a repetitive multi-step process where at each step after  
20 the creation of the first LEAD mutant protein a new LEAD mutation is added onto the previous LEAD mutant protein to create successive super-LEAD mutant proteins. ADM is not based on genetic recombination mechanisms, nor on shuffling methodologies; instead it is a simple one-mutation-at-a-time process, repeated as many times as necessary until the  
25 total number of desired mutations is introduced on the same molecule. To avoid the exponentially increasing number of all possible combinations that can be generated by putting together on the same molecule a given number of single mutations, a method is provided herein that, although it does not cover all the combinatorial possible space, still captures a big

-52-

part of the combinatorial potential. The word "combinatorial" is used here in its mathematical meaning (i.e., subsets of a group of elements, containing some of the elements in any possible order) and not in the molecular biological or directed evolution meaning (i.e., generating pools, or mixtures, or collections of molecules by randomly mixing their constitutive elements).

A population of sets of nucleic acid molecules encoding a collection of new super-LEAD mutant molecules is generated, tested and phenotypically characterized one-by-one in addressable arrays. super-LEAD mutant molecules are such that each molecule contains a variable number and type of LEAD mutations. Those molecules displaying further improved fitness for the particular feature being evolved, are referred to as super-LEADs. Super-LEADs may be generated by other methods known to those of skill in the art and tested by the high throughput methods herein. For purposes herein a super-LEAD typically has activity with respect to the function or biological activity of interest that differs from the improved activity of a LEAD by a desired amount, such as at least 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%, 150%, 200% or more from at least one of the LEAD mutants from which it is derived. In yet other embodiments, the change in activity is at least about 2 times, 3 times, 4 times, 5 times, 6 times, 7 times, 8 times, 9 times, 10 times, 20 times, 30 times, 40 times, 50 times, 60 times, 70 times, 80 times, 90 times, 100 times, 200 times, 300 times, 400 times, 500 times, 600 times, 700 times, 800 times, 900 times, 1000 times, or more greater than at least one of the LEAD molecules from which it is derived. As with LEADs, the change in the activity for super-LEADs is dependent upon the activity that is being "evolved." The desired alteration, which can be either an increase or a reduction in activity, will depend upon the function or property of interest.

-53-

In one embodiment provided herein, the ADM method employs a number of repetitive steps, such that at each step a new mutation is added on a given molecule. Although numerous different ways are possible for combining each LEAD mutation onto a super-LEAD protein,  
 5 an exemplary way the new mutations (e.g., mutation 1 (m1), mutation 2 (m2), mutation 3 (m3), mutation 4 (m4), mutation 5 (m5), mutation n (mn)) can be added corresponds to the following diagram:

	m1
	m1 + m2
10	m1 + m2 + m3
	m1 + m2 + m3 + m4
	m1 + m2 + m3 + m4 + m5
	m1 + m2 + m3 + m4 + m5 + ... + mn
	m1 + m2 + m4
15	m1 + m2 + m4 + m5
	m1 + m2 + m4 + m5 + ... + mn
	m1 + m2 + m5
	m1 + m2 + m5 + ... + mn
	m2
20	m2 + m3
	m2 + m3 + m4
	m2 + m3 + m4 + m5
	m2 + m3 + m4 + m5 + ... + mn
	m2 + m4
25	m2 + m4 + m5
	m2 + m4 + m5 + ... + mn
	m2 + m5
	m2 + m5 + ... + mn
	..., etc....

-54-

## 2) Multi-Overlapped Primer Extensions.

Another method for generation of super leads is multi-overlapped primer extensions. This is a method for the rational evolution of proteins using oligonucleotide-mediated mutagenesis. This method is particularly  
5 useful for the rational combination of mutant LEADs to form super-LEADs (see FIG14). This method allows the simultaneous introduction of several mutations throughout a small protein or protein-region of known sequence (see, e.g., FIGS13A through D). Overlapping oligonucleotides of typically around 70 bases in length (since longer oligonucleotides LEAD to  
10 increased error) are designed from the DNA sequence (gene) encoding the mutant LEAD proteins in such a way that they overlap with each other on a region of typically around 20 bases. These overlapping oligonucleotides (including or not point mutations) act as both template and primers in a first step of PCR (using a proofreading polymerase, e.g., Pfu DNA  
15 polymerase, to avoid unexpected mutations) to create small amounts of full-length gene. The full-length gene resulting from the first PCR then is selectively amplified in a second step of PCR using flanking primers, each one tagged with a restriction site in order to facilitate subsequent cloning. One multi-overlapped extension process yields a full-length (multi-  
20 mutated) nucleic acid molecule encoding a candidate super-LEADs protein having multiple mutations therein derived from LEAD mutant proteins.

Although typically about 70 bases are used to create the overlapping oligonucleotides, the length of additional overlapping oligonucleotides for use herein can range from about 30 bases up to  
25 about 100 bases, from about 40 bases up to about 90 bases, from about 50 bases up to about 80 bases, from about 60 bases up to about 75 bases, and from about 65 bases up to about 75 bases. As set forth above, typically about 70 bases are used herein.

-55-

Likewise, although typically the overlapping region of the overlapping oligonucleotides is about 20 bases, the length of other overlapping regions for use herein can range from about 5 bases up to about 40 bases, from about 10 bases up to about 35 bases, from about 15 bases up to about 35 bases, from about 15 bases up to about 25 bases, from about 16 bases up to about 24 bases, from about 17 bases up to about 23 bases, from about 18 bases up to about 22 bases, and from about 19 bases up to about 21 bases. As set forth above, typically about 20 bases are used herein for the overlapping region.

**10 E. Exemplary biological activities for alteration by the 2D-scanning methods**

The 2D methods provided herein are used to alter activity or physical or chemical property of a target polypeptide. Any characteristic (physical, chemical property or activity) can be modified. The protein is selected and the property identified. A suitable assay or method for identifying proteins with the characteristic.

**1. 2-Dimensional Scanning of Proteins for Increased Resistance to Proteolysis**

The methods of 2-D scanning permit preparation of proteins modified for a selected trait, activity or other phenotype. Among modifications of interest for therapeutic proteins are those that increase protection against protease digestion while maintaining the requisite biological activity. Such changes are useful for producing longer-lasting therapeutic proteins.

The delivery of stable peptide and protein drugs to patients is a major challenge for the pharmaceutical industry. These types of drugs in the human body are constantly eliminated or taken out of circulation by different physiological processes including internalization, glomerular filtration and proteolysis. The latter is often the limiting process affecting

-56-

the half-life of proteins used as therapeutic agents in per-oral administration and either intravenous or intramuscular injections.

The 2D-scanning process provided herein for protein evolution is used to effectively improve protein resistance to proteases and thus  
5 increase protein half-life *in vitro* and, ultimately *in vivo*. The methods provided herein for designing and generating highly stable, longer lasting proteins, or proteins having a longer half-life include: *i*) identifying some or all possible target sites on the protein sequence that are susceptible to digestion by one or more specific proteases (these sites are referred to  
10 herein as is-HITs); *ii*) identifying appropriate replacing amino acids, specific for each is-HIT, such that upon replacement of one or more of the original, such as native, amino acids at that specific is-HIT, they can be expected to increase the is-HIT's resistance to digestion by protease while at the same time, maintaining or improving the requisite biological  
15 activity of the protein (these proteins with replaced amino acids are the "candidate LEADs"); *iii*) systematically introducing the specific replacing amino acids at every specific is-HIT target position to generate a collection of candidate LEADs containing the corresponding mutant candidate LEAD molecules. Mutants are generated, produced and  
20 phenotypically characterized one-by-one, such as in addressable arrays, such that each mutant molecule contains initially an amino acid replacement at only one is-HIT site.

In particular embodiments, such as in subsequent rounds, mutant molecules also can be generated that contain one or more amino acids at  
25 one or more is-HIT sites that have been replaced by candidate LEAD amino acids. Those mutant proteins carrying one or more mutations at one or more is-HITs, and that display improved protease resistance are called LEADs (one mutation at one is-HIT) and super-LEADs (mutations at more than one is-HIT).



-57-

The first step of the process takes into consideration existing knowledge from different domains. Such knowledge includes:

(1) knowledge about the galenic and the delivery environment (tissue, organ or corporal fluid) of the particular therapeutic protein in order to establish a list of proteases more likely to be found in that environment. For example, a therapeutic protein in per-oral application is likely to encounter typical proteases of the luminal gastrointestinal tract. In contrast, if this protein were injected in the blood circulation, serum proteases would be implicated in the proteolysis. Based on the specific list of proteases involved, the complete list of all amino acid sequences that potentially could be targeted by the proteases in the list is determined.

(2) Since protease mixtures in the body are quite complex in composition, almost all the residues in a selected protein sequence potentially could be targeted for proteolysis (FIG6A). Nevertheless, proteins form specific tri-dimensional structures where residues are more or less exposed to the environment and protease action. It can be assumed that those residues constituting the core of a protein are inaccessible to proteases, while those more "exposed" to the environment are better targets for proteases. The probability for every specific amino acid to be "exposed" and accessible to proteases can be taken into account to reduce the number of is-HITs. Consequently, the methods herein consider the analysis with respect to solvent "exposure" or "accessibility" for each individual amino acid in the protein sequence. Solvent accessibility of residues can alternatively be estimated, regardless of any previous knowledge of specific protein structural data, by using an algorithm derived from empirical amino acid probabilities of accessibility, which is expressed in the following equation (Boger *et al.*, *Reports of the Sixth International Congress in Immunology*, p. 250, 1986):

-58-

$$A(i) = \left[ \prod_{j=1}^6 \delta_{i+4-j} \right] \cdot [0.62]^6$$

Briefly, these are fractional probabilities ( $\delta_{(i)}$ ) determined for an amino acid (i) found on the surface of a protein, which are based upon structural data from a set of several proteins. It is thus possible to calculate the solvent accessibility (A) of an amino acid (A(i)) at sequence position (i-2 to i+3, onto a sliding window of length equal to 6) that is within an average surface accessible to solvent of >20 square angstroms ( $\text{\AA}^2$ ).

The protease accessible target amino acids along the protein sequence, i.e., the amino acids to be replaced, are thus identified and are referred to herein as *in silico* HITs (is-HITs). Amino acids at the is-HITs are then replaced by residues that render the protein less vulnerable or invulnerable to protease digestion while at the same time maintaining the biological activity of the protein. The choice of the replacing amino acids is complicated by (1) the broad target specificity of certain proteases and (2) the need to preserve the physicochemical properties such as hydrophobicity, charge and polarity, of essential (e.g., catalytic, binding, etc.) residues.

As provided herein, amino acids can be selected by use of the "Percent Accepted Mutation" (PAM; (Dayhoff *et al.*, *Atlas of Protein Sequence and Structure*, 5(3):345-352, 1978), FIGS7 and 8). PAM values, originally developed to produce alignments between protein sequences, are available in the form of probability matrices, which reflect an evolutionary distance. Since, in a family of proteins or homologous (related) proteins, identical or similar amino acids (85% similarity) are shared, conservative substitutions for, or "allowed point mutations" of the corresponding amino acid residues can be determined throughout an

-59-

aligned reference sequence. In this regard, "conservative substitutions" of a residue in a reference sequence are those substitutions that are physically and functionally similar to the corresponding reference residues, e.g., that have a similar size, shape, electric charge, chemical properties, including the ability to form covalent or hydrogen bonds, and other properties. Conservative substitutions can be those that exhibit the highest scores and fulfill the PAM matrix criteria in the form of "accepted point mutations". By comparing a family of scoring matrices, Dayhoff *et al.*, *Atlas of Protein Sequence and Structure*, 5(3):345-352, 1978), found consistently higher score significance when using PAM250 matrix to analyze a variety of proteins, known to be distantly related.

In particular, the PAM250 matrix was selected for use. The PAM250 matrix is used, by learning directly from natural evolution, to find replacing amino acids for the is-HITs to generate conservative mutations without affecting the protein function. By using PAM250, candidate replacing amino acids are identified from related proteins from different organisms.

a. **Rational Evolution of IFN $\alpha$ -2b for Increased Resistance to Proteolysis**

IFN $\alpha$ -2b is used for a variety of applications. Typically it is used for treatment of type B and C chronic hepatitis. Additional indications include, but are not limited to, melanomas, herpes infections, Kaposi sarcomas and some leukemia and lymphoma cases. Patients receiving interferon are subject to frequent repeat applications of the drug. Since such frequent injections generate uncomfortable physiological as well as undesirable psychological reactions in patients, increasing the half-life of interferons and thus decreasing the necessary frequency of interferon injections, would be extremely useful to the medical community. For example, after injection of native human IFN $\alpha$ -2b injection in mice, as a

-60-

model system, its presence can be detected in the serum between 3 and 10 hours with a half-life of only around 4 hours. The IFN $\alpha$ -2b completely disappears to undetectable levels by 18-24 hours after injection.

Provided herein are mutant variants of the IFN $\alpha$ -2b protein that

5 display (a) highly improved stability as assessed by resistance to proteases *in vitro* and by pharmacokinetics studies in mice and (b) at least comparable biological activity as assessed by antiviral and antiproliferative action compared to the unmodified and wild type native IFN $\alpha$ -2b protein and to at least one pegylated derivative of the wild type native IFN $\alpha$ . As

10 a result, the IFN $\alpha$ -2b mutant proteins provided herein confer a higher half-life and at least comparable antiviral and antiproliferation activity (sufficient for a therapeutic effect) with respect to the native protein and to the pegylated derivatives molecules currently being used for the clinical treatment of hepatitis C infection. Thus, the optimized IFN $\alpha$ -2b protein

15 mutants that possess increased resistance to proteolysis and/or glomerular filtration provided herein would result in a decrease in the frequency of injections needed to maintain a sufficient drug level in serum; which should lead to i) higher comfort and acceptance by patients, ii) lower doses necessary to achieve comparable biological effects, and iii)

20 as a consequence of (ii), an attenuation of the (dose-dependent) secondary effects observed in humans.

In particular embodiments, the half-life of the IFN $\alpha$ -2b mutants provided herein is increased by an amount selected from at least 10%, at least 20%, at least 30%, at least 40%, at least 50%, at least 60%, at

25 least 70%, at least 80%, at least 90%, at least 100%, at least 150%, at least 200%, at least 250%, at least 300%, at least 350%, at least 400%, at least 450%, at least 500% or more, when compared to the half-life of native human IFN $\alpha$ -2b in either human blood, human serum or an *in vitro* mixture containing one or more proteases.

-61-

Two methodologies are provided herein to increase the stability of IFN $\alpha$ -2b by amino acid replacement: *i*) amino acid replacement that leads to higher resistance to proteases by direct destruction of the protease target residue or sequence, while either maintaining or improving the  
5 requisite biological activity (such as, for example, antiviral activity or antiproliferation activity), and/or *ii*) amino acid replacement that leads to a different pattern of *N*-glycosylation, thus decreasing both glomerular filtration and sensitivity to proteases, while either improving or maintaining the requisite biological activity (such as, for example, antiviral  
10 activity or antiproliferation activity).

The 2D-scanning methods provided herein were used to identify the amino acid changes on IFN $\alpha$ -2b that lead to an increase in stability when challenged either with proteases, human blood lysate or human serum. Increasing protein stability to proteases, human blood lysate or human  
15 serum, and/or increasing the molecular size is contemplated herein to provide a longer *in vivo* half-life for the particular protein molecules, and thus to a reduction in the frequency of necessary injections into patients. The biological activities that have been measured for the IFN $\alpha$ -2b molecules are *i*) their capacity to inhibit virus replication when added to  
20 permissive cells previously infected with the appropriate virus, and *ii*) their capacity to stimulate cell proliferation when added to the appropriate cells. Prior to the measurement of biological activity, IFN $\alpha$ -2b molecules were challenged with proteases, human blood lysate or human serum during different incubation times. The biological activity measured,  
25 corresponds then to the residual biological activity following exposure to the protease-containing mixtures.

As set forth above, provided herein are methods for the development of IFN $\alpha$ -2b molecules that, while maintaining the requisite biological activity intact, have been rendered less susceptible to digestion by blood

-62-

proteases and therefore display a longer half-life in blood circulation. In this particular example, the method used included the following specific steps as set forth in Example 2:

- 1) Identifying some or all possible target sites on the protein  
5 sequence that are susceptible to digestion by one or more specific proteases (these sites are the is-HITs) and
- 2) Identifying appropriate replacing amino acids, specific for each  
is-HIT, such that if used to replace one or more of the original  
amino acids at that specific is-HIT, they can be expected to  
10 increase the is-HIT's resistance to digestion by protease while at  
the same time, keeping the biological activity of the protein  
unchanged (these replacing amino acids are the "candidate  
LEADs").

As set forth in Example 2, the 3-dimensional structure of IFN $\alpha$ -2b  
15 obtained from the NMR structure of IFN $\alpha$ -2a (PDB code 1ITF) was used to  
select only those residues exposed to solvent from a list of residues along  
the IFN $\alpha$ -2b sequence which can be recognized as a substrate for  
different enzymes present in the serum. Residue 1 corresponds to the  
first residue of the mature peptide IFN $\alpha$ -2b encoded by nucleotides 580-  
20 1074 of sequence accession No. J00207, SEQ ID NO:1. Using this  
approach, the following 42 amino acid target positions were identified as  
is-HITs on IFN $\alpha$ -2b, which numbering is that of the mature protein (SEQ  
ID NO:1): L3, P4, R12, R13, M16, R22, K23, F27, L30, K31, R33, E41,  
K49, E58, K70, E78, K83, Y89, E96, E107, P109, L110, M111, E113,  
25 L117, R120, K121, R125, L128, K131, E132, K133, K134, Y135, P137,  
M148, R149, E159, L161, R162, K164, and E165. Each of these  
positions was replaced by residues defined as compatible by the  
substitution matrix PAM250 while at the same time not generating any

new substrates for proteases. For these 42 is-HITs, the residue substitutions determined by PAM250 analysis were as follows:

E to H, Q

L to V, I

M to I, V

P to A, S

Y to I, H.

## 1) Modified IFN $\alpha$ -2b Proteins with Single Amino Acid Substitutions (is-HITs)

Accordingly provided herein are mutant IFN $\alpha$ -2b proteins that have increased resistance proteolysis compared to the unmodified, typically wild-type, protein. The mutant IFN $\alpha$ -2b proteins include those selected from among proteins containing more single amino acid replacements in SEQ ID NO:1, corresponding to: L by V at position 3; L by I at position 3; P by S at position 4; P by A at position 4; R by H at position 12; R by Q at position 12; R by H at position 13; R by Q at position 13; M by V at position 16; M by I at position 16; R by H at position 22; R by Q at position 22; R by H at position 23; R by Q at position 23; F by I at position 27; F by V at position 27; L by V at position 30; L by I at position 30; K by Q at position 31; K by T at position 31; R by H at position 33; R by Q at position 33; E by Q at position 41; E by H at position 41; K by Q at position 49; K by T at position 49; E by Q at position 58; E by H at position 58; K by Q at position 70; K by T at position 70; E by Q at position 78; E by H at position 78; K by Q at position 83; K by T at position 83; Y by H at position 89; Y by I at position 89; E by Q at position 96; E by H at position 96; E by Q at position 107; E by H at position 107; P by S at position 109; P by A at



-64-

position 109; L by V at position 110; L by I at position 110; M by V at position 111; M by I at position 111; E by Q at position 113; E by H at position 113; L by V at position 117; L by I at position 117; R by H at position 120; R by Q at position 120; K by Q at position 121; K by T at position 121; R by H at position 125; R by Q at position 125; L by V at position 128; L by I at position 128; K by Q at position 131; K by T at position 131; E by Q at position 132; E by H at position 132; K by Q at position 133; K by T at position 133; K by Q at position 134; K by T at position 134; Y by H at position 135; Y by I at position 135; P by S at position 137; P by A at position 137; M by V at position 148; M by I at position 148; R by H at position 149; R by Q at position 149; E by Q at position 159; E by H at position 159; L by V at position 161; L by I at position 161; R by H at position 162; R by Q at position 162; K by Q at position 164; K by T at position 164; E by Q at position 165; and E by H at position 165.

## 2) LEAD Identification

Next the specific replacing amino acids (candidate LEADs) are systematically introduced at every specific is-HIT position to generate a collection containing the corresponding mutant IFN $\alpha$ -2b DNA molecules, as set forth in Example 2. The mutant DNA molecules were used to produce the corresponding mutant IFN $\alpha$ -2b protein molecules by transformation or transfection into the appropriate cells. These protein mutants were assayed for (i) protection against proteolysis, (ii) and for antiviral and antiproliferation activity *in vitro*, (iii) pharmacokinetics in mice. Of particular interest are mutations that increase these activities of the IFN $\alpha$ -2b mutant proteins compared to unmodified wild type IFN $\alpha$ -2b protein and to pegylated derivatives of the wild type protein. Based on the results obtained from these assays, each individual IFN $\alpha$ -2b variant was assigned a specific activity. Those variant proteins displaying the highest

-65-

stability and/or resistance to proteolysis were selected as LEADs. The candidate LEADs that possessed at least as much residual antiviral activity following protease treatment as the control, native IFN $\alpha$ -2b, before protease treatment were elected as LEADs. The results are set forth in Table 2 of Example 2. Using this method, the following mutants selected as LEADs are provided herein and correspond to the group of proteins containing one or more single amino acid replacements in SEQ ID NO:1, corresponding to: F by V at position 27; R by H at position 33; E by Q at position 41; E by H at position 41; E by Q at position 58; E by H at position 58; E by Q at position 78; E by H at position 78; Y by H at position 89; E by Q at position 107; E by H at position 107; P by A at position 109; L by V at position 110; M by V at position 111; E by Q at position 113; E by H at position 113; L by V at position 117; L by I at position 117; K by Q at position 121; K by T at position 121; R by H at position 125; R by Q at position 125; K by Q at position 133; K by T at position 133; and E by Q at position 159; E by H at position 159

Also among these are mutations that can have multiple effects. Among mutations described herein, are mutations that result in an increase of the IFN $\alpha$ -2b activity as assessed by detecting the requisite biological activity.

In another embodiment, IFN $\alpha$ -2b proteins that contain a plurality of mutations based on the LEADs (see Tables in the EXAMPLES, listing the candidate LEADs and LEAD sites), are produced to produce IFN $\alpha$ -2b proteins that have activity that is further optimized. Examples of such proteins are described in the EXAMPLES. Other combinations of mutations can be prepared and tested as described herein to identify other LEADs of interest, particularly those that have further increased IFN $\alpha$ -2b antiviral activity or further increased resistance to proteolysis.

-66-

**b. Rational Evolution of interferon  $\beta$  (IFN $\beta$ ) for Increased Resistance to Proteolysis and/or increased conformational stability**

The 2D-scanning method provided herein (as well as a 3D-scanning method (see, copending U.S. application Serial No. 37851-922, filed the same day herewith; and described below) were separately applied to interferon  $\beta$ . Treatment with interferon  $\beta$  (IFN $\beta$ ) is a well established therapy. Typically it is used for treatment of multiple sclerosis (MS). Patients receiving interferon  $\beta$  are subject to frequent repeat applications of the drug. The instability of IFN $\beta$  in the blood stream and under the storage conditions is well known. Hence it would be useful to increasing stability (half-life) of IFN $\beta$  in serum and also *in vitro* would improve it as a drug. Provided herein are mutant variants of the IFN $\beta$  protein that display improved stability as assessed by resistance to proteases (thereby possessing increased protein half-life) and at least comparable biological activity as assessed by antiviral or antiproliferation activity compared to the unmodified and wild type native IFN $\beta$  protein (SEQ ID NO: 499). The IFN $\beta$  mutant proteins provided herein confer a higher half-life and at least comparable biological activity with respect to the native sequence. Thus, the optimized IFN $\beta$  protein mutants that possess increased resistance to proteolysis provided herein result in a decrease in the frequency of injections needed to maintain a sufficient drug level in serum, thus leading to, for example: *i*) higher comfort and acceptance by patients, *ii*) lower doses necessary to achieve comparable biological effects, and *iii*) as a consequence of *ii*), likely attenuation of any secondary effects.

In particular embodiments, the half-life of each IFN $\beta$  mutant provided herein is increased by an amount selected from at least 10%, at least 20%, at least 30%, at least 40%, at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, at least 100%, at least 150%, at

-67-

least 200%, at least 250%, at least 300%, at least 350%, at least 400%, at least 450%, at least 500% or more, when compared to the half-life of native human IFN $\beta$  in either human blood, human serum or an *in vitro* mixture containing one or more proteases. In other embodiments, the half-life of the IFN $\beta$  mutants provided herein is increased by an amount selected from at least 6 times, 7 times, 8 times, 9 times, 10 times, 20 times, 30 times, 40 times, 50 times, 60 times, 70 times, 80 times, 90 times, 100 times, 200 times, 300 times, 400 times, 500 times, 600 times, 700 times, 800 times, 900 times, 1000 times, or more, when compared to the half-life of native human IFN $\beta$  in either human blood, human serum or an *in vitro* mixture containing one or more proteases.

Two approaches were used herein to increase the stability of IFN $\beta$  by amino acid replacement: *i*) Resistance to proteases: amino acid replacement that leads to higher resistance to proteases by direct destruction of the protease target residue or sequence, while either maintaining or improving the requisite biological activity (e.g., antiviral and anti-proliferation activity), and/or *ii*) Conformational stability: amino acid replacement that leads to an increase in conformational stability (i.e. half-life at room temperature or at 37°C), while either improving or maintaining the requisite biological activity (e.g., antiviral and anti-proliferation activity).

Two methodologies were used to address the improvements described above: (a) 2D-scanning methods were used to identify amino acid changes that lead to improvement in protease resistance and to improvement in conformational stability, and (b) 3D-scanning, which employs structural homology methods (see, copending U.S. application Serial No. attorney dkt. no.37851-922, filed the same day herewith, based upon U.S. provisional application Serial Nos. 60/457,135 and

-68-

60/409,898) methods also were used to identify aminoacid changes that lead to improvement in protease resistance.

The 2D-scanning and 3D-scanning methods each were used to identify the amino acid changes on IFN $\beta$  that lead to an increase in  
5 stability when challenged either with proteases, human blood lysate or human serum. Increasing protein stability to proteases, human blood lysate or human serum is contemplated herein to provide a longer *in vivo* half-life for the particular protein molecules, and thus a reduction in the frequency of necessary injections into patients. The biological activities  
10 that have been measured for the IFN $\beta$  molecules are *i*) their capacity to inhibit virus replication when added to permissive cells previously infected with the appropriate virus, and *ii*) their capacity to stimulate cell proliferation when added to the appropriate cells. Prior to the measurement of biological activity, IFN $\beta$  molecules were challenged with  
15 proteases, human blood lysate or human serum during different incubation times. The biological activity measured, corresponds then to the residual biological activity following exposure to the proteolytic mixtures.

As set forth above, provided herein are methods for the  
20 development of IFN $\beta$  molecules that, while maintaining the requisite biological activity intact, have been rendered less susceptible to digestion by blood proteases and therefore display a longer half-life in blood circulation. In this particular example, the method used included the following specific steps as set forth in the Examples:  
25 For the improvement of resistance to proteases, by 2D-scanning, the method included:

1) Identifying some or all possible target sites on the protein sequence that are susceptible to digestion by one or more specific proteases (these sites are the is-HITs); and

-69-

2) Identifying appropriate replacing amino acids, specific for each is-HIT, such that if used to replace one or more of the original amino acids at that specific is-HIT, they can be expected to increase the is-HIT's resistance to digestion by protease while at the same time, keeping the biological activity of the protein unchanged (these replacing amino acids are the candidate LEADs).

For the improvement of resistance to proteases, by 3D-scanning (structural homology):

1) Identifying some or all possible target sites (is-HITS) on the protein sequence that display an acceptable degree of structural homology around the aminoacid positions mutated in the LEAD molecules previously obtained for IFN $\alpha$  using 2D-scanning, and that are susceptible to digestion by one or more specific proteases; and

2) Identifying appropriate replacing amino acids, specific for each is-HIT, such that if used to replace one or more of the original amino acids at that specific is-HIT, they can be expected to increase the is-HIT's resistance to digestion by protease while at the same time, keeping the biological activity of the protein unchanged (these replacing amino acids are the candidate LEADs).

For the improvement of conformational stability, by 2D-scanning, as provided herein:

1) Identifying some or all possible target sites on the protein sequence that are susceptible to being directly involved in the intramolecular flexibility and conformational change (these sites are the is-HITs); and

2) Identifying appropriate replacing amino acids, specific for each is-HIT, such that if used to replace one or more of the original amino acids at that specific is-HIT, they can be expected to increase the thermal stability of the molecule while at the same

-70-

time, keeping the biological activity of the protein unchanged (these replacing amino acids are the candidate LEADs).

Using the 2D-scanning and 3D-scanning methods and the 3-dimensional structure of IFN $\beta$ , the following amino acid target positions were identified  
5 as is-HITs on IFN $\beta$ , which numbering is that of the mature protein (SEQ ID NO: 499):

By 3D-scanning: D by Q at position 39, D by H at position 39, D by G at position 39, E by Q at position 42, E by H at position 42, K by Q at position 45, K by T at position 45, K by S at position 45, K by H at  
10 position 45, L by V at position 47, L by I at position 47, L by T at position 47, L by Q at position 47, L by H at position 47, L by A at position 47, K by Q at position 52, K by T at position 52, K by S at position 52, K by H at position 52, F by I at position 67, F by V at position 67, R by H at position 71, R by Q at position 71, D by H at  
15 position 73, D by G at position 73, D by Q at position 73, E by Q at position 81, E by H at position 81, E by Q at position 107, E by H at position 107, K by Q at position 108, K by T at position 108, K by S at position 108, K by H at position 108, E by Q at position 109, E by H at position 109, D by Q at position 110, D by H at position 110, D by G at  
20 position 110, F by I at position 111, F by V at position 111, R by H at position 113, R by Q at position 113, L by V at position 116, L by I at position 116, L by T at position 116, L by Q at position 116, L by H at position 116, L by A at position 116, L by V at position 120, L by I at position 120, L by T at position 120, L by Q at position 120, L by H at  
25 position 120, L by A at position 120, K by Q at position 123, K by T at position 123, K by S at position 123, K by H at position 123, R by H at position 124,, R by Q at position 124, R by H at position 128, R by Q at position 128, L by V at position 130, L by I at position 130, L by T at position 130, L by Q at position 130, L by H at position 130, L by A at



-71-

position 130, K by Q at position 134, K by T at position 134, K by S at  
 position 134, K by H at position 134, K by Q at position 136, K by T at  
 position 136, K by S at position 136,, K by H at position 136, E by Q at  
 position 137, E by H at position 137, Y by H at position 163, Y by I at  
 5 position 163I, R by H at position 165, R by Q at position 165.

By 2D-scanning (see Table below for SEQ ID Nos.): M by V at  
 position 1, M by I at position 1, M by T at position 1, M by Q at position  
 1, M by A at position 1, L by V at position 5, L by I at position 5, L by T  
 at position 5, L by Q at position 5, L by H at position 5, L by A at position  
 10 5, F by I at position 8, F by V at position 8, L by V at position 9, L by I at  
 position 9, L by T at position 9, L by Q at position 9, L by H at position 9,  
 L by A at position 9, R by H at position 11, R by Q at position 11, F by I  
 at position 15, F by V at position 15, K by Q at position 19, K by T at  
 position 19, K by S at position 19, K by H at position 19, W by S at  
 15 position 22, W by H at position 22, N by H at position 25, N by S at  
 position 25, N by Q at position 25, R by H position 27, R by Q position  
 27, L by V at position 28, L by I at position 28, L by T at position 28, L  
 by Q at position 28, L by H at position 28, L by A at position 28, E by Q  
 at position 29, E by H at position 29, Y by H at position 30, Y by I at  
 20 position 30, L by V at position 32, L by I at position 32, L by T at  
 position 32, L by Q at position 32, L by H at position 32, L by A at  
 position 32, K by Q at position 33, K by T at position 33, K by S at  
 position 33, K by H at position 33, R by H at position 35, R by Q at  
 position 35, M by V at position 36, M by I at position 36, M by T at  
 25 position 36, M by Q at position 36, M by A at position 36, D by Q at  
 position 39, D by H at position 39, D by G at position 39, E by Q at  
 position 42, E by H at position 42, K by Q at position 45, K by T at  
 position 45, K by S at position 45, K by H at position 45, L by V at  
 position 47, L by I at position 47, L by T at position 47, L by, Q at

-72-

position 47, L by H at position 47, L by A at position 47, K by Q at  
position 52, K by T at position 52, K by S at position 52, K by H at  
position 52, F by I at position 67, F by V at position 67, R by H at  
position 71, R by Q at position 71, D by Q at position 73, D by H at  
5 position 73, D by G at position 73, E by Q at position 81, E by H at  
position 81, E by Q at position 85, E by H at position 85, Y by H at  
position 92, Y by I at position 92, K by Q at position 99, K by T at  
position 99, K by S at position 99, K by H at position 99, E by Q at  
position 103, E by H at position 103, E by Q at position 104, E by H at  
10 position 104, K by Q at position 105, K by T at position 105, K by S at  
position 105, K by H at position 105, E by Q at position 107, E by H at  
position 107, K by Q at position 108, K by T at position 108, K by S at  
position 108, K by H at position 108, E by Q at position 109, E by H at  
position 109, D by Q at position 110, D by H at position 110, D by G at  
15 position 110, F by I at position 111, F by V at position 111, R by H at  
position 113, R by Q at position 113, L by V at position 116, L by I at  
position 116, L by T at position 116, L by Q at position 116, L by H at  
position 116, L by A at position 116, L by V at position 120, L by I at  
position 120, L by T at position 120, L by Q at position 120, L by H at  
20 position 120, L by A at position 120, K by Q at position 123, K by T at  
position 123, K by S at position 123, K by H at position 123, R by H at  
position 124, R by Q at position 124, R by H at position 128, R by Q at  
position 128, L by V at position 130, L by I at position 130, L by T at  
position 130, L by Q at position 130, L by H at position 130, L by A at  
25 position 130, K by Q at position 134, K by T at position 134, K by S at  
position 134, K by H at position 134, K by Q at position 136, K by T at  
position 136, K by S at position 136, K by H at position 136, E by Q at  
position 137, E by H at position 137, Y by H at position 138, Y by I at  
position 138, R by H at position 152, R by Q at position 152, Y by H at

-73-

position 155, Y by I at position 155, R by H at position 159, R by Q at  
position 159, Y by H at position 163, Y by I at position 163, R by H at  
position 165, R by Q at position 165, M by D at position 1, M by E at  
position 1, M by K at position 1, M by N at position 1, M by R at position  
5 1, M by S at position 1, L by D at position 5, L by E at position 5, L by K  
at position 5, L by N at position 5, L by R at position 5, L by S at position  
5, L by D at position 6, L by E at position 6, L by K at position 6, L by N  
at position 6, L by R at position 6, L by S at position 6, L by Q at position  
6, L by T at position 6, F by E at position 8, F by K at position 8, F by R  
10 at position 8, F by D at position 8, L by D at position 9, L by E at position  
9, L by K at position 9, L by N at position 9, L by R at position 9, L by S  
at position 9, Q by D at position 10, Q by E at position 10, Q by K at  
position 10, Q by N at position 10, Q by R at position 10, Q by S at  
position 10, Q by T at position 10, S by D at position 12, S by E at  
15 position 12, S by K at position 12, S by R at position 12, S by D at  
position 13, S by E at position 13, S by K at position 13, S by R at  
position 13, S by N at position 13, S by Q at position 13, S by T at  
position 13, N by D at position 14, N by E at position 14, N by K at  
position 14, N by Q at position 14, N by R at position 14, N by S at  
20 position 14, N by T at position 14, F by D at position 15, F by E at  
position 15, F by K at position 15, F by R at position 15, Q by D at  
position 16, Q by E at position 16, Q by K at position 16, Q by N at  
position 16, Q by R at position 16, Q by S at position 16, Q by T at  
position 16, C by D at position 17, C by E at position 17, C by K at  
25 position 17, C by N at position 17, C by Q at position 17, C by R at  
position 17, C by S at position 17, C by T at position 17, L by N at  
position 20, L by Q at position 20, L by R at position 20, L by S at  
position 20, L by T at position 20, L by D at position 20, L by E at  
position 20, L by K at position 20, W by D at position 22, W by E at

-74-

position 22, W by K at position 22, W by R at position 22, Q by D at  
position 23, Q by E at position 23, Q by K at position 23, Q by R at  
position 23, L by D at position 24, L by E at position 24, L by K at  
position 24, L by R at position 24, W by D at position 79, W by E at  
5 position 79, W by K at position 79, W by R at position 79, N by D at  
position 80, N by E at position 80, N by K at position 80, N by R at  
position 80, T by D at position 82, T by E at position 82, T by K at  
position 82, T by R at position 82, I by D at position 83, I by E at position  
83, I by K at position 83, I by R at position 83, I by N at position 83, I by  
10 Q at position 83, I by S at position 83, I by T at position 83, N by D at  
position 86, N by E at position 86, N by K at position 86, N by R at  
position 86, N by Q at position 86, N by S at position 86, N by T at  
position 86, L by D at position 87, L by E at position 87, L by K at  
position 87, L by R at position 87, L by N at position 87, L by Q at  
15 position 87, L by S at position 87, L by T at position 87, A by D at  
position 89, A by E at position 89, A by K at position 89, A by R at  
position 89, N by D at position 90, N by E at position 90, N by K at  
position 90, N by Q at position 90, N by R at position 90, N by S at  
position 90, N by T at position 90, V by D at position 91, V by E at  
20 position 91, V by K at position 91, V by N at position 91, V by Q at  
position 91, V by R at position 91, V by S at position 91, V by T at  
position 91, Q by D at position 94, Q by E at position 94, Q by Q at  
position 94, Q by N at position 94, Q by R at position 94, Q by S at  
position 94, Q by T at position 94, I by D at position 95, I by E at  
25 position 95, I by K at position 95, I by N at position 95, I by Q at position  
95, I by R at position 95, I by S at position 95, I by T at position 95, H by  
D at position 97, H by E at position 97, H by K at position 97, H by N at  
position 97, H by Q at position 97, H by R at position 97, H by S at  
position 97, H by T at position 97, L by D at position 98, L by E at

-75-

position 98, L by K at position 98, L by N at position 98, L by Q at position 98, L by R at position 98, L by S at position 98, L by T at position 98, V by D at position 101, V by E at position 101, V by K at position 101, V by N at position 101, V by Q at position 101, V by R at position 101, V by S at position 101, V by T at position 101, M by C at position 1, L by C at position 6, Q by C at position 10, S by C at position 13, Q by C at position 16, L by C at position 17, V by C at position 101, L by C at position 98, H by C at position 97, Q by C at position 94, V by C at position 91, N by C at position 90. The following table summarizes the mutants provided herein that exhibit altered resistance to proteolysis and/or higher conformational stability:

15

20

25

SEQ ID NO.	Mutant
212	(M1V)
213	(M1I)
214	(M1T)
215	(M1A)
216	(L5V)
217	(L5I)
218	(L5T)
219	(L5Q)
220	(L5H)
221	(L5A)
222	(F8I)
223	(F8V)
224	(L9V)
225	(L9I)
226	(L9T)
227	(L9Q)

-76-

5

10

15

20

25

228	(L9H)
229	(L9A)
230	(R11H)
231	(R11Q)
232	(F15I)
233	(F15V)
234	(K19Q)
235	(K19T)
236	(K19S)
237	(K19H)
238	(W22S)
239	(W22H)
240	(N25H)
241	(N25S)
242	(N25Q)
243	(R27H)
244	(R27Q)
245	(L28V)
246	(L28I)
247	(L28T)
248	(L28Q)
249	(L28H)
250	(L28A)
251	(E29Q)
252	(E29H)
253	(Y30H)
254	(Y30I)

-77-

5

10

15

20

25

255	(L32V)
256	(L32I)
257	(L32T)
258	(L32Q)
259	(L32H)
260	(L32A)
261	(M1Q)
262	(K33Q)
263	(K33T)
264	(K33S)
265	(K33H)
266	(R35H)
267	(R35Q)
268	(M36V)
269	(M36I)
270	(M36T)
271	(M36Q)
272	(M36A)
273	(E85Q)
274	(E85H)
275	(Y92H)
276	(Y92I)
277	(K99Q)
278	(K99T)
279	(K99S)
280	(K99H)
281	(E103Q)



5

10

15

20

25

282	(E103H)
283	(E104Q)
284	(E104H)
285	(K105Q)
286	(K105T)
287	(K105S)
288	(K105H)
289	(Y138H)
290	(Y138I)
291	(R152H)
292	(R152Q)
293	(Y155H)
294	(Y155I)
295	(R159H)
296	(R159Q)
297	(M1D)
298	(M1E)
299	(M1K)
300	(M1N)
301	(M1R)
302	(M1S)
303	(L5D)
304	(L5E)
305	(L5K)
306	(L5R)
307	(L5N)
308	(L5S)

-79-

	309	(L6D)
	310	(L6E)
	311	(L6K)
	312	(L6N)
5	313	(L6Q)
	314	(L6R)
	315	(L6S)
	316	(L6T)
	317	(F8D)
10	318	(F8E)
	319	(F8K)
	320	(F8R)
	321	(L9D)
	322	(L9E)
15	323	(L9K)
	324	(L9N)
	325	(L9R)
	326	(L9S)
	327	(Q10D)
20	328	(Q10E)
	329	(Q10K)
	330	(Q10N)
	331	(Q10R)
	332	(Q10S)
25	333	(Q10T)
	334	(S12D)
	335	(S12E)

-80-

	336	(S12K)
	337	(S12R)
	338	(S13D)
	339	(S13E)
5	340	(S13K)
	341	(S13N)
	342	(S13Q)
	343	(S13R)
	344	(S13T)
10	345	(N14D)
	346	(N14E)
	347	(N14K)
	348	(N14Q)
	349	(N14R)
15	350	(N14S)
	351	(N14T)
	352	(F15D)
	353	(F15E)
	354	(F15K)
20	355	(F15R)
	356	(Q16D)
	357	(Q16E)
	358	(Q16K)
	359	(Q16N)
25	360	(Q16R)
	361	(Q16S)
	362	(Q16T)

-81-

	363	(C17D)
	364	(C17E)
	365	(C17K)
	366	(C17N)
5	367	(C17Q)
	368	(C17R)
	369	(C17S)
	370	(C17T)
	371	(L20N)
10	372	(L20Q)
	373	(L20R)
	374	(L20S)
	375	(L20T)
	376	(L20D)
15	377	(L20E)
	378	(L20K)
	379	(W22D)
	380	(W22E)
	381	(W22K)
20	382	(W22R)
	383	(Q23D)
	384	(Q23E)
	385	(Q23K)
	386	(Q23R)
25	387	(L24D)
	388	(L24E)
	389	(L24K)

-82-

5

10

15

20

25

390	(L24R)
391	(G78D)
392	(G78E)
393	(G78K)
394	(G78R)
395	(W79D)
396	(W79E)
397	(W79K)
398	(W79R)
399	(N80D)
400	(N80E)
401	(N80K)
402	(N80R)
403	(T82D)
404	(T82E)
405	(T82K)
406	(T82R)
407	(I83D)
408	(I83E)
409	(I83K)
410	(I83R)
411	(I83N)
412	(I83Q)
413	(I83S)
414	(I83T)
415	(N86D)
416	(N86E)

-83-

	417	(N86K)
	418	(N86R)
	419	(N86Q)
	420	(N86S)
5	421	(N86T)
	422	(L87D)
	423	(L87E)
	424	(L87K)
	425	(L87R)
10	426	(L87N)
	427	(L87Q)
	428	(L87S)
	429	(L87T)
	430	(A89D)
15	431	(A89E)
	432	(A89K)
	433	(A89R)
	434	(N90D)
	435	(N90E)
20	436	(N90K)
	437	(N90Q)
	438	(N90R)
	439	(N90S)
	440	(N90T)
25	441	(V91D)
	442	(V91E)
	443	(V91K)

5

10

15

20

25

444	(V91N)
445	(V91Q)
446	(V91R)
447	(V91S)
448	(V91T)
449	(Q94D)
450	(Q94E)
451	(Q94K)
452	(Q94N)
453	(Q94R)
545	(Q94S)
455	(Q94T)
456	(I95D)
457	(I95E)
458	(I95K)
459	(I95N)
460	(I95Q)
461	(I95R)
462	(I95S)
463	(I95T)
464	(H97D)
465	(H97E)
466	(H97K)
467	(H97N)
468	(H97Q)
469	(H97R)
470	(H97S)



-85-

	471	(H97T)
	472	(L98D)
	473	(L98E)
	474	(L98K)
5	475	(L98N)
	476	(L98Q)
	477	(L98R)
	478	(L98S)
	479	(L98T)
10	480	(V101D)
	481	(V101E)
	482	(V101K)
	483	(V101N)
	484	(V101Q)
15	485	(V101R)
	486	(V101S)
	487	(V101T)
	488	(M1C)
	489	(V101C)
20	490	(L6C)
	491	(L98C)
	492	(Q10C)
	493	(H97C)
	494	(S13C)
25	495	(Q94C)
	496	(Q16C)
	497	(N90C)

-86-

498	(V91C)
-----	--------

## 2. 2D-scanning of Proteins for Increased Digestibility

The rational mutagenesis methods provided herein also can be used  
5 to evolve proteins that are contained in agronomic consumables, crops or  
foodstuff, such that these proteins display either decreased or abolished  
secondary effects (such as toxic or allergenic effects) on the consumer.  
For example, toxic or allergenic effects are attributable to a lack of (or  
incomplete) digestion of particular proteins in the gut. Thus, it would be  
10 useful to increase digestibility of the proteins concerned, while preserving  
their biological activity. For this purpose, a similar approach to the  
methods provided herein for increasing protein stability (e.g., see IFN $\alpha$ -2b  
mutants herein) can be used. Most allergens are resistant to gastric acid  
and to digestive proteases (Fuchs *et al.*, *Food Technology*, 50:83-88,  
15 1996; Astwood *et al.*, *Nature Biotechnology*, 14:1269-1273, 1996),  
whereas common plant proteins are not. Since agronomic consumables,  
crops or foodstuff are typically for oral consumption, proteases of the  
luminal gastrointestinal tract, such as pepsin, trypsin and chimiotrypsin  
(Woodley, *Crit. Rev. Ther. Drug.*, 11:61-95, 1994; Bernkop-Schnürch, *J.*  
20 *Control. Release*, 52:1-16, 1998), are included in the list of proteases by  
which the evolving protein is rendered digestible.

*In silico*-HITs for the selected protease mixtures as well as the  
appropriate replacing amino acids can be identified according to the  
methods provided herein along a particular protein sequence using the  
25 PAM250 matrix analysis in such a way that the introduction of protease-  
specific target residues does not affect the protein's primary biological  
function in the agronomic consumable, crop or foodstuff. It has been  
established that physical stability increases the opportunity for a protein  
to be absorbed in the body and cause systemic effects such as toxicity or

-87-

allergenicity (Cockburn, *J. Biotechnol.*, (in press), 2002). Accordingly, the introduction of new and frequent protease-specific is-HIT target residues, even in buried regions of the protein structure, is contemplated herein to increase the protein digestibility by a further rapid luminal  
5 protease attack (secreted and membrane-bound proteases), which would transiently yield smaller and less allergenic or toxic peptides in the gastrointestinal tract. These methods provided herein are useful in that they are contemplated to reduce the impact of safety and provide a security perspective for genetically modified food.

10 Accordingly, methods are provided herein for designing and generating mutant proteins that have decreased stability, have increased digestibility, or a shorter lasting in serum or protease mixtures, or have a short half-life, compared to unmodified and/or wild type protein, wherein the methods comprise a first step of identifying some or all possible target  
15 sites on the protein sequence that are susceptible to be easily converted, by mutation, into target sites for one or more specific proteases (these sites are the is-HITs). The second step is identifying the appropriate replacing amino acids, specific for each is-HIT, such that if used to replace one or more of the native amino acids at that specific is-HIT, they  
20 can be expected to make the is-HIT susceptible to digestion by particular proteases while at the same time, maintaining or improving the desired biological activity of the protein (these replacing amino acids are referred to as "candidate LEADs"). To identify replacing amino acids, the PAM250 matrix described in Example 2 is used.

25 Next, the specific replacing amino acids (candidate LEADs) are introduced at every specific is-HIT position so as to generate a collection containing the corresponding mutant molecules. Mutants are generated, produced and phenotypically characterized one-by-one, in addressable arrays, such that each mutant molecule contains initially amino acid

-88-

replacements at only one is-HIT site. In subsequent rounds mutant molecules also can be generated such that they contain one or more amino acids at one or more is-HIT sites that have been replaced by candidate LEAD amino acids. Those mutant proteins carrying one or  
5 more mutations at one or more is-HITs, and that display improved protease sensitivity are called LEADs.

### 3. 2D-scanning of Proteins for Increased Thermostability to Protect Proteins Against Heat

During evolution proteins have evolved to fit to particular roles in  
10 the living cells, which determine a specific environment for protein function. Undoubtedly, proteins with industrial interest are not supposed to resist the extreme environmental conditions present in biotechnological processes such as high temperatures and extreme pH. Provided herein are rational mutagenesis methods for the thermostabilization of proteins,  
15 based on the 2D-scanning described above, to develop proteins able to perform native functions at high temperatures. Accordingly, provided herein are methods for designing and generating highly thermostable proteins is provided herein comprising a first step of identifying some or all possible target sites on the protein sequence that are susceptible to  
20 become, by mutation, a part of a pair of amino acids that would constitute a link or bridge between two distant parts of the protein structure (these sites are referred to herein as the is-HITs). In this case, is-HITs are all amino acids that are located, on the 3-dimensional structure of the protein, in spatial positions such that they face another amino acid  
25 at a certain maximal distance. The two facing amino acids involved are considered to make part of a "stabilizing doublet." The link can be comprised of H-bonds, +/- charge interactions, disulfide bonds. Links or bridges are expected to stabilize the protein structure by introducing rigidity in it.

-89-

Once the is-HITs are identified, the second step comprises identifying the appropriate replacing amino acids, specific for each is-HIT, such that if used to replace one or more of the native amino acids at that specific is-HIT, generate a link or bridge in the protein structure while at the same time, maintaining or improving the requisite biological activity of the protein (these replacing amino acids are dubbed "candidate LEADs"). The rationale behind these two steps is to increase protein stability by the introduction of additional linking structures such as disulfide bonds, salt bridges or hydrogen bonds in proteins at every single position where it is possible.

Next, the specific replacing amino acids (candidate LEADs) are introduced at every specific is-HIT position so as to generate a collection containing the corresponding candidate LEAD mutant molecules. Individual mutants are then generated such that, each contains only 2 amino acid replacements, involving a different "stabilizing doublet." The introduction of additional disulfide bonds includes replacing one or two residues by cysteine along the protein sequence in such a way that their thiol groups remain closer than 2.1 Å, in the tertiary structure of the protein (FIG9A through B). The introduction of salt bridges and hydrogen bonds includes replacements of native residues by either charged or polar amino acids, located at the appropriate positions on the protein tertiary structure such that their interaction with each other can generate a tighter structure. In another embodiment, the method to thermostabilize proteins herein includes the replacement of all and every native amino acids located in surface loops of the 3-dimensional structure of the protein, into proline. Again, each initial individual mutant contains only one amino acid replacement at a time. The rationale behind this approach is based on the observation that proline substitutions in amino acid positions involved in 'loops' are less permissive to flexibility.

-90-

Mutants are generated, produced and phenotypically characterized one-by-one, in addressable arrays, such that each mutant molecule contains initially amino acid replacements at only one pair of is-HIT sites. In subsequent rounds mutant molecules also can be generated such that  
5 they contain one or more amino acids at one or more pairs of is-HIT sites that have been replaced by candidate LEAD amino acids. Those mutant proteins carrying one or more mutations at one or more is-HITs, and that display improved resistance to heat are called LEADs.

As used herein, the phrase "at high temperatures" refers to at least  
10 5 degrees, at least 10 degrees, at least 15 degrees, at least 20 degrees, at least 25 degrees, at least 30 degrees, at least 40 degrees, at least 50 degrees, at least 60 degrees, at least 70 degrees, at least 80 degrees, at least 90 degrees, up to at least 100 degrees, or more above the optimal temperature for the desired biological activity of the respective native  
15 protein. In the above approaches for increasing thermostability, a previous knowledge on the 3-dimensional structure of the protein is necessary. In another rational method to thermostabilize proteins herein, Gly→Ala substitutions are considered regardless the location in the tertiary protein structure and, thus, knowledge of the 3-dimensional structure of  
20 the protein is not necessary. The rationale behind this approach is based on the observation that i) glycine is highly permissive to flexibility, and ii) alanine substitutions are considered to be as "entropy-stabilizing" changes. Thus, based on very basic concepts on protein stability, we provide herein a variety of methods to increase protein thermostability.  
25 These strategies rely on, but are not limited nor restricted by, predictions and hypotheses on the behavior of specific amino acid replacements.

#### 4. Improvement of Protein Antigenicity

Viral epidemics reflect the effectiveness and remarkable performance of some virus to escape from immune response. Viruses can

-91-

do this by their amazing ability to mutate and exchange gene segments, leading to a high variability of weakly antigenic sites and/or the lack of production of memory lymphatic cells. Against such infective antigenic drift and antigenic shift (also named reassortment), the body appears  
5 defenseless and for some viruses depend on health-assuring vaccination. However, vaccine efficacy also is challenged whenever newly drift variants and/or reassortants emerge. In such cases, new vaccination formulas appear indispensable.

Provided herein are high throughput methods to evolve viral  
10 proteins that display low variability and weak immunogenicity, in order to increase both epitope exposure and immunogenicity in an attempt to develop long-lasting efficiency vaccines. A long-lasting vaccine would be composed by viral proteins that have been evolved such that they would expose poorly uncovered epitopes, which could be recognized by  
15 antibodies leading thereby to the production of memory lymphocytes. The rationale behind the increase in epitope exposure and immunogenicity would be the local destabilization of the protein structure, intended to expose poorly uncovered epitopes.

Methods to locally destabilize structural regions of the evolving  
20 proteins include herein the use of the basic concepts defining protein stability. In one embodiment, the methods include the substitution of Pro into Ala: the substitution of "(loop)-stabilizing" proline residues, at each position occupied by proline (is-HITs), by the replacing alanine amino acid. These sorts of mutations are expected to decrease rigidity at the level of  
25 proline-produced turns, resulting in loops that increase their "mobility" thereby uncovering new epitopes. In another embodiment, the methods include the substitution of Gly into large side chains and high steric hindrance amino acids (F, W, and Y). These replacements are contemplated herein to disturb Gly-compatible turns and thereby lead to



-92-

the exposure of new epitopes. In another embodiment, a full length  
Proline-scan is conducted, which is a systematic replacement of native  
amino acids by proline, along entire length of the protein. The rationale is  
based on the reported ability of prolines to induce turns in loop regions  
5 and kinks in helices, thus leading to localized loss of protein structure. In  
another embodiment, the methods include the substitution of Cys into  
Ser. Removing disulfide bonds by replacing cysteine residues by serine  
would lead to perturbations in the natural protein folding and stability,  
which is contemplated to herein to increase epitope exposure and  
10 immunogenicity. In another embodiment, the replacement of residues  
involved in the formation of hydrogen bonds and salt bridges on the  
protein surface, by for instance hydrophobic amino acids, is expected to  
interfere with the hydrogen bond formation and lead to a local wobbling  
of protein regions, which would facilitate the presentation of previously  
15 covered epitopes (FIG10A through B).

Accordingly, provided herein are methods for designing and  
generating highly antigenic proteins comprising a first step of identifying  
some or all possible target sites (the is-HITS) on the protein sequence that  
are susceptible to significantly change the protein conformation whenever  
20 the native amino acids at those target sites are changed by other specific  
amino acids, such as Proline, Glycine. The second step is to identify the  
appropriate replacing amino acids, specific for each is-HIT, such that if  
used to replace one or more of the native amino acids at that specific is-  
HIT, they can be expected to expose new epitopes or to increase  
25 exposure of already exposed epitopes thus increasing immunogenicity of  
the protein; (these replacing amino acids are named "candidate LEADs").  
To identify replacing amino acids, the PAM250 matrix described in  
Example 2 can be used.

-93-

Next, the specific replacing amino acids (candidate LEADs) are introduced at every specific is-HIT position so as to generate a collection containing the corresponding candidate LEAD mutant molecules. Mutants are generated, produced and phenotypically characterized one-by-one, in  
5 addressable arrays, such that each mutant molecule contains initially amino acid replacements at only one is-HIT site. In subsequent rounds mutant molecules also can be generated such that they contain one or more amino acids at one or more is-HIT sites that have been replaced by candidate LEAD amino acids. Those mutant proteins carrying one or  
10 more mutations at one or more is-HITs, and that display an improved immunogenicity are called LEADs.

Also provided herein are methods for designing and generating highly antigenic proteins comprising performing a "proline-scan" on a particular protein. A collection of mutants is generated in which each  
15 individual mutant contains a single amino acid replacement such that each native amino acid is replaced by a proline. Mutants are generated, produced and phenotypically characterized one-by-one, in addressable arrays, such that each mutant molecule contains initially only one amino acid replacement by proline. In subsequent rounds mutant molecules also  
20 can be generated such that they contain one or more amino acid replacements by proline. Those mutant proteins carrying one or more mutations (replacements by proline) and that display an improved immunogenicity are called LEADs.

25       **5. Optimization of Polypeptides whose Function Depends on their Amphipathic Character**

Certain polypeptides are per se amphipathic molecules (i.e., one portion is water-soluble and the other part water-insoluble). Some other polypeptides adopt the amphipathic molecular design depending on the physicochemical conditions of the local environment (including pH,

-94-

salinity, and temperature) or once a contact with biological membranes is established. For the amphipathic polypeptides or proteins, the amphipathic property is often at the basis of their biological role or activity (FIG11). This may involve interactions between protein-protein (glycoprotein, proteins bearing oligosaccharides), protein-substrate, protein-allocrite, protein-ligand, protein-phospholipid, protein-glycolipid, protein-cholesterol or protein-nucleic acid (DNA or RNA). The amphipathic character arises from the presence of hydrophobic and charged (hydrophilic) clusters of amino acids disposed in such a way that two faces can be distinguished in the secondary or tertiary protein structure. In this context, cationic and anionic peptides presenting an amphipathic character are directly concerned. It is contemplated herein that the introduction of specific replacing amino acids bearing a charge that is different from that at the corresponding is-HITs would participate in the formation of new local electrostatic interactions, thus having measurable effects of the protein activity. Such effects can be expected to be highly residue- and/or site-specific. Despite sharing the same electric charge, basic residues, arginine, lysine and histidine, display different chemical properties: arginine and lysine are strongly basic residues (pKa of 12.48 and 10.54 for their respective side chains), whereas histidine is a weakly basic residue (pKa of 6.04 for its side chain).

Methods are provided herein to optimize the biological roles or activities of polypeptides based on their amphipathic character, by performing a "scanning" of charged (i.e., arginine, lysine, histidine, glutamate and aspartate) and/or hydrophobic residues (e.g., valine, leucine, phenylalanine, tryptophan, glycine). Accordingly, depending on the amphipathic polypeptide, one or more of the above replacing residues will follow a sequential replacement of selected residues along the

-95-

polypeptide sequence, in an attempt to optimize the position, number and nature (cationic or anionic) of charges and hydrophobic residues fitting to an optimized trait. FIGS13A through D present steps followed with an exemplary polypeptide, wherein a series of substitutions, after a "K/R  
5 scanning" and "hydrophobic scanning," are intended to optimize its biological role or activity through its amphipathic trait. An innovative method provided herein referred to as "multi-overlapped primer extensions" (see FIG14) was used to simultaneously introduce mutations in such short sequences as the one illustrated in FIGS13A through D.

10 Accordingly, provided herein are methods for designing and generating "highly amphipathic" proteins comprising a first step of identifying some or all possible target sites on the protein sequence that are susceptible to significantly change the amphipathic properties of the protein whenever the native amino acids at those sites are changed by  
15 other specific amino acids such as arginine or lysine; (these sites are the is-HITs). The next step is identifying the appropriate replacing amino acids, specific for each is-HIT, such that if used to replace one or more of the native amino acids at that specific is-HIT, they can be expected to increase the amphipathic properties of the protein while at the same time,  
20 maintaining or improving the requisite biological activity of the protein (these replacing amino acids are referred to as the "candidate LEADs." To identify replacing amino acids, the PAM250 matrix described in Example 2 can be used.

Next, the specific replacing amino acids (candidate LEADs) are  
25 introduced at every specific is-HIT position so that to generate a collection containing the corresponding mutant molecules. Mutants are generated, produced and phenotypically characterized one-by-one, in addressable arrays, such that each mutant molecule contains initially amino acid replacements at only one is-HIT site. In subsequent rounds

-96-

mutant molecules also can be generated such that they contain one or more amino acids at one or more is-HIT sites that have been replaced by candidate LEAD amino acids. Those mutant proteins carrying one or more mutations at one or more is-HITs, and that display improved  
5 amphipathic properties are called LEADs.

Also provided herein are methods for designing and generating highly amphipathic proteins comprising performing either an "arginine-scanning" or a "lysine-scanning" on the particular protein. A collection of mutants is generated in which each individual mutant contains a single  
10 amino acid replacement such that each native amino acid is replaced by either arginine or lysine. Mutants are generated, produced and phenotypically characterized one-by-one, in addressable arrays, such that each mutant molecule contains initially only one amino acid replacement by either arginine or lysine. In subsequent rounds mutant molecules also  
15 can be generated such that they contain one or more amino acid replacements by either arginine or lysine. Those mutant proteins carrying one or more mutations (replacements by either arginine or lysine) and that display improved amphipathic properties are called LEADs.

#### 6. Ligand-receptor Interactions

20 The 2D-scanning methods provided herein also can be used to generate ligand agonists or antagonists (such as negative dominant mutant ligand proteins) for binding to their respective receptors. It is well known that the activity of receptor binding proteins is a direct function of their binding affinity for their respective receptors. For example, strong  
25 binding affinity leads to high activity; whereas in contrast, no binding results in the absence of activity. Contemplated herein is the design and generation of: (1) ligand protein mutants with enhanced affinity for their receptors while at the same time having an improved biological activity (agonists); as well as, in contrast, (2) dominant negative ligand protein

-97-

mutants that bind to their receptors without inducing any cellular response (antagonists).

Accordingly, provided herein are methods for designing and generating high-affinity binding proteins that either maintain (agonists) or  
5 have lost (antagonists) their receptor-mediated biological activity while keeping their receptor-binding activity, the method comprising a first step of identifying, *in silico*, some or all possible target sites on the protein sequence that are susceptible to increase its binding affinity for the corresponding receptor (these sites are the is-HITs). The second step is  
10 identifying appropriate replacing amino acids, specific for each is-HIT, such that if used to replace one or more of the native amino acids at that specific is-HIT, they can be expected to increase binding affinity to the corresponding receptor while at the same time, either maintaining the desired biological activity of the protein (agonist protein) or abolishing the  
15 biological activity of the (antagonist) protein (these replacing amino acids are referred to as "candidate LEADs"). To identify replacing amino acids, the PAM250 matrix described in Example 2 can be used.

Next, the specific replacing amino acids (candidate LEADs) are introduced at every specific is-HIT position so as to generate a collection  
20 containing the corresponding mutant candidate LEAD molecules. Mutants are generated, produced and phenotypically characterized one-by-one, in addressable arrays, such that each mutant molecule contains initially amino acid replacements at only one is-HIT site. In subsequent rounds mutant molecules also can be generated such that they contain one or  
25 more amino acids at one or more is-HIT sites that have been replaced by candidate LEAD amino acids.

In another embodiment to generate such antagonist mutants, the first step comprises an amino acid-scanning (e.g., an alanine-scan). The amino acid scanning is used to identify each and every target amino acid

-98-

residue involved in the binding site(s) on the protein referred to herein as the HITs. This information would then be used, using the 2D-scanning approach and based on the 3-dimensional structure of the protein, to identify the replacing amino acids needed to generate antagonist mutants.

- 5 The use of "amino acid scanning" to identify the residues involved in the interaction has higher information content than the sole conclusions, which derive from 3-dimensional structure of proteins. While these 3-dimensional protein structures represent conformations that could be non-native and therefore non-active, the amino acid scanning identifies
- 10 residues at the binding site(s) through a biological assay. Therefore, it reflects conditions that are closer to the physiological conditions than those reflected by 3-dimensional structural methods.

#### 7. Protein Redesign

- Provided herein are methods for redesigning and generating new
- 15 versions of native or modified proteins, such as IFN $\alpha$ -2b (see FIG3B). Using these methods, the redesigned protein maintains either sufficient, typically equal or improved levels of a selected phenotype, such as a biological activity, of the original protein, while at the same time its amino acid sequence is changed by replacement of up to less than 1% (i.e., 1,
- 20 2, 3 or more amino acid residues), at least 1%, at least 2%, at least 3%, at least 4%, at least 5%, at least 6%, at least 7%, at least 8%, at least 9%, at least 10%, at least 12%, at least 14%, at least 16%, at least 18%, at least 20%, at least 30%, at least 40% up to 50% or more of its native amino acids by the appropriate pseudo-wild type amino acids.
- 25 Pseudo-wild type amino acids are those amino acids such that when they replace an original, such as native, amino acid at a given position on the protein sequence, the resulting protein displays substantially the same levels of biological activity (or sufficient activity for its therapeutic or other use) compared to the original, such as native, protein. In other



-99-

embodiments, pseudo-wild type amino acids are those amino acids such that when they replace an original, such as native, amino acid at a given position on the protein sequence, the resulting protein displays the same phenotype, such as levels of biological activity, compared to an original,  
5 typically a native, protein. Pseudo-wild type amino acids and the appropriate replacing positions can be detected and identified by any analytical or predictive means; such as for example, by performing an Alanine-scanning. Any other amino acid, particularly another amino acid that has a neutral effect on structure, such as Gly or Ser, also can be  
10 used for the scan. All those replacements of original, such as native, amino acids by Ala that do not lead to the generation of a HIT (a protein that has lost the desired biological activity), have either led to the generation of a LEAD (a protein with increased biological activity); or the replacement by Ala will be a neutral replacement, i.e., the resulting  
15 protein will display comparable levels of biological activity compared to the original, such as native, protein. The methods provided herein for protein redesign of proteins, such as IFN $\alpha$ -2b, are intended to design and generate "artificial" (versus naturally existing) proteins, such that they contain sequences of amino acids that differ from the naturally-occurring  
20 sequences, but that display biological activities characteristic of the original, such as native, protein. These redesigned proteins (pseudo wild types) can be used to avoid potential side effects that might otherwise exist in other forms of proteins for treatment of disease. Other uses of redesigned proteins provided herein are to establish cross-talk between  
25 pathways triggered by different proteins; to facilitate structural biology by generating mutants that can be crystallized while maintaining activity; and to destroy an activity of a protein without changing a second activity or multiple additional activities.

-100-

In one embodiment, a method for obtaining redesigned proteins comprises *i)* identifying some or all possible target sites on the protein sequence that are susceptible to amino acid replacement without losing protein activity (protein activity in a largest sense of the term: enzymatic, binding, hormone, etc.) (These sites are the pseudo-wild type,  $\Psi$ -wt sites); *ii)* identifying appropriate replacing amino acids ( $\Psi$ -wt amino acids), specific for each  $\Psi$ -wt site, such that if used to replace the native amino acids at that specific  $\Psi$ -wt site, they can be expected to generate a protein with comparable biological activity compared to the original, such as native, protein, thus keeping the biological activity of the protein substantially unchanged; *iii)* systematically introducing the specific  $\Psi$ -wt amino acids at every specific  $\Psi$ -wt position so as to generate a collection containing the corresponding mutant molecules. Mutants are generated, produced and phenotypically characterized one-by-one, in addressable arrays, such that each mutant molecule contains initially amino acid replacements at only one  $\Psi$ -wt site. In subsequent rounds mutant molecules also can be generated such that they contain one or more  $\Psi$ -wt amino acids at one or more  $\Psi$ -wt sites. Those mutant proteins carrying several mutations at a number of  $\Psi$ -wt sites, and that display comparable or improved biological activity are called redesigned proteins or  $\Psi$ -wt proteins. In particular embodiments, at least 1%, at least 2%, at least 3%, at least 4%, at least 5%, at least 6%, at least 7%, at least 8%, at least 9%, at least 10%, at least 15%, at least 20%, at least 25%, or more of the amino acid residue positions on a particular protein, such as IFN $\alpha$ -2b are replaced with an appropriate pseudo-wild type amino acid.

The first step is an amino acid scan over the full length of the protein. At this step, each and every one of the amino acids in the protein sequence is replaced by a selected reference amino acid, such as alanine. This permits the identification of "redesign-HIT" positions, i.e.,

-101-

positions that are sensitive to amino acid replacement. All of the other positions that are not redesign-HIT positions (i.e., those at which the replacement of the original, such as native, amino acid by the replacing amino acid, for example Ala, does not lead to a drop in protein fitness or biological activity) are referred to herein as "pseudo-wild type" positions. When the replacing amino acid, for example Ala, replaces the original, such as native, amino acid at a non-HIT position, then the replacement is neutral, in terms of protein activity, and the replacing amino acid is said to be a pseudo-wild type amino acid at that position. Pseudo-wild type positions appear to be less sensitive than redesign-HIT positions since they tolerate the amino acid replacement without affecting the protein activity that is being either maintained or improved. Amino acid replacement at the pseudo-wild type positions, result in a non-change in the protein fitness (e.g., possess substantially the same biological activity), while at the same time to a divergence in the resulting protein sequence compared to the original, such as native, sequence.

In one embodiment, to first identify those amino acid positions on the IFN $\alpha$ -2b protein that are involved or not involved in IFN $\alpha$ -2b protein activity, such as binding activity of IFN $\alpha$ -2b to its receptor, an Ala-scan was performed on the IFN $\alpha$ -2b sequence as set forth in Example 4. For this purpose, each amino acid in the IFN $\alpha$ -2b protein sequence was individually changed to Alanine. Any other amino acid, particularly another amino acid that has a neutral effect on structure, such as Gly or Ser, also can be used. Each resulting mutant IFN $\alpha$ -2b protein was then expressed and the activity of the interferon molecule was then assayed. These particular amino acid positions, referred to herein as HITs would in principle not be suitable targets for amino acid replacement to increase protein stability, because of their involvement in the recognition of IFN-receptor or in the downstream pathways involved in IFN activity. For the

-102-

Ala-scanning, the biological activity measured for the IFN $\alpha$ -2b molecules was: *i*) their capacity to inhibit virus replication when added to permissive cells previously infected with the appropriate virus and, *ii*) their capacity to stimulate cell proliferation when added to the appropriate cells. The relative activity of each individual mutant compared to the native protein was assayed. HITs are those mutants that produce a decrease in the activity of the protein (in the example: all the mutants with activities below about 30% of the native activity).

In addition, the Alanine-scan was used to identify the amino acid residues on IFN $\alpha$ -2b that when replaced with alanine correspond to 'pseudo-wild type' activity, i.e., those that can be replaced by alanine without leading to a decrease in biological activity. Knowledge of these amino acids is useful for the re-design of the IFN $\alpha$ -2b protein. The results are set forth in Table 5, and include pseudo-wild type amino acid positions of IFN $\alpha$ -2b corresponding to SEQ ID NO:1, amino acid residues: 9, 10, 17, 20, 24, 25, 35, 37, 41, 52, 54, 56, 57, 58, 60, 63, 64, 65, 76, 89, and 90.

Accordingly, provided herein are IFN $\alpha$ -2b mutant proteins that contain one or more pseudo-wild type mutations at amino acid positions of IFN $\alpha$ -2b corresponding to SEQ ID NO:1, amino acid residues: 9, 10, 17, 20, 24, 25, 35, 37, 41, 52, 54, 56, 57, 58, 60, 63, 64, 65, 76, 89, and 90. The mutations can be either one or more of insertions, deletions and/or replacements of the native amino acid residue(s). In one embodiment, the psuedo-wild type replacements are mutations with alanine at each position. In another embodiment, the pseudo-wild type replacements are one or more mutations in SEQ ID NO:1 corresponding to:

P by A at position 4, Q by A at position 5 ,  
T by A at position 6, L by A at position 9,

-103-

LG by A at position 10, L by A at position 17,  
Q by A at position 20, I by A at position 24,  
S by A at position 25, D by A at position 35,  
G by A at position 37, G by A at position 39,  
5 E by A at position 41, E by A at position 42,  
E by A at position 51, T by A at position 52,  
P by A at position 54, V by A at position 55,  
L by A at position 56, H by A at position 57,  
E by A at position 58, I by A at position 60,  
10 I by A at position 63, F by A at position 64,  
N by A at position 65, W by A at position 76,  
D by A at position 77, E by A at position 78,  
L by A at position 81, Y by A at position 85,  
Y by A at position 89, Q by A at position 90,  
15 G by A at position 104, L by A at position 110,  
S by A at position 115 and E by A at position 146.

In addition, the IFN $\alpha$ -2b alanine scan revealed the following  
redesign-HITs having decreased antiviral activity at amino acid positions  
of IFN $\alpha$ -2b corresponding to SEQ ID NO:1, amino acid residues: 2, 7, 8,  
20 11, 13, 15, 16, 23, 26, 28, 29, 30, 31, 32, 33, 53, 69, 91, 93, 98, and  
101. Accordingly, in particular embodiments where it is desired to  
decrease the viral activity of IFN $\alpha$ -2b, either one or more of insertions,  
deletions and/or replacements of the native amino acid residue(s) can be  
carried out at one or more of amino acid positions of IFN $\alpha$ -2b  
25 corresponding to SEQ ID NO:1, amino acid residues: 2, 7, 8, 11, 13, 15,  
16, 23, 26, 28, 29, 30, 31, 32, 33, 53, 69, 91, 93, 98, and 101.

Each of the redesign mutations set forth above can be combined  
with one or more of the IFN $\alpha$ -2b candidate LEAD mutations or one or  
more of the IFN $\alpha$ -2b LEAD mutants provided herein.

-104-

**F. 3D-scanning and Its Use for Modifying Cytokines**

Also provided herein is a method of structural homology analysis for comparing proteins regardless of their underlying amino acid sequences. For a subset of proteins families, such as the family of human cytokines, this information is rationally exploited to produce modified proteins. This method of structural homology analysis can be applied to proteins that are evolved by any method, including the 2D scanning method described herein. When used with the 2D method in which a particular phenotype, activity or characteristic of a protein is modified by 2D analysis, the method is referred to as 3D-scanning.

The use of "structural homology" analysis in combination with the directed evolution methods provided herein provides a powerful technique for identifying and producing various new protein mutants, such as cytokines, having desired biological activities, such as increased resistance to proteolysis. For example, the analysis of the "structural homology" between an optimized mutant version of a given protein and "structurally homologous" proteins allows identification of the corresponding structurally related or structurally similar amino acid positions (also referred to herein as "structurally homologous loci") on other proteins. This permits identification of mutant versions of the latter that have a desired optimized feature(s) (biological activity, phenotype) in a simple, rapid and predictive manner (regardless of amino acid sequence and sequence homology). Once a mutant version of a protein is developed, then, by applying the rules of structural homology, the corresponding structurally related amino acid positions (and replacing amino acids) on other "structurally homologous" proteins readily are identified, thus allowing a rapid and predictive discovery of the appropriate mutant versions for the new proteins.

-105-

3-dimensionally structurally equivalent or similar amino acid positions that are located on two or more different protein sequences that share a certain degree of structural homology, have comparable functional tasks (activities and phenotypes). These two amino acids that occupy

5 substantially equivalent 3-dimensional structural space within their respective proteins can then be said to be "structurally similar" or "structurally related" with each other, even if their precise positions on the amino acid sequences, when these sequences are aligned, do not match with each other. The two amino acids also are said to occupy

10 "structurally homologous loci." "Structural homology" does not take into account the underlying amino acid sequence and solely compares 3-dimensional structures of proteins. Thus, two proteins can be said to have some degree of structural homology whenever they share conformational regions or domains showing comparable structures or

15 shapes with 3-dimensional overlapping in space. Two proteins can be said to have a higher degree of structural homology whenever they share a higher amount of conformational regions or domains showing comparable structures or shapes with 3-dimensional overlapping in space. Amino acids positions on one or more proteins that are "structurally

20 homologous" can be relatively far way from each other in the protein sequences, when these sequences are aligned following the rules of primary sequence homology. Thus, when two or more protein backbones are determined to be structurally homologous, the amino acid residues that are coincident upon three-dimensional structural superposition are

25 referred to as "structurally similar" or "structurally related" amino acid residues in structurally homologous proteins (also referred to as "structurally homologous loci"). Structurally similar amino acid residues are located in substantially equivalent spatial positions in structurally homologous proteins.



-106-

For example, for proteins of average size (approximately 180 residues), two structures with a similar fold will usually display rms deviations not exceeding 3 to 4 angstroms. For example, structurally similar or structurally related amino acid residues can have backbone positions less than 3.5, 3.0, 2.5, 2.0, 1.7 or 1.5 angstrom from each other upon protein superposition. RMS deviation calculations and protein superposition can be carried out using any of a number of methods known in the art. For example, protein superposition and RMS deviation calculations can be carried out using all peptide backbone atoms (e.g., N, C, C(C=O), O and CA (when present)). Alternatively, protein superposition can be carried out using just one or any combination of peptide backbone atoms, such as, for example, N, C, C(C=O), O and CA (when present). In addition, one skilled in the art will recognize that protein superposition and RMS deviation calculations generally can be performed on only a subset of the entire protein structure. For example, if the protein superposition is carried out using one protein that has many more amino acid residues than another protein, protein superposition can be carried out on the subset (e.g., a domain) of the larger protein that adopts a structure similar to the smaller protein. Similarly, only portions of other proteins can be suitable for superimposition. For example, if the position of the C-terminal residues from two structurally homologous proteins differ significantly, the C-terminal residues can be omitted from the structural superposition or RMS deviation calculations.

Accordingly, provided herein are methods of rational evolution of proteins based on the identification of potential target sites for mutagenesis (is-HITs) through comparison of patterns of protein backbone folding between structurally related proteins, irrespective of the underlying sequences of the compared proteins. Once the structurally related amino acid positions are identified on the new protein, then



-107-

suitable amino acid replacement criteria, such as PAM analysis, can be employed to identify candidate LEADs for construction and screening as described herein.

For example, analysis of "structural homology" between and  
5 among a number of related cytokines was used to identify on various members of the cytokine family, other than interferon alpha, those amino acid positions and residues that are structurally similar or structurally related to those found in the IFN $\alpha$ -2b mutants provided herein that have been optimized for improved stability. The resulting modified cytokines  
10 are provided. This method can be applied to any desired phenotype using any protein, such as a cytokine, as the starting material to which an evolution procedure, such as the rational directed evolution procedure of U.S. application Serial No. 10/022,249 or the 2-dimensional scanning method provided herein, is applied. The structurally corresponding  
15 residues are then altered on members of the family to produce additional cytokines with similar phenotypic alterations.

#### 1) Homology

Typically, homology between proteins is compared at the level of their amino acid sequences, based on the percent or level of coincidence  
20 of individual amino acids, amino acid per amino acid, when sequences are aligned starting from a reference, generally the residue encoded by the start codon. For example, two proteins are said to be "homologous" or to bear some degree of homology whenever their respective amino acid sequences show a certain degree of matching upon alignment  
25 comparison. Comparative molecular biology is primarily based on this approach. From the degree of homology or coincidence between amino acid sequences, conclusions can be made on the evolutionary distance between or among two or more protein sequences and biological systems.

-108-

The concept of "convergent evolution" is applied to describe the phenomena by which phylogenetically unrelated organisms or biological systems have evolved to share features related to their anatomy, physiology and structure as a response to common forces, constraints, and evolutionary demands from the surrounding environment and living organisms. Alternatively, "divergent evolution," is applied to describe the phenomena by which strongly phylogenetically related organisms or biological systems have evolved to diverge from identity or similarity as a response to divergent forces, constraints, and evolutionary demands from the surrounding environment and living organisms.

In the typical traditional analysis of homologous proteins there are two conceptual biases corresponding to: i) "convergent evolution," and ii) "divergent evolution." Whenever the aligned amino acid sequences of two proteins do not match well with each other, these proteins are considered "not related" or "less related" with each other and have different phylogenetic origins. There is no (or low) homology between these proteins and their respective genes are not homologous (or show little homology). If these two "non-homologous" proteins under study share some common functional features (e.g., interaction with other specific molecules, activity), they are determined to have arisen by "convergent evolution," i.e., by evolution of their non-homologous amino acid sequences, in such a way that they end up generating functionally "related" structures.

On the other hand, whenever the aligned amino acid sequences of two proteins do match with each other to a certain degree, these proteins are considered to be "related" and to share a common phylogenetic origin. A given degree of homology is assigned between these two proteins and their respective genes likewise share a corresponding degree of homology. During the evolution of their initial highly homologous

-109-

amino acid sequence, enough changes can be accumulated in such a way that they end up generating "less-related" sequences and less related function. The divergence from perfect matching between these two "homologous" proteins under study is said come from "divergent evolution."

2) 3D-scanning (Structural Homology) methods

Structural homology refers to homology between the topology and three-dimensional structure of two proteins. Structural homology is not necessarily related to "convergent evolution" or to "divergent evolution," nor is it related to the underlying amino acid sequence. Rather, structural homology is likely driven (through natural evolution) by the need of a protein to fit specific conformational demands imposed by its environment. Particular structurally homologous "spots" or "loci" would not be allowed to structurally diverge from the original structure, even when its own underlying sequence does diverge. This structural homology is exploited herein to identify loci for mutation.

Within the amino acid sequence of a protein resides the appropriate biochemical and structural signals to achieve a specific spatial folding in either an independent or a chaperon-assisted manner. Indeed, this specific spatial folding ultimately determines protein traits and activity. Proteins interact with other proteins and molecules in general through their specific topologies and spatial conformations. In principle, these interactions are not based solely on the precise amino acid sequence underlying the involved topology or conformation. If protein traits, activity (behavior and phenotypes) and interactions rely on protein topology and conformation, then evolutionary forces and constraints acting on proteins can be expected to act on topology and conformation. Proteins sharing similar functions will share comparable characteristics in

-110-

their topology and conformation, despite the underlying amino acid sequences that create those topologies and conformations.

**G. 2-D Matrix Representation of Amino Acid Sequence of Protein or Peptide**

5       The amino acid sequence of proteins is usually represented as a sequence stream of letters or names, each representing one individual amino acid in the sequence. This type of linear representation is appropriate to make comparisons on amino acid sequence, homology/heterology, make co-linear representation with DNA nucleotides  
10 sequences (thus allowing to represent the genetic code from DNA to protein in a co-linear way). The information content and the analytical potential of this type of representation is limited and thus limits the scope and the perspective of the analysis on protein sequence/structure relationships that are based upon this type of linear amino-acid string  
15 representation.

      Provided herein is a method of representing the amino acid sequence of a protein (e.g., protein sequencing) that advantageously results in i) higher information content and ii) higher analytical potential, than previous linear amino-acid string sequence representations. These  
20 methods for the notation of protein sequence are useful to facilitate the analysis of the relationships between protein sequence and structure, which is currently a bottle-neck for the further development of different fields of biology, including those of directed evolution. The method employs a two-dimensional (2-D) matrix representation of the of protein  
25 sequence, wherein the vertical axis represents the amino acid present at the corresponding position indicated on the horizontal axis. The horizontal axis represents the amino acid position along the length protein sequence (such that the first cell corresponds to amino acid position No. 1, the second cell to amino acid position No. 2, etc.). See FIGS12 and

-111-

13A through D. The matrix always contains 20 cells in one direction (the amino acid type) and a variable number of position-cells depending on the size of the protein, the number of position-cells equaling the number of amino acids in the protein sequence. In FIG12, an exemplary protein  
5 sequence is shown above the matrix and within the matrix, such that those cells corresponding to the actual sequence of the protein are indicated with shaded squares.

Once the matrix is constituted, those cells corresponding to the actual sequence of the protein are indicated with either a different color  
10 or a sign that differentiates them from the cells not corresponding to the actual protein sequence. For example, for the amino acid sequence: AKRLSL, there will be a sign on the cell corresponding to position No. 1 and amino acid type "A," a sign for the cell corresponding to position No. 2 and amino acid type "K," a sign for the cell corresponding to position  
15 No. 3 and amino acid type "R," and so on.

In another embodiment, a 2-D matrix can be employed for representing the nucleotide sequence of a nucleic acid (e.g., nucleic acid sequencing), such as DNA or RNA, whereby the first vertical axis has 4 cells corresponding to nucleotides A, T, G, C; or A, U, G, C, respectively.

## 20 H. Examples

The following examples are included for illustrative purposes only and are not intended to limit the scope of the invention. The specific methods exemplified can be practiced with other species. The examples are intended to exemplify generic processes.

-112-

**EXAMPLE 1**

This example describes a plurality of chronological steps including steps from (i) to (viii):

- 5 (i) cloning of IFN $\alpha$  cDNA in a mammalian cell expression plasmid (section A.1)
- (ii) generation of a collection of targeted mutants on the IFN $\alpha$  cDNA in the mammalian cell expression plasmid (section B)
- (iii) production of IFN $\alpha$  mutants in mammalian cells (section C.1)
- (iv) screening and partial *in vitro* characterization of IFN $\alpha$  mutants  
10 produced in mammalian cells in search of lead mutants (section D)
- (v) cloning of the lead mutants into a bacterial cell expression plasmid (section A.2)
- (vi) expression of lead mutants in bacterial cells (section C.2)
- (vii) *in vitro* characterization of lead mutants produced in bacteria  
15 (section D)
- (viii) *in vivo* characterization of lead mutants produced in bacteria (section E).

**A. Cloning of IFN $\alpha$ -2b encoding cDNA****A.1. Cloning of IFN  $\alpha$ -2b cDNA in a mammalian cell expression  
20 plasmid**

The IFN  $\alpha$ -2b cDNA was first cloned into an mammalian expression vector, prior to the generation of the selected mutations. A library of mutants was then generated such that each individual mutant was created and processed individually, physically separated from each other  
25 and in addressable arrays. The mammalian expression vector pSSV9 CMV 0.3 pA was engineered as follows:

The pSSV9 CMV 0.3 pA was cut by *PvuII* and religated (this step gets rid of the ITR functions), prior to the introduction of a new *EcoRI*

-113-

restriction site by Quickchange mutagenesis (Stratagene). The oligonucleotides primers were:

EcoRI forward primer 5'-GCCTGTATGATTTATTGGATGTTGGAATTCC-CTGATGCGGTATTTTCTCCTTACG-3' (SEQ ID NO: 182)

5 EcoRI reverse primer 5'-CGTAAGGAGAAAATACCGCATCAGGGAATT-CCAACATCCAATAAATCATACAGGC-3' (SEQ ID NO: 183)

The construct sequence was confirmed by using the following oligonucleotides:

Seq Clal forward primer: 5'-CTGATTATCAACCGGGGTACATATGATTGAC-ATGC-3' (SEQ ID NO: 184)

Seq XmnI reverse primer: 5'-TACGGGATAATACCGCGCCACATAGCAGAA-C-3' (SEQ ID NO: 185)

Then, the *XmnI*-*Clal* fragment containing the newly introduced *EcoRI* site was cloned into pSSV9 CMV 0.3 pA (SSV9 is a clone containing the entire adeno-associated virus (AAV) genome inserted into the *PvuII* site of plasmid pEMBL (see, Du *et al.* (1996) *Gene Ther* 3:254-261)) to replace the corresponding wild-type fragment and produce construct pSSV9-2EcoRI.

The DNA sequence of the IFN $\alpha$ -2b cDNA carried by pDG6 (ATCC accession No. 53169) was confirmed using a pair of internal primers. The sequences of the IFN $\alpha$ -2b-related oligonucleotides for sequencing follow:

Seq forward primer 5'-CCTGATGAAGGAGGACTC-3' (SEQ ID NO: 186)

Seq reverse primer 5'-CCAAGCAGCAGATGAGTC-3' (SEQ ID NO: 187)

25 Since the beginning of the IFN $\alpha$ -2b encoding cDNA (the signal peptide encoding sequence) is absent in pDG6, it was added using the oligonucleotide (see below) to the amplified gene. First, the IFN $\alpha$ -2b cDNA was amplified by PCR using pDG6 as template using the following oligonucleotides as primers:

30 IFN $\alpha$ -2b 5' primer 5'-TCAGCTGCAAGTCAAGCTGCTCTGTGGGCTG-3' (SEQ ID NO: 188)

IFN $\alpha$ -2b 3' primer 5'-GCTCTAGATCATTCCTTACTTCTTAAACTTTC-TTGCAAGTTTGTGAC-3' (SEQ ID NO: 189)

-114-

The PCR product was then used in an overlapping PCR using the following oligonucleotide sequences, having *Hind* III or *Xba*I restriction sites (underlined) or the DNA sequence missing in pDG6 (underlined):

IFN $\alpha$ -2b *Hind*III primer 5'-CCCAAGCTTATGGCCTTGACCTTTGCTTTACT-GGTG-  
5 3' (SEQ ID NO: 190)

IFN $\alpha$ -2b *Xba*I primer 5'-GCTCTAGATCATTCCCTTACTTCTTAAACTTTC-  
TTGCAAGTTTGTGAC-3' (SEQ ID NO: 191)

IFN $\alpha$ -2b 80bp 5' primer 5'-CCCAAGCTTATGGCCTTGACCTTTGCTTTA-  
10 CTGGTGGCCCTCCTGGTGCTCAGCTGCAAGTCAAGCTGCTCTGTGGGCTG-3' (SEQ ID  
NO: 192)

The entire IFN $\alpha$ -2b cDNA was cloned into the pTOPO-TA vector (Invitrogen). After checking gene sequence by automatic DNA sequencing, the *Hind*III-*Xba*I fragment containing the gene of interest was subcloned into the corresponding sites of pSSV9-2EcoRI to produce  
15 pAAV-EcoRI-IFN $\alpha$ -2b (pNB-AAV-IFN  $\alpha$ -2b).

## A.2 Cloning of the IFN $\alpha$ -2b leads in an E. coli expression plasmid

### A.2.1 Characterization of the bacterial cells

BL21-CodonPlus(DE3)-RP<sup>®</sup> competent Escherichia coli cells are derived from Stratagene's high-performance BL21-Gold competent cells.  
20 These cells enable efficient high-level expression of heterologous proteins in *E. coli*. Efficient production of heterologous proteins in *E. coli* is frequently limited by the rarity, in *E. coli*, of certain tRNAs that are abundant in the organisms from which the heterologous proteins are derived. Availability of tRNAs allows high-level expression of many  
25 heterologous recombinant genes in BL21-Codon Plus cells that are poorly expressed in conventional BL21 strains. BL21-CodonPlus(DE3)-RP cells contain a ColE1-compatible, pACYC-based plasmid containing extra copies of the argU and proL tRNA genes.



-115-

**A.2.2 Cloning of wild-type IFN  $\alpha$** 

To express IFN  $\alpha$ -2b in *E.coli* cDNA encoding the mature form of IFN-2  $\alpha$ -2b was finally cloned into the plasmid pET-11 (Novagen). Briefly, this cDNA fragment was amplified by PCR using the primers SEQ ID Nos.

5 208 and 209, respectively:

FOR-IFNA-5' AACATATGTGTGATCTGCCTCAAACCCACAGCCTGGGTTAGC 3'

REV-IFNA-5'

AAGGATCCTCATTCTTACTTCTTAACTTTCTTGCAAGTTTGTTG3',

from pSSV9-EcoRI-IFN  $\alpha$ -2b (see above), which contains full-length IFN-2

10 alpha cDNA as a matrix, using Herculase DNA-polymerase (Stratagene).

The PCR fragment was subcloned into pTOPO-TA vector (Invitrogen)

yielding pTOPO-IFN  $\alpha$ -2b. The sequence was verified by sequencing.

pET11 IFN  $\alpha$ -2b was prepared by insertion of the *NdeI-Bam HI* (Biolabs)

fragment from pTOPO-IFN  $\alpha$ -2b into the *NdeI-Bam HI* sites of pET 11. The

15 DNA sequence of the resulting pET 11-IFN  $\alpha$ -2b construct was verified by sequencing and the plasmid was used for IFN  $\alpha$ -2b expression in *E.coli*.

**A.2.3 Cloning of IFN  $\alpha$ -2b mutants from the mammalian expression plasmid into the E.coli expression plasmid**

Lead mutants of Interferon alpha were first generated in the

20 pSSV9-IFNa-EcoRI plasmid. With the only exception of E159H and

E159Q, all mutants were amplified using the primers below. Primers

contained *NdeI* (in Forward) and *BamHI* (in Reverse) restriction sites:

FOR-IFNA-5' AAC ATA TGT GTG ATC TGC CTC AAA CCC ACA GCC TGG GTA  
GC 3' SEQ ID No. 210; and

25

REV-IFNA-5' AAG GAT CCT CAT TCC TTA CTT CTT AAA CTT TCT TGC AAG  
TTT GTT G 3' SEQ ID No. 211.

Mutants E159H and E159Q were amplified using the following primers on

30 reverse side (primer forward was the same than described above):

REV-IFNA-E159H-5' AAG GAT CCT CAT TCC TTA CTT CTT AAA CTG

TGT TGC AAG TTT GTT G 3' SEQ ID No. 500.

-116-

REV-IFNA-E159Q-5' AAG GAT CCT CAT TCC TTA CTT CTT AAA CTC  
TGT TGC AAG TTT GTT G 3' SEQ ID No. 501.

Mutants were amplified with Pfu Turbo Polymerase (Stratagene) according. PCR products were cloned into pTOPO plasmid (Zero Blunt  
5 TOPO PCR cloning kit, Invitrogen). The presence of the desired mutations was checked by automatic sequencing. The NdeI + BamHI fragment of the pTOPO-IFNa positive clones was then cloned into NdeI + BamHI sites of the pET11 plasmid.

**10 B. Construction of a library of IFN $\alpha$ -2b mutants in a mammalian expression plasmid**

A series of mutagenic primers was designed to generate the appropriate site-specific mutations in the IFN $\alpha$ -2b cDNA. Mutagenesis reactions were performed with the Chameleon<sup>®</sup> mutagenesis kit (Stratagene) using pNB-AAV-IFN $\alpha$ -2b as the template. Each individual  
15 mutagenesis reaction was designed to generate one single mutant protein. Each individual mutagenesis reaction contains one and only one mutagenic primer. For each reaction, 25 pmoles of each (phosphorylated) mutagenic primer were mixed with 0.25 pmoles of template, 25 pmoles of selection primer (introducing a new restriction site), and 2  $\mu$ l of 10X  
20 mutagenesis buffer (100 mM Tris-acetate pH 7.5; 100 mM MgOAc; 500 mM KOAc pH 7.5) into each well of 96 well-plates. To allow DNA annealing, PCR plates were incubated at 98 °C during 5 min and immediately placed 5 min on ice, before incubating at room temperature during 30 min. Elongation and ligation reactions were allowed by addition  
25 of 7  $\mu$ l of nucleotide mix (2.86 mM each nucleotide; 1.43 X mutagenesis buffer) and 3  $\mu$ l of a freshly prepared enzyme mixture of dilution buffer (20 mM Tris HCl pH7.5; 10 mM KCl; 10 mM  $\beta$ -mercaptoethanol; 1 mM DTT; 0.1 mM EDTA; 50 % glycerol), native T7 DNA polymerase (0.025 U/ $\mu$ l), and T4 DNA ligase (1 U/ $\mu$ l) in a ratio of 1:10, respectively.

-117-

Reactions were incubated at 37 °C for 1 h before inactivation of T4 DNA ligase at 72 °C during 15 min. In order to eliminate the parental plasmid, 30  $\mu$ l of a mixture containing 1X enzyme buffer and 10 U of restriction enzyme was added to the mutagenic reactions followed by incubation at 37 °C for at least 3 hours. Next, 90  $\mu$ l aliquots of XL*mutS* competent cells (Stratagene) containing 25 mM  $\beta$ -mercaptoethanol were placed in ice-chilled deep-well plates. Then, plates were incubated on ice for 10 min with gentle vortex every 2 min. Transformation of competent cells was performed by adding aliquots of the restriction reactions (1/10 of reaction volume) and incubating on ice for 30 min. A heat pulse was performed in a 42 °C water bath for 45 s, followed by incubation on ice for 2 minutes. Preheated SOC medium (0.45 ml) was added to each well and plates were incubated at 37 °C for 1 h with shaking. In order to enrich for mutated plasmids, 1 ml of 2 X YT broth medium supplemented with 100  $\mu$ g/ml ampicillin was added to each transformation mixture followed by overnight incubation at 37 °C with shaking. Plasmid DNA isolation was performed by alkaline lysis using Nucleospin Multi-96 Plus Plasmid Kit (Macherey-Nagel) according to the manufacturer's instructions. Selection of mutated plasmids was performed by digesting 500  $\mu$ g of plasmid preparation with 10 U of selection endonuclease in an overnight incubation at 37 °C. A fraction of the digested reactions (1/10 of the total volume) was transformed into 40  $\mu$ l of Epicurian coli XL1-Blue competent cells (Stratagene) supplemented with 25 mM  $\beta$ -mercaptoethanol.

Transformation was performed as described above. Transformants were selected on LB-ampicillin agar plates incubated overnight at 37 °C. Isolated colonies were picked up and grown overnight at 37 °C into deep-well plates. Four clones per reaction were screened by endonuclease digestion of a new restriction site introduced

-118-

by the selection primer. Finally, each mutation that was introduced to produce this library of candidate LEAD IFN $\alpha$ -2b mutant plasmids encoding the proteins set forth in Table 2 of Example 2 was confirmed by automatic DNA sequencing.

5 C. Production of IFN $\alpha$ -2b mutants

C.1 In mammalian cells

IFN $\alpha$ -2b mutants were produced in 293 human embryo kidney (HEK) cells (obtained from ATCC), using Dubelcco's modified Eagle's medium supplemented with glucose (4.5 g/L; Gibco-BRL) and fetal bovine  
10 serum (10%, Hyclone). Cells were transiently transfected with the plasmids encoding the IFN $\alpha$ -2b mutants as follows:  $0.6 \times 10^5$  cells were seeded into 6 well-plates and grown for 36 h before transfection. Confluent cells at about 70%, were supplemented with 2.5  $\mu$ g of plasmid (IFN $\alpha$ -2b mutants) and 10 mM poly-ethylene-imine (25 KDa PEI, Sigma-  
15 Aldrich). After gently shaking, cells were incubated for 16 h. Then, the culture medium was changed with 1 ml of fresh medium supplemented with 1% of serum. IFN $\alpha$ -2b was measured on culture supernatants obtained 40 h after transfection and stored in aliquots at -80 °C until use.

Supernatants containing IFN $\alpha$ -2b from transfected cells were  
20 screened following sequential biological assays as follows. Normalization of IFN $\alpha$ -2b concentration from culture supernatants was performed by enzyme-linked immunoabsorbent assay (ELISA) using a commercial kit (R & D) and following the manufacturer's instructions. This assay includes plates coated with an IFN $\alpha$ -2b monoclonal antibody that can be developed  
25 by coupling a secondary antibody conjugated to the horseradish peroxidase (HRP). IFN $\alpha$ -2b concentrations on samples containing (i) wild type IFN $\alpha$ -2b produced under comparable conditions as the mutants, (ii) the IFN $\alpha$ -2b mutants and (iii) control samples (produced from cells

-119-

expressing GFP) were estimated by using an international reference standard provided by the NIBSC, UK.

### **C.2 In bacteria**

A volume of 200 ml of culture medium (LB/Ampicillin/  
5 Chloramphenicol) was inoculated with 5 ml of pre-culture BL21-  
pCodon + -pET-IFN  $\alpha$ -2b muta overnight at 37 °C with constant shaking  
(225 rpm). The production of IFN  $\alpha$ -2b was induced by the addition of 50  
 $\mu$ l of 2M IPTG at  $DO_{600nm} \sim 0.6$ .

The culture was continued for 3 additional hours and was  
10 centrifuged at 4°C and 5000 g for 15 minutes. The supernatant (culture  
medium) was discarded and bacteria were lysed in 8 ml of lysis buffer by  
thermal shock (freezing – thawing: 37°C – 15 min; -80°C – 10 min;  
37°C – 15 min; -80°C – 10 min; 37°C – 15 min). After centrifugation  
(10000 g, 15 min, 4°C), the supernatant (soluble proteins fraction) was  
15 discarded, and the precipitated material (insoluble protein fraction  
containing the IFN  $\alpha$ -2b protein as inclusion bodies) was purified.

### **C.3 Pre-purification of IFN $\alpha$ -2b as inclusion bodies in *E. coli***

#### **C.3.1 Washing of inclusion bodies by sonication**

Pellets containing the inclusion bodies were suspended in 10 ml of  
20 buffer and sonicated (80 watts) on ice, 1 second "on", 1 second "off" for  
a total of 4 min. Suspensions were then centrifuged (4°C, 10000 g, 15  
min), and supernatants were recovered. Pellets were resuspended in 10  
ml of buffer for a new sonication/centrifugation cycle. Triton X-100 was  
then eliminated by two additional cycles of sonication/centrifugation with  
25 buffer. Pellets containing the inclusion bodies were recovered and  
dissolved. The washed supernatants were stored at 4°C.

#### **C.3.2 Solubilization of inclusion bodies by denaturation**

Once washed, the inclusion bodies were solubilized in buffer at a  
concentration estimated in 0.3 mg/ml measuring the  $OD_{280}$  (considering

-120-

the coefficient of molar extinction of IFN  $\alpha$ -2b). Solubilization was carried out overnight at 4°C, under shaking.

### C.3.3 Renaturation of IFN $\alpha$ -2b by dialysis of GdnHCl

Samples contained 1 mg of protein at 0.3 mg/ml (5 ml in total) in  
5 buffer. The GdnHCl (Hydrochloride Guanidium) present in the samples was eliminated by dialysis (minimum membrane cut = 10 kDa) overnight at 4°C against buffer (1litre) (final concentration of GdnHCl : 43 Mm). Next, samples were further dialysed against 1litre of buffer during 2:30h. This step was repeated two additional times. After dialysis, very little  
10 precipitate was visible.

### D. Screening and *in vitro* characterization of IFN $\alpha$ -2b mutants

Two activities were measured directly on IFN samples: antiviral and antiproliferation activities. Dose (concentration) - response (activity) experiments for antiviral or antiproliferation activity permitted calculation  
15 of the 'potency' for antiviral and antiproliferation activities, respectively. Antiviral and antiproliferation activities also were measured after incubation with proteolytic samples, such as specific proteases, mixtures of selected proteases, human serum or human blood. Assessment of activity following incubation with proteolytic samples allowed to  
20 determine the residual (antiviral or antiproliferation) activity and the respective kinetics of half-life upon exposure to proteases.

#### D.1. Antiviral activity

IFN $\alpha$ -2b protects cells against viral infection by a complex mechanism devoted to create an unfavorable environment for viral  
25 proliferation. Cellular antiviral response due to IFN $\alpha$ -2b (IFN anti-viral assay) was assessed using an interferon-sensitive HeLa cell line (ATCC accession no. CCL-2) treated with the encephalomyocarditis virus (EMCV). The assessment of either the virus-induced cytopathic effects

-121-

(CPE) or the amount of EMCV mRNA in extracts of infected cells by RT-PCR was used to determine IFN $\alpha$  activity in samples.

#### **D.1.1 Antiviral activity - measure by RT-qPCR**

Confluent cells were trypsinized and plated at density  $2 \times 10^4$  cells/well in DMEM 5% SVF medium (Day 0). Cells were incubated with IFN  $\alpha$ -2b (at a concentration of 500 U/ml) to get 500 pg/ml and 150 pg/well (100  $\mu$ l of IFN solution), during 24 h at 37 °C prior to be challenged with EMCV (1/1000 dilution; MOI 100). After an incubation of 16 h, when virus-induced CPE was near maximum in untreated cells, the number of EMCV particles in each well was determined by RT-PCR quantification of EMCV mRNA, using lysates of infected cells. RNA from cell extracts was purified after a DNase/proteinase K treatment (Applied Biosystems). The CPE was evaluated using both Uptibleu (Interchim) and MTS (Promega) methods, which are based on detecting bio-reductions produced by the metabolic activity of cells in a flourometric and colorimetric manner, respectively. In order to produce a standard curve for EMCV quantification, a 22 bp DNA fragment of the capsid protein-cDNA was amplified by PCR and cloned into pTOPO-TA vector (Invitrogen). Next, RT-PCR quantification of known amounts of pTOPO-TA-EMCV capsid gene was performed using the One-step RT-PCR kit (Applied Biosystems) and the following EMCV-related (cloning) oligonucleotides and probe:

EMCV forward primer 5'-CCCCTACATTGAGGCATCCA-3' (SEQ ID NO: 193)

EMCV reverse primer 5'-CAGGAGCAGGACAAGGTCACT-3' (SEQ ID NO: 194)

EMCV probe 5'-  
(FAM)CAGCCGTCAAGACCCAACCGCT(TAMR A)-3' (SEQ ID NO: 195).

#### **D.1.2 Antiviral activity - measure by CPE**



-122-

Antiviral activity of IFN  $\alpha$ -2b was determined by the capacity of the cytokine to protect Hela cells against EMC (mouse encephalomyocarditis) virus-induced cytopathic effects. The day before, Hela cells ( $2 \times 10^5$  cells/ml) were seeded in flat-bottomed 96-well plates containing 100  $\mu$ l/well of Dulbecco's MEM-Glutamax1-sodium pyruvate medium supplemented with 5% SVF and 0.2% of gentamicin. Cells were growth at 37°C in an atmosphere of 5% CO<sub>2</sub> for 24 hours.

Two-fold serial dilutions of interferon samples were made with MEM complete media into 96-Deep-Well plates with final concentration ranging from 1600 to 0.6 pg/ml. The medium was aspirated from each well and 100  $\mu$ l of interferon dilutions were added to Hela cells. Each interferon sample dilution was assessed in triplicate. The two last rows of the plates were filled with 100  $\mu$ l of medium without interferon dilution samples in order to serve as controls for cells with and without virus.

After 24 hours of growth, a 1/1000 EMC virus dilution solution was placed in each well except for the cell control row. Plates were returned to the CO<sub>2</sub> incubator for 48 hours. Then, the medium was aspirated and the cells were stained for 1 hour with 100  $\mu$ l of Blue staining solution to determine the proportion of intact cells. Plates were washed in a distilled water bath. The cell bound dye was extracted using 100  $\mu$ l of ethylene-glycol mono-ethyl-ether (Sigma). The absorbance of the dye was measured using an Elisa plate reader (Spectramax). The antiviral activity of INF  $\alpha$ -2b samples (expressed as number of IU/mg of proteins) was determined as the concentration needed for 50% protection of the cells against EMC virus-induced cytopathic effects. For proteolysis experiments, each point of for the kinetic measurements was assessed at 500 and 166 pg/ml in triplicate.

#### D.2 Antiproliferation activity



-123-

Anti-proliferative activity of interferon $\alpha$ -2b was determined by the capacity of the cytokine to inhibit proliferation of Daudi cells. Daudi cells ( $1 \times 10^4$  cells) were seeded in flat-bottomed 96-well plates containing 50 $\mu$ l/well of RPMI 1640 medium supplemented with 10% SVF, 1X  
5 glutamin and 1ml of gentamicin. No cell was added to the last row ("H" row) of the flat-bottomed 96-well plates in order to evaluate background absorbance of culture medium.

At the same time, two-fold serial dilutions of interferon samples were made with RPMI 1640 complete media into 96-Deep-Well plates  
10 with final concentration ranging from 6000 to 2.9 pg/ml. Interferon dilutions (50 $\mu$ l) were added to each well containing 50 $\mu$ l of Daudi cells. The total volume in each well should now be 100 $\mu$ l. Each interferon sample dilution was assessed in triplicate. Each well of the "G" row of the plates was filled with 50 $\mu$ l of RPMI 1640 complete media in order to be  
15 used as positive control. The plates are incubated for 72 hours at 37°C in a humidified, 5% CO<sub>2</sub> atmosphere.

After 72 hours of growth, 20  $\mu$ l of Cell titer 96 Aqueous one solution reagent (Promega) was added to each well and incubated 1H30 at 37°C in an atmosphere of 5% CO<sub>2</sub>. To measure the amount of colored  
20 soluble formazan produced by cellular reduction of the MTS, the absorbance of the dye was measured using an Elisa plate reader (spectramax) at 490nm.

The corrected absorbances ("H" row background value subtracted) obtained at 490nm were plotted versus concentration of cytokine. The  
25 ED50 value was calculated by determining the X-axis value corresponding to one-half the difference between the maximum and minimum absorbance values. (ED50 = the concentration of cytokine necessary to give one-half the maximum response).

-124-

### D.3 Treatment of IFN $\alpha$ -2b with proteolytic preparations

Mutants were treated with proteases in order to identify resistant molecules. The resistance of the mutant IFN  $\alpha$ -2b molecules compared to wild-type IFN  $\alpha$ -2b against enzymatic cleavage (30 min, 25 °C) by a mixture of proteases (containing 1.5 pg of each of the following proteases (1% wt/wt, Sigma):  $\alpha$ -chymotrypsin, carboxypeptidase, endoproteinase Arg-C, endoproteinase Asp-N, endoproteinase Glu-C, endoproteinase Lys-C, and trypsin) was determined. At the end of the incubation time, 10  $\mu$ l of anti-proteases complete, mini EDTA free, Roche (one tablet was dissolved in 10 ml of DMEM and then diluted to 1/1000) was added to each reaction in order to inhibit protease activity. Treated samples were then used to determine residual antiviral or antiproliferation activities.

### D.4 Protease resistance - Kinetic analysis

The percent of residual IFN  $\alpha$ -2b activity over time of exposure to proteases was evaluated by a kinetic study using either (a) 15 pg of chymotrypsin (10%wt/wt), (b) a lysate of human blood at dilution 1/100, (c) 1.5 pg of protease mixture, or (d) human serum. Incubation times were: 0 h, 0.5 h, 1 h, 4 h, 8 h, 16 h, 24 h and 48 h. Briefly, 20  $\mu$ l of each proteolytic sample (proteases, serum, blood) was added to 100  $\mu$ l of IFN  $\alpha$ -2b at 1500 pg/ml (500U/ml) and incubated for variable times, as indicated. At the appropriate time points, 10  $\mu$ l of anti-proteases mixture, mini EDTA free, Roche (one tablet was dissolved in 10 ml of DMEM and then diluted to 1/500) was added to each well in order to stop proteolysis reactions. Biological activity assays were then performed as described for each sample in order to determine the residual activity at each time point.

### D.5 Performance

The various biological activities, protease resistance and potency of each individual mutant were analyzed using a mathematical model and

-125-

algorithm (NautScan™; described in French Patent No. 9915884; (published as International PCT application No. WO 01/44809 based on PCT n° PCT/FR00/03503). Data was processed using a Hill equation-based model that uses key feature indicators of the performance of each individual mutant. Mutants were ranked based on the values of their individual performance and those on the top of the ranking list were selected as leads.

**E. Pharmacokinetics of selected lead mutants in mice**

IFN $\alpha$  -2b mutants selected on the basis of their overall performance in vitro, were tested for pharmacokinetics in mice in order to have an indication of their half-life in blood in vivo. Mice were treated by subcutaneous (SC) injection with aliquots of each of a number of selected lead mutants. Blood was collected at increasing time points between 0.5 and 48 hs after injection. Immediately after collection, 20 ml of anti-protease solution were added to each blood sample. Serum was obtained for further analysis. Residual IFN- $\alpha$  activity in blood was determined using the tests described in the precedent sections for in vitro characterization. Wild-type IFN  $\alpha$  (that had been produced in bacteria under comparable conditions as the lead mutants) as well as a pegylated derivative of IFN  $\alpha$ , Pegasys (Roche), also were tested for pharmacokinetics in the same experiments.

**EXAMPLE 2**

This example demonstrates the 2-dimensional (2D) scanning of IFN $\alpha$ -2b for increased resistance to proteolysis.

**A) Identifying some or all possible target sites on the protein sequence that are susceptible to digestion by one or more specific proteases (these sites are the is-HITs).**

Because IFN $\alpha$ -2b is administered as a therapeutic protein in the blood stream, a set of proteases was identified that were expected to broadly mimic the protease contents in serum. From that list of

-126-

proteases, a list of the corresponding target amino acids was identified (shown in parenthesis) as follows:  $\alpha$ -chymotrypsin (F, L, M, W, and Y), endoproteinase Arg-C (R), endoproteinase Asp-N (D), endoproteinase Glu-C (E), endoproteinase Lys-C (K), and trypsin (K and R) Carboxypeptidase Y, which cleaves non-specifically from the carboxy-terminal ends of proteins, was also included in the protease mixture. The distribution of the target amino acids over the protein sequence spreads over the complete length of the protein, suggesting that the protein is potentially sensitive to protease digestion all over its sequence (FIG6A). In order to restrict the number of is-HITs to a lower number of candidate positions, the 3-dimensional structure of the IFN $\alpha$ -2b molecule (PDB code 1RH2) was used to identify and select only those residues exposed on the surface, while discarding from the candidate list those which remain buried in the structure, and therefore stay less susceptible to proteolysis (FIG6B).

**B) Identifying appropriate replacing amino acids, specific for each is-HIT, such that if used to replace one or more of the original, such as native, amino acids at that specific is-HIT, they can be expected to increase the is-HIT amino acid position's resistance to digestion by protease while at the same time, maintaining or improving the requisite biological activity of the protein (these replacing amino acids are the "candidate LEADs").**

To select the candidate replacing amino acids for each is-HIT position, PAM250 matrix based analysis was used (FIG7). In one embodiment, the two highest values in PAM250 matrix, corresponding to the highest occurrence of substitutions between residues ("conservative substitutions" or "accepted point mutations"), were chosen (FIG8). Whenever only a conservative substitution was available for a given high value of the PAM250, the following higher value was selected and the

-127-

totality of conservative substitutions for this value was considered. The replacement of amino acids that are exposed on the surface by cysteine residues (as shown in FIG8, while replacing Y by H or I) was explicitly avoided, since this change would potentially lead to the formation of  
5 intermolecular disulfide bonds.

Thus, based on the nature of the challenging proteases, and on evolutionary considerations as well as protein structural analysis, a strategy was defined for the rational design of human IFN $\alpha$ -2b mutants having increased resistance to proteolysis which could produce  
10 therapeutic proteins having a longer half-life. By using the algorithm PROTEOL (<http://www.infobiogen.fr>), a list of residues along the IFN $\alpha$ -2b sequence was established, which can be recognized as a substrate for different enzymes present in the serum. Because the number of residues in this particular list was high, the 3-dimensional structure of IFN $\alpha$ -2b  
15 obtained from the NMR structure of IFN $\alpha$ -2a (PDB code 1ITF) was used to select only those residues exposed to the solvent. Using this approach, 42 positions were identified, which numbering is that of the mature protein (SEQ ID NO:1): L3, P4, R12, R13, M16, R22, K23, F27, L30, K31, R33, E41, K49, E58, K70, E78, K83, Y89, E96, E107, P109, L110,  
20 M111, E113, L117, R120, K121, R125, L128, K131, E132, K133, K134, Y135, P137, M148, R149, E159, L161, R162, K164, and E165. Each of these positions was replaced by amino acid residues, such that they are defined as compatible by the substitution matrix PAM250 while at the same time the replacement amino acids do not generate new sites for  
25 proteases.

The list of performed residue substitutions as determined by PAM250 analysis is as follows:

R to H, Q

E to H, Q

-128-

K to Q, T

L to V, I

M to I, V

P to A, S

5 Y to I, H

C) Systematically introducing the specific replacing amino acids (candidate LEADs) at every specific is-HIT position to generate a collection containing the corresponding mutant molecules.

10 The individual IFN $\alpha$ -2b mutants are generated, produced and phenotypically characterized one-by-one, in addressable arrays as set forth in Example 1, such that each mutant molecule contains initially amino acid replacements at only one is-HIT site. LEAD positions were obtained in IFN $\alpha$ -2b variants after a screening for protection against

15 proteases, and comparing protease-untreated and protease-treated variant preparations with the corresponding conditions for the wild-type IFN $\alpha$ -2b. The percent of residual (anti-viral) activity for the IFN $\alpha$ -2b E113H variant after treatment with chymotrypsin, protease mixture, blood lysate or serum was compared to the treated wild-type IFN $\alpha$ -2b. Selected IFN $\alpha$ -2b

20 LEADs are shown in Table 2.

A top and side view of IFN $\alpha$ -2b structure in ribbon representation (obtained from NMR structure of IFN $\alpha$ -2b, PDB code 1ITF) depict residues in "space filling" defining (1) the "receptor binding region" as deduced either by "alanine scanning" data and studies by Piehler *et al.*, *J. Biol.*

25 *Chem.*, 275:40425-40433, 2000, and Roisman *et al.*, *Proc. Natl. Acad. Sci USA*, 98:13231-13236, 2001, and (2) replacing residues (LEADs) for resistance to proteolysis.

Table 2  
Selected LEADs of IFN $\alpha$ -2b following protease resistance

30

Mutant	SEQ ID No.	Proteolysis protection	IFN antiviral activity
F27V	83	Pseudo wt	Pseudo wt

-129-

	Mutant	SEQ ID No.	Proteolysis protection	IFN antiviral activity
	R33H	86	Pseudo wt	Pseudo wt
	E41Q	87	Increased	Increased
	E41H	88	Pseudo wt	Increased
5	E58Q	89	Increased	Pseudo wt
	E58H	90	Increased	Increased
	E78Q	92	Increased	Increased
	E78H	93	Increased	Increased
	Y89H	196	Pseudo wt	Pseudo wt
10	E107Q	95	Increased	Pseudo wt
	E107H	96	Increased	Pseudo wt
	P109A	97	Pseudo wt	Pseudo wt
	L110V	98	Pseudo wt	Pseudo wt
	M111V	197	Pseudo wt	Pseudo wt
15	E113H	101	Increased	Pseudo wt
	L117V	102	Increased	Pseudo wt
	L117I	103	Increased	Pseudo wt
	K121Q	104	Increased	Pseudo wt
	R125H	106	Increased	Increased
	R125Q	107	Increased	Increased
20	K133Q	114	Increased	Increased
	E159H	125	Increased	Pseudo wt
	E159Q	124	Increased	Pseudo wt

**EXAMPLE 3****25 Stabilization of IFN $\alpha$ -2b by Creation of N-Glycosylation Sites**

The creation of N-glycosylation sites on the protein was a second strategy that was used to stabilize IFN $\alpha$ -2b. Natural human IFN $\alpha$ -2b contains a unique *O*-glycosylation site at position 129 (the numbering corresponds to the mature protein; SEQ ID NO:1), however, no *N*-glycosylation sites are found in this sequence. N-glycosylation sites are defined by the N-X-S or N-X-T consensus sequences. Glycosylation has been found to play a role in protein stability. For example, glycosylation

-130-

has been found to increase bioavailability via higher metabolic stability and reduced clearance. In order to generate more stable IFN $\alpha$ -2b variants, the N-glycosylation consensus sequences indicated above were introduced in the IFN $\alpha$ -2b sequence by mutagenesis. Variants of IFN $\alpha$ -2b  
 5 carrying new glycosylation sites were assessed as previously described.

The structure of IFN $\alpha$ -2b is characterized by a helix bundle composed of 5 helices (A, B, C, D and E) connected with each other by a series of loops (a large AB loop and three shorter BC, CD, DE loops). The helices are joined together by two disulfide bridges between residues  
 10 1/98 and 29/138 of SEQ ID NO:1. The loops are contemplated herein to represent preferential sites for glycosylation given their exposure. Therefore, N-glycosylation sites (N-X-S or N-X-T) were created in each of the loop sequences (Table 3). Selected LEADs and pseudo wild-type IFN $\alpha$ -2b mutants after screening for addition of glycosylation sites are  
 15 shown in Table 4.

**Table 3**  
*In silico* HITs for addition of glycosylation sites on IFN $\alpha$ -2b

Codon No.	SEQ ID No.	N-X-S	SEQ ID No.	N-X-T
c2-4		D2N/P4S		D2N/P4T
20 c3-5		L3N/Q5S		L3N/Q5T
c4-6		P4N/T6S		P4N/T6T
c5-7	127	Q5N/H7S	128	Q5N/H7T
c6-8	129	T6N/S8S		T6N/S8T
c7-9		H7N/L9S		H7N/L9T
25 c8-10	130	S8N/G10S	131	S8N/G10T
c9-11		L9N/S11S		L9N/S11T
c10-12	132	M21N/R23S		M21N/R23T
c22-24		R22N/I24S		R22N/I24T
c23-25		R23N/S25S	133	R23N/S25T
30 c24-26	134	I24N/L26S		I24N/L26T
c25-27	135	S25N/F27S	136	S25N/F27T
c26-28	137	L26N/S28S	138	L26N/S28T



-131-

	Codon No.	SEQ ID No.	N-X-S	SEQ ID No.	N-X-T
	c28-30		S28N/L30S		S28N/L30T
	c30-32	139	L30N/D32S		L30N/D32T
	c31-33		K31N/R33S		K31N/R33T
	c32-34		D32N/H34S		D32N/H34T
5	c33-35	140	R33N/D35S	141	R33N/D35T
	c34-36	142	H34N/F36S	143	H34N/F36T
	c35-37	144	D35N/G37S		D35N/G37T
	c36-38	145	F36N/F38S	146	F36N/F38T
	c37-39	147	G37N/P39S		G37N/P39T
10	c38-40	148	F38N/Q40S	149	F38N/Q40T
	c39-41	150	P39N/E41S	151	P39N/E41T
	c40-42	152	Q40N/E42S	153	Q40N/E42T
	c41-43		E41N/F43S	155	E41N/F43T
	c42-44		E42N/G44S		E42N/G44T
15	c43-45		F43N/N45S		F43N/N45T
	c44-46	156	G44N/Q46S	157	G44N/Q46T
	c45-47	158	N45N/F47S	159	N45N/F47T
	c46-48	160	Q46N/Q48S	161	Q46N/Q48T
	c47-49	162	F47N/K49S	163	F47N/K49T
20	c48-50		Q48N/A50S		Q48N/A50T
	c49-51	164	K49N/E51S		K49N/E51T
	c50-52		A50N/T52S		A50N/T52T
	c68-70		S68N/K70S		S68N/K70T
	c70-72		K70N/S72S		K70N/S72T
25	c75-77	165	A75N/D77S		A75N/D77T
	c77-79		D77N/T79S		D77N/T79T
	C100-102	166	I100N/G102S	167	I100N/G102T
	C101-103		Q101N/V103S		Q101N/V103T
	C102-104		G102N/G104S		G102N/G104T
30	C103-105	168	V103N/V105S	169	V103N/V105T
	C104-106		G104N/T106S	170	G104N/T106T
	C105-107	171	V105N/E107S		V105N/E107T
	C10--108	172	T106N/T108S	173	T106N/T108T

-132-

Codon No.	SEQ ID No.	N-X-S	SEQ ID No.	N-X-T
C107-109	174	E107N/P109S	175	E107N/P109T
C108-110		T108N/I110S		T108N/I110T
C134-136		K134N/S136S	176	K134N/S136T
C154-156		S154N/N156S		S154N/N156T
C155-157		T155N/L157S		T155N/L157T
C156-158		N156N/Q158S		N156N/Q158T
C157-159	177	L157N/E159S	178	L157N/E159T
C158-160		Q158N/S160S	179	Q158N/S160T
C159-161	180	E159N/L161S	181	E159N/L161T
C160-162		S160N/R162S		S160N/R162T
C161-163		L161N/S163S		L161N/S163T
C162-164		R162N/K164S		R162N/K164T
C163-165		S163N/E165S		S163N/E165T

15

Table 4

Selected LEADs and pseudo wild-type IFN $\alpha$ -2b mutants after screening for addition of glycosylation sites

Mutant	SEQ ID No.	Proteolysis protection	IFN antiviral activity
Q5N/H7S	127	Increased	Pseudo wt
Q5N/H7T	128	ND*	ND
P39N/E41S	150	Increased	Pseudo wt
P39N/E41T	151	Increased	Pseudo wt
Q40N/E42S	152	Increased	Pseudo wt
Q40N/E42T	153	Increased	Pseudo wt
E41N/F43S	154	Increased	Pseudo wt
E41N/F43T	155	Increased	Pseudo wt
F43N/N45S		Increased	Pseudo wt
F43N/N45T		ND	ND
G44N/Q46S	156	ND	ND
G44N/Q46T	157	Increased	Pseudo wt
N45N/F47S	158	Increased	Pseudo wt
N45N/F47T	159	Increased	Pseudo wt
Q46N/Q48S	160	Increased	Pseudo wt
Q46N/Q48T	161	ND	ND
F47N/K49S	162	Increased	Pseudo wt
F47N/K49T	163	Increased	Pseudo wt
I100N/G102S	166	Pseudo wt	Increased
I100N/G102T	167	Pseudo wt	Increased
V105N/E107S	171	Pseudo wt	Increased
V105N/E107T		Pseudo wt	Increased

-133-

Mutant	SEQ ID No.	Proteolysis protection	IFN antiviral activity
T106N/T108S	172	Pseudo wt	Increased
T106N/T108T	173	Pseudo wt	Increased
E107N/P109S	174	Pseudo wt	Increased
E107N/P109T	175	Pseudo wt	Increased
5 L157N/E159S	177	Pseudo wt	Increased
L157N/E159T	178	Pseudo wt	Increased
E159N/L161S	180	Pseudo wt	Increased
E159N/L161T	181	Pseudo wt	Increased

10 \*ND, not determined

#### Example 4

##### Redesign of Interferon $\alpha$ -2b Proteins

The use of the protein redesign approach provided herein permits the generation of proteins such that they maintain requisite levels and types of biological activity compared to the native protein while their underlying amino acid sequences have been significantly changed by amino acid replacement. To first identify those amino acid positions on the IFN $\alpha$ -2b protein that are involved or not involved in IFN $\alpha$ -2b protein activity, such as binding activity of IFN $\alpha$ -2b to its receptor, an Ala-scan was performed on the IFN $\alpha$ -2b sequence. For this purpose, each amino acid in the IFN $\alpha$ -2b protein sequence was individually changed into Alanine. Any other amino acid, particularly another amino acid that has a neutral effect on structure, such as Gly or Ser, also can be used. Each resulting mutant IFN $\alpha$ -2b protein was then expressed and the antiviral activity of the individual mutants was assayed. The particular amino acid positions that are sensitive to replacement by Ala, referred to herein as HITs would in principle not be suitable targets for amino acid replacement to increase protein stability, because of their involvement in the activity of the molecule. For the Ala-scanning, the biological activity measured for the IFN $\alpha$ -2b molecules was: i) their capacity to inhibit virus replication when added to permissive cells previously infected with the appropriate virus and, ii) their capacity to stimulate cell proliferation when added to

-134-

the appropriate cells. The relative activity of each individual mutant compared to the native protein was assayed. HITS are those mutants that produce a decrease in the activity of the protein (e.g., in this example, all the mutants with activities below about 30% of the native activity).

In addition, to identify the HIT positions, the Alanine-scan was used to identify the amino acid residues on IFN $\alpha$ -2b that when replaced with alanine lead to a 'pseudo-wild type' activity, i.e., those that can be replaced by alanine without leading to a decrease in biological activity.

A collection of mutant molecules was generated and phenotypically characterized such that IFN $\alpha$ -2b proteins with amino acid sequences different from the native ones but that still elicit the same level and type of activity as the native protein were selected. HITS and pseudo wild-type amino acid positions are shown in Table 5.

**Table 5**  
**HITs and pseudo wild-type positions to IFN $\alpha$ -2b redesign**

Mutants	SEQ ID No.	HITs (viral activity)	Pseudo wt (viral activity)
D2A	2	Decreased	
P4A	3		Pseudo wt
Q5A	4		Pseudo wt
T6A	5		Pseudo wt
H7A	6	Decreased	
S8A	7	Decreased	
L9A	8		Pseudo wt
G10A	9		Pseudo wt
S11A	10	Decreased	
R12A	11	Decreased	
R13A	12	Decreased	
T14A	13	Decreased	
L15A	14	Decreased	
M16A	15	Decreased	
L17A	16		Pseudo wt

-135-

	Mutants	SEQ ID No.	HITs (viral activity)	Pseudo wt (viral activity)
5	Q20A	17		Pseudo wt
	R23A	18	Decreased	
	I24A	19		Pseudo wt
	S25A	20		Pseudo wt
	L26A	21	Decreased	
10	S28A	22	Decreased	
	C29A	23	Decreased	
	L30A	24	Decreased	
	K31A	25	Decreased	
	D32A	26	Decreased	
15	R33A	27	Decreased	
	D35A	28		Pseudo wt
	G37A	29		Pseudo wt
	G39A	30		Pseudo wt
	E41A	31		Pseudo wt
20	E42	32		Pseudo wt
	F43A	33	Decreased	
	N45A	34	Decreased	
	F47A	35	Decreased	
	E51A	36		Pseudo wt
25	T52A	37		Pseudo wt
	I53A	38	Decreased	
	P54A	39		Pseudo wt
	V55A	40		Pseudo wt
	L56A	41		Pseudo wt
30	H57A	42		Pseudo wt
	E58A	43		Pseudo wt
	M59A	44	Decreased	
	I60A	45		Pseudo wt
	I63A	46		Pseudo wt
	F64A	47		Pseudo wt
	N65A	48		Pseudo wt
	L66A	49	Decreased	
	F67A	50	Decreased	

-136-

	Mutants	SEQ ID No.	HITs (viral activity)	Pseudo wt (viral activity)
	T69A	51	Decreased	
	K70A	52	Decreased	
	D71A	53	Decreased	
	S72A	54	Decreased	
5	W76A	55		Pseudo wt
	D77A	56		Pseudo wt
	E78A	57		Pseudo wt
	L81A	58		Pseudo wt
	D82A	59	Decreased	
10	K83A	60	Decreased	
	F84A	61	Decreased	
	Y85A	62		Pseudo wt
	Y89A	63		Pseudo wt
	Q90A	64		Pseudo wt
15	Q91	65	Decreased	
	N93A	66	Decreased	
	D94A	67	Decreased	
	C98A	68	Decreased	
	V99A	69	Decreased	
20	Q101A	207	Decreased	
	G104A	70		Pseudo wt
	L110A	71		Pseudo wt
	S115A	72		Pseudo wt
	Y122A	73	Decreased	
25	W140A	74	Decreased	
	E146A	75		Pseudo wt

**EXAMPLE 5**

**30 Super LEADS of Interferon  $\alpha$ -2b Protein by Additive Directional Mutagenesis**

The use of an additive directional mutagenesis approach provided a method for the assembly of multiple mutations previously present on the individual LEAD molecules in a single mutant protein thereby generating super-LEAD mutant proteins. In this method, a collection of nucleic acid

-137-

molecules encoding a library of new mutant molecules is generated, tested and phenotypically characterized one-by-one in addressable arrays. Super-LEAD mutant molecules are such that each molecule contains a variable number and type of LEAD mutations

- 5           Using the LEADs obtained in Example 2, six series of mutant molecules were generated with more than one mutation per molecule as shown in Table 6. Some SuperLEAD mutant molecules were phenotypically characterized and the results are shown in Table 7. As shown in the table not all SuperLEADS have improved activity compared with the
- 10 original Leads; some showed decreased activity of some type.

**Table 6**

Schema of LEADs position for SuperLEADS generation

## Series 1

m1 = E41H

- 15           m1+m2 = E41H + Y89H

## Series 2

m1 = E58Q

m1+m2 = E58Q + F27V

## Series 3

- 20           m1 = R125H

m1+m2 = R125H + M111V

## Series 4

m1 = E159H

m1+m2 = E159H + Y89H

- 25           Series 5

m1 = K121Q

m1+m2 = K121Q + P109A

m1+m2+m3 = K121Q + P109A + K133Q

## Series 6

-138-

m1 = E78H

m1+m2 = E78H + R33H

m1+m2+m3 = E78H + R33H + E58H

m1+m2+m3+m4 = E78H + R33H + E58H + L110V

5

Table 7

SuperLEADs of IFN $\alpha$ -2b multiple mutants

	Mutant	SEQ ID No.	Proteolysis protection	IFN antiviral activity
10	E41H	88	Pseudo wt	Increased
	Y89H	196	Pseudo wt	Pseudo wt
	E41H/ Y89H/ N45D**	198	Increased	Increased
15	E58Q	89	Increased	Pseudo wt
	F27V	83	Pseudo wt	Pseudo wt
	E58Q / F27V	200	Increased	Pseudo wt
20	R125H	106	Increased	Increased
	M111V	197	Pseudo wt	Pseudo wt
	R125H / M111V	205	Increased	Increased
25	E159H	125		
	Y89H	196		
	E159H / Y89H	206		
30	K121Q	104	Increased	Pseudo wt
	P109A	97	Pseudo wt	Pseudo wt
	K133Q	114	Increased	Increased
35	K121Q / P109A	202	Increased	Pseudo wt
	K121Q / P109A / K133Q / G102R**	203	Increased	Increased
	E78H	93	Increased	Increased
	R33H	86	Pseudo wt	Pseudo wt.
	E58H	89	Increased	Increased
	L110V	98	Pseudo wt	Pseudo wt
	E78H /R33H/ E58H / L110V	201	Decreased	Decreased



-139-

Four mutants with additional mutations to those selected by the rational mutagenesis were generated in the *E. coli* MutS strain and were detected by sequencing. The mutants were the following: E41Q/ D94G SEQ.ID No. 199; L117V/ A139G SEQ.ID No. 204; E41H/ Y89H/ N45D  
5 SEQ.ID No. 198; and K121Q/ P109A/ K133Q/ G102R SEQ.ID No. 204.

#### EXAMPLE 6

##### **Cloning of IFN $\beta$ in pNAUT, a mammalian cell expression plasmid**

The cDNA encoding IFN  $\beta$  (see, SEQ ID No. 499) was cloned into a mammalian expression vector, prior to the generation of the selected  
10 mutations. A collected of predesigned, targeted mutants was then generated such that each individual mutant was created and processed individually, physically separated from each other and in addressable arrays. The mammalian expression vector pSSV9 CMV 0.3 pA (see, Example 1) was engineered as follows:

15 The pSSV9 CMV 0.3 pA was cut by *PvuII* and religated (this step gets rid of the ITR functions), prior to the introduction of a new *EcoRI* restriction site by Quickchange mutagenesis (Stratagene). The oligonucleotides sequences used, follow:

EcoRI forward primer: 5'-GCCTGTATGATTTATTGGATGT-  
20 TGGAATTCC-CTGATGCGGTATTTTCTCCTTACG-3' (SEQ ID NO: 182)

EcoRI reverse prime: 5'-CGTAAGGAGAAAATACCGCATCA-  
GGGAATT-CCAACATCCAATAAATCATACAGGC-3' (SEQ ID NO: 183)

The construct sequence was confirmed by using the following oligonucleotides:

25 Seq ClaI forward primer: 5'-CTGATTATCAACCGGGGTACATAT-  
GATTGAC-ATGC-3' (SEQ ID NO: 184)

Seq XmnI reverse primer: 5'-TACGGGATAATACCGCGCCACATA-  
GCAGAA-C-3' (SEQ ID NO: 185).

-140-

Then, the *XmnI-ClaI* fragment containing the newly introduced *EcoRI* site was cloned into pSSV9 CMV 0.3 pA to replace the corresponding wild-type fragment and produce construct pSSV9-2EcoRI.

The IFN  $\beta$ -cDNA was obtained from the pINF $\beta$ 1 (ATCC) construct.

- 5 The sequence of the IFN  $\beta$ -cDNA was confirmed by sequencing using the primers below:

Seq forward primer: 5'-CCTGATGAAGGAGGACTC-3' (SEQ ID NO:186)

- 10 Seq reverse primer: 5'-CCAAGCAGCAGATGAGTC-3' (SEQ ID NO:187).

- The verified IFN  $\beta$ -encoding cDNA first was cloned into the pTOPO-TA vector (Invitrogen). After checking of the cDNA sequence by automatic DNA sequencing, the *HindIII-XbaI* fragment containing the IFN cDNA was subcloned into the corresponding sites of pSSV9-2EcoRI, leading to the construct pAAV-EcoRI-INFbeta (pNB-AAV-IFN beta) Finally the fragment Pvu II of plasmid pNB-AAV-IFN beta was subcloned in PvuII site of pUC 18 leading the final construct pUC-CMVIFNbetapA called pNAUT-IFNbeta
- 15

#### **Production and normalization of IFN $\beta$ in mammalian cells**

- 20 IFN  $\beta$  was produced in CHO Chinese Hamster Ovarian cells (obtained from ATCC), using Dubelcco's modified Eagle's medium supplemented with glucose (4.5 g/L; Gibco-BRL) and fetal bovine serum (5 %, Hyclone). Cells were transiently transfected as follows:  $0.6 \times 10^5$  cells were seeded into 6 well plates and grown for 24 h before
- 25 transfection. Confluent cells at about 70%, were supplemented with 1.0  $\mu$ g of plasmid (from the library of IFN  $\beta$  mutants) by lipofectamine plus reagent (Invitrogen) . After gently shaking, cells were incubated for 24 h with 1 ml of culture medium supplemented with 1 % of serum. IFN  $\beta$  was

-141-

obtained from culture supernatants 24 h after transfection and stored in aliquots at  $-80^{\circ}\text{C}$  until use.

Preparations of IFN  $\beta$  produced from transfected cells were screened following sequential biological assays as follows. Normalization  
5 of IFN  $\beta$  concentration from culture supernatants was performed by ELISA. IFN  $\beta$  concentrations from wild type, and mutants samples were estimated by using an international reference standard provided by the NIBSC, UK.

**Screening and in vitro characterization of IFN  $\beta$  mutants**

10 Two activities were measured directly on IFN samples: antiviral and antiproliferation activities. Dose (concentration) - response (activity) experiments for antiviral or antiproliferation activity allowed for the calculation of the 'potency' for antiviral and antiproliferation activities, respectively. Antiviral and antiproliferation activities also were measured  
15 after incubation with proteolytic samples such as specific proteases, mixtures of selected proteases, human serum or human blood. Assessment of activity following incubation with proteolytic samples allowed to determine the residual (antiviral or antiproliferation) activity and the respective kinetics of half-life upon exposure to proteases

20 **Antiviral activity - measured by Cytopathic Effects (CPE)**

Antiviral activity of IFN  $\beta$  was determined by the capacity of the cytokine to protect Hela cells against EMC (mouse encephalomyocarditis) virus-induced cytopathic effects. The day before, Hela cells ( $2 \times 10^5$  cells/ml) were seeded in flat-bottomed 96-well plates containing 100  
25  $\mu\text{l}$ /well of Dulbecco's MEM-Glutamax1-sodium pyruvate medium supplemented with 5% SVF and 0.2% of gentamicin. Cells were growth at  $37^{\circ}\text{C}$  in an atmosphere of 5%  $\text{CO}_2$  for 24 hours

Two-fold serial dilutions of interferon samples were made with MEM complete media into 96-Deep-Well plates with final concentration ranging

-142-

from 1600 to 0.6 pg/ml. The medium was aspirated from each well and 100  $\mu$ l of interferon dilutions were added to Hela cells. Each interferon sample dilution was assessed in triplicate. The two last rows of the plates were filled with 100  $\mu$ l of medium without interferon dilution samples in order to serve as controls for cells with and without virus.

After 24 hours of growth, a 1/1000 EMC virus dilution solution was placed in each well, except for the cell control row. Plates were returned to the CO<sub>2</sub> incubator for 48 hours. Then, the medium was aspirated and the cells were stained for 1 hour with 100  $\mu$ l of Blue staining solution to determine the proportion of intact cells. Plates were washed in a distilled water bath. The cell bound dye was extracted using 100  $\mu$ l of ethylene-glycol mono-ethyl-ether (Sigma). The absorbance of the dye was measured using an Elisa plate reader (Spectramax). The antiviral activity of INF  $\beta$  samples (expressed as number of IU/mg of proteins) was determined as the concentration needed for 50% protection of the cells against EMC virus-induced cytopathic effects. For proteolysis experiments, each point of the kinetic was assessed at 800 and 400 pg/ml in triplicate.

#### Anti-proliferative activity

Anti-proliferative activity of IFN  $\beta$  was determined by assessing the capacity of the cytokine to inhibit proliferation of Daudi cells. Daudi cells (1x10<sup>4</sup> cells) were seeded in flat-bottomed 96-well plates containing 50  $\mu$ l/well of RPMI 1640 medium supplemented with 10% SVF, 1X glutamine and 1ml of gentamicin. No cell was added to the last row ("H" row) of the flat-bottomed 96-well plates in order to evaluate background absorbance of culture medium.

At the same time, two-fold serial dilutions of interferon samples were made with RPMI 1640 complete media into 96-Deep-Well plates with final concentration ranging from 6000 to 2.9 pg/ml. Interferon

-143-

dilutions (50 $\mu$ l) were added to each well containing 50 $\mu$ l of Daudi cells. The total volume in each well should now be 100 $\mu$ l. Each interferon sample dilution was assessed in triplicate. Each well of the "G" row of the plates was filled with 50 $\mu$ l of RPMI 1640 complete media in order to be  
5 used as positive control. The plates were incubated for 72 hours at 37°C in a humidified, 5% CO<sub>2</sub> atmosphere.

After 72 hours of growth, 20  $\mu$ l of Cell titer 96 Aqueous one solution reagent (Promega) was added to each well and incubated 1H30 at 37°C in an atmosphere of 5% CO<sub>2</sub>. To measure the amount of colored  
10 soluble formazan produced by cellular reduction of the MTS, the absorbance of the dye was measured using an Elisa plate reader (spectramax) at 490nm.

The corrected absorbances ("H" row background value subtracted) obtained at 490nm were plotted versus concentration of cytokine. The  
15 ED50 value was calculated by determining the X-axis value corresponding to one-half the difference between the maximum and minimum absorbance values. (ED50 = the concentration of cytokine necessary to give one-half the maximum response).

#### **Treatment of IFN $\beta$ with proteolytic preparations**

20 Mutants were treated with proteases in order to identify resistant molecules. The resistance of the mutant IFN  $\beta$  molecules compared to wild-type IFN  $\beta$  against enzymatic cleavage (120 min, 25 °C) by a mixture of proteases (containing 1.5 pg of each of the following proteases (1% wt/wt, Sigma):  $\alpha$ -chymotrypsin, carboxypeptidase,  
25 endoproteinase Arg-C, endoproteinase Asp-N, endoproteinase Glu-C, endoproteinase Lys-C, and trypsin) was determined. At the end of the incubation time, 10  $\mu$ l of anti-proteases complete, mini EDTA free, Roche (one tablet was dissolved in 10 ml of DMEM and then diluted to 1/1000) was added to each reaction in order to inhibit protease activity. Treated

-144-

samples were then used to determine residual antiviral or antiproliferation activities.

#### Protease resistance - Kinetic analysis

The percent of residual IFN  $\beta$  activity over time of exposure to  
5 proteases was evaluated by a kinetic study using 1.5 pg of protease  
mixture. Incubation times were: 0 h, 0.5 h, 2 h, 4 h, 8 h, 12 h, 24 h and  
48 h. Briefly, 20  $\mu$ l of each proteolytic sample (proteases, serum, blood)  
was added to 100  $\mu$ l of IFN  $\beta$  at 400 and 800 pg/ml and incubated for  
variable times, as indicated. At the appropriate time points, 10  $\mu$ l of anti-  
10 proteases mixture, mini EDTA free, Roche (one tablet was dissolved in 10  
ml of DMEM and then diluted to 1/500) was added to each well in order  
to stop proteolysis reactions. Biological activity assays were then  
performed as described for each sample in order to determine the residual  
activity at each time point.

#### 15 Performance

The various biological activities, protease resistance and potency of  
each individual mutant were analyzed using a mathematical model and  
algorithm (NautScan™; Fr. Patent No. 9915884; see, also published  
International PCT application No. WO 01/44809 based on PCT n°  
20 PCT/FR00/03503). Data was processed using a Hill equation-based  
model that uses key feature indicators of the performance of each  
individual mutant. Mutants were ranked based on the values of their  
individual performance and those on the top of the ranking list were  
selected as leads.

25 Using the 2D-scanning and 3D-scanning methods described above  
in addition to the 3-dimensional structure of IFN $\beta$ , the following amino  
acid target positions were identified as is-HITs on IFN $\beta$ , which numbering  
is that of the mature protein (SEQ ID NO:499):

-145-

By 3D-scanning: D by Q at position 39, D by H at position 39, D  
by G at position 39, E by Q at position 42, E by H at position 42, K by Q  
at position 45, K by T at position 45, K by S at position 45, K by H at  
position 45, L by V at position 47, L by I at position 47, L by T at  
5 position 47, L by Q at position 47, L by H at position 47, L by A at  
position 47, K by Q at position 52, K by T at position 52, K by S at  
position 52, K by H at position 52, F by I at position 67, F by V at  
position 67, R by H at position 71, R by Q at position 71, D by H at  
position 73, D by G at position 73, D by Q at position 73, E by Q at  
10 position 81, E by H at position 81, E by Q at position 107, E by H at  
position 107, K by Q at position 108, K by T at position 108, K by S at  
position 108, K by H at position 108, E by Q at position 109, E by H at  
position 109, D by Q at position 110, D by H at position 110, D by G at  
position 110, F by I at position 111, F by V at position 111, R by H at  
15 position 113, R by Q at position 113, L by V at position 116, L by I at  
position 116, L by T at position 116, L by Q at position 116, L by H at  
position 116, L by A at position 116, L by V at position 120, L by I at  
position 120, L by T at position 120, L by Q at position 120, L by H at  
position 120, L by A at position 120, K by Q at position 123, K by T at  
20 position 123, K by S at position 123, K by H at position 123, R by H at  
position 124,, R by Q at position 124, R by H at position 128, R by Q at  
position 128, L by V at position 130, L by I at position 130, L by T at  
position 130, L by Q at position 130, L by H at position 130, L by A at  
position 130, K by Q at position 134, K by T at position 134, K by S at  
25 position 134, K by H at position 134, K by Q at position 136, K by T at  
position 136, K by S at position 136,, K by H at position 136, E by Q at  
position 137, E by H at position 137, Y by H at position 163, Y by I at  
position 163I, R by H at position 165, R by Q at position 165.



-146-

By 2D-scanning : M by V at position 1, M by I at position 1, M by  
T at position 1, M by Q at position 1 , M by A at position 1 , L by V at  
position 5 , L by I at position 5 , L by T at position 5 , L by Q at position  
5 , L by H at position 5 , L by A at position 5 , F by I at position 8, F by  
5 V at position 8, L by V at position 9, L by I at position 9, L by T at  
position 9, L by Q at position 9, L by H at position 9, L by A at position  
9, R by H at position 11, R by Q at position 11, F by I at position 15 , F  
by V at position 15 , K by Q at position 19, K by T at position 19, K by S  
at position 19, K by H at position 19, W by S at position 22, W by H at  
10 position 22, N by H at position 25, N by S at position 25, N by Q at  
position 25, R by H position 27, R by Q position 27, L by V at position  
28, L by I at position 28, L by T at position 28, L by Q at position 28, L  
by H at position 28, L by A at position 28, E by Q at position 29, E by H  
at position 29, Y by H at position 30, Y by I at position 30, L by V at  
15 position 32, L by I at position 32, L by T at position 32, L by Q at  
position 32, L by H at position 32, L by A at position 32, K by Q at  
position 33, K by T at position 33, K by S at position 33, K by H at  
position 33, R by H at position 35, R by Q at position 35, M by V at  
position 36, M by I at position 36, M by T at position 36, M by Q at  
20 position 36, M by A at position 36, D by Q at position 39, D by H at  
position 39, D by G at position 39, E by Q at position 42, E by H at  
position 42, K by Q at position 45, K by T at position 45, K by S at  
position 45, K by H at position 45, L by V at position 47, L by I at  
position 47, L by T at position 47, L by, Q at position 47, L by H at  
25 position 47, L by A at position 47, K by Q at position 52, K by T at  
position 52, K by S at position 52, K by H at position 52, F by I at  
position 67, F by V at position 67, R by H at position 71, R by Q at  
position 71, D by Q at position 73, D by H at position 73, D by G at  
position 73, E by Q at position 81, E by H at position 81, E by Q at



-147-

position 85, E by H at position 85, Y by H at position 92, Y by I at  
position 92, K by Q at position 99, K by T at position 99, K by S at  
position 99, K by H at position 99, E by Q at position 103, E by H at  
position 103, E by Q at position 104, E by H at position 104, K by Q at  
5 position 105, K by T at position 105, K by S at position 105, K by H at  
position 105, E by Q at position 107, E by H at position 107, K by Q at  
position 108, K by T at position 108, K by S at position 108, K by H at  
position 108, E by Q at position 109, E by H at position 109, D by Q at  
position 110, D by H at position 110, D by G at position 110, F by I at  
10 position 111, F by V at position 111, R by H at position 113, R by Q at  
position 113, L by V at position 116, L by I at position 116, L by T at  
position 116, L by Q at position 116, L by H at position 116, L by A at  
position 116, L by V at position 120, L by I at position 120, L by T at  
position 120, L by Q at position 120, L by H at position 120, L by A at  
15 position 120, K by Q at position 123, K by T at position 123, K by S at  
position 123, K by H at position 123, R by H at position 124, R by Q at  
position 124, R by H at position 128, R by Q at position 128, L by V at  
position 130, L by I at position 130, L by T at position 130, L by Q at  
position 130, L by H at position 130, L by A at position 130, K by Q at  
20 position 134, K by T at position 134, K by S at position 134, K by H at  
position 134, K by Q at position 136, K by T at position 136, K by S at  
position 136, K by H at position 136, E by Q at position 137, E by H at  
position 137, Y by H at position 138, Y by I at position 138, R by H at  
position 152, R by Q at position 152, Y by H at position 155, Y by I at  
25 position 155, R by H at position 159, R by Q at position 159, Y by H at  
position 163, Y by I at position 163, R by H at position 165, R by Q at  
position 165, M by D at position 1, M by E at position 1, M by K at  
position 1, M by N at position 1, M by R at position 1, M by S at position  
1, L by D at position 5, L by E at position 5, L by K at position 5, L by N

-148-

at position 5, L by R at position 5, L by S at position 5, L by D at position  
6, L by E at position 6, L by K at position 6, L by N at position 6, L by R  
at position 6, L by S at position 6, L by Q at position 6, L by T at position  
6, F by E at position 8, F by K at position 8, F by R at position 8, F by D  
5 at position 8, L by D at position 9, L by E at position 9, L by K at position  
9, L by N at position 9, L by R at position 9, L by S at position 9, Q by D  
at position 10, Q by E at position 10, Q by K at position 10, Q by N at  
position 10, Q by R at position 10, Q by S at position 10, Q by T at  
position 10, S by D at position 12, S by E at position 12, S by K at  
10 position 12, S by R at position 12, S by D at position 13, S by E at  
position 13, S by K at position 13, S by R at position 13, S by N at  
position 13, S by Q at position 13, S by T at position 13, N by D at  
position 14, N by E at position 14, N by K at position 14, N by Q at  
position 14, N by R at position 14, N by S at position 14, N by T at  
15 position 14, F by D at position 15, F by E at position 15, F by K at  
position 15, F by R at position 15, Q by D at position 16, Q by E at  
position 16, Q by K at position 16, Q by N at position 16, Q by R at  
position 16, Q by S at position 16, Q by T at position 16, C by D at  
position 17, C by E at position 17, C by K at position 17, C by N at  
20 position 17, C by Q at position 17, C by R at position 17, C by S at  
position 17, C by T at position 17, L by N at position 20, L by Q at  
position 20, L by R at position 20, L by S at position 20, L by T at  
position 20, L by D at position 20, L by E at position 20, L by K at  
position 20, W by D at position 22, W by E at position 22, W by K at  
25 position 22, W by R at position 22, Q by D at position 23, Q by E at  
position 23, Q by K at position 23, Q by R at position 23, L by D at  
position 24, L by E at position 24, L by K at position 24, L by R at  
position 24, W by D at position 79, W by E at position 79, W by K at  
position 79, W by R at position 79, N by D at position 80, N by E at

-149-

position 80, N by K at position 80, N by R at position 80, T by D at  
position 82, T by E at position 82, T by K at position 82, T by R at  
position 82, I by D at position 83, I by E at position 83, I by K at position  
83, I by R at position 83, I by N at position 83, I by Q at position 83, I by  
5 S at position 83, I by T at position 83, N by D at position 86, N by E at  
position 86, N by K at position 86, N by R at position 86, N by Q at  
position 86, N by S at position 86, N by T at position 86, L by D at  
position 87, L by E at position 87, L by K at position 87, L by R at  
position 87, L by N at position 87, L by Q at position 87, L by S at  
10 position 87, L by T at position 87, A by D at position 89, A by E at  
position 89, A by K at position 89, A by R at position 89, N by D at  
position 90, N by E at position 90, N by K at position 90, N by Q at  
position 90, N by R at position 90, N by S at position 90, N by T at  
position 90, V by D at position 91, V by E at position 91, V by K at  
15 position 91, V by N at position 91, V by Q at position 91, V by R at  
position 91, V by S at position 91, V by T at position 91, Q by D at  
position 94, Q by E at position 94, Q by Q at position 94, Q by N at  
position 94, Q by R at position 94, Q by S at position 94, Q by T at  
position 94, I by D at position 95, I by E at position 95, I by K at position  
20 95, I by N at position 95, I by Q at position 95, I by R at position 95, I by  
S at position 95, I by T at position 95, H by D at position 97, H by E at  
position 97, H by K at position 97, H by N at position 97, H by Q at  
position 97, H by R at position 97, H by S at position 97, H by T at  
position 97, L by D at position 98, L by E at position 98, L by K at  
25 position 98, L by N at position 98, L by Q at position 98, L by R at  
position 98, L by S at position 98, L by T at position 98, V by D at  
position 101, V by E at position 101, V by K at position 101, V by N at  
position 101, V by Q at position 101, V by R at position 101, V by S at  
position 101, V by T at position 101, M by C at position 1, L by C at

-150-

position 6, Q by C at position 10, S by C at position 13, Q by C at position 16, L by C at position 17, V by C at position 101, L by C at position 98, H by C at position 97, Q by C at position 94, V by C at position 91, N by C at position 90.

- 5        Since modifications will be apparent to those of skill in this art, it is intended that this invention be limited only by the scope of the appended claims.

-151-

**WHAT IS CLAIMED IS:**

1. A method for generating a protein or peptide molecule, having a predetermined property or activity, the method comprising:
  - (a) identifying, within a target protein or peptide, one or more  
5 target amino acids amenable to providing the evolved predetermined property or activity upon amino acid replacement, wherein each target amino acid is designated an *in silico*-HIT (is-HIT);
  - (b) identifying one or more replacement amino acids, specific for each is-HIT, amenable to providing the evolved predetermined property or  
10 activity to the target protein upon amino acid replacement, wherein each single amino acid replacement within the target protein or peptide is designated as a candidate LEAD protein;
  - (c) producing a population of sets of nucleic acid molecules that encode each of the candidate LEAD proteins, wherein each candidate  
15 LEAD protein contains a single amino acid replacement, and wherein each polynucleotide in a set encodes a candidate LEAD protein that differs by one amino acid from the target protein or peptide;
  - (d) introducing each set of nucleic acid molecules into host cells and expressing the encoded candidate LEAD proteins, wherein the host  
20 cells are present in an addressable array;
  - (e) individually screening the sets of encoded candidate LEAD proteins to identify one or more proteins that has an activity that differs from an activity an unmodified target protein, wherein each such protein is designated a LEAD mutant protein.
- 25 2. The method of claim 1, wherein the array comprises a solid support with wells; and each well contains one set of cells.
3. The method of claim 1 or claim 2, wherein the nucleic acid molecules comprise plasmids; and the cells are eukaryotic cells that are transfected with the plasmids.

-152-

4. The method of claim 1 or claim, wherein the nucleic acid molecules comprise plasmids and the cells are bacterial cells.

5. The method of any of claims 1-4, wherein the nucleic acid molecules in step (c) are produced by site-specific mutagenesis.

5 6. The method of any of claims 1-5, further comprising:

(f) generating a population of sets of nucleic acid molecules encoding a set of candidate super-LEAD proteins, wherein each candidate super-LEAD protein comprises a combination of two or more of the single amino acid mutations derived from two or more LEAD mutant proteins;

10 (g) introducing each set of nucleic acid molecules encoding candidate super-LEADs into cells and expressing the encoded candidate super-LEAD proteins; and

(h) individually screening the sets of encoded candidate super-LEAD proteins to identify one or more proteins that has activity that differs from the unmodified target protein and has properties that differ from the original LEADs, wherein each such protein is designated a super-LEAD.

15 7. The method of claim 6, wherein the nucleic acid molecules in step (f) are produced by a method selected from among Additive Directional Mutagenesis (ADM), multi-overlapped primer extensions, oligonucleotide-mediated mutagenesis, nucleic acid shuffling, recombination, site-specific mutagenesis, and *de novo* synthesis.

8. The method of claim 1-7, wherein the is-HITs identified in step (a) correspond to a restricted subset of amino acids along the full length target protein.

25 9. The method of claim 1-8, wherein the replacement amino acids identified in step (b) correspond to a restricted subset of the 19 remaining non-native amino acids.

10. The method of claim 1-9, wherein the nucleic acids of step (c) are produced by systematically replacing each codon that is an is-HIT,

-153-

with one or more codons encoding a restricted subset of the remaining amino acids, to produce nucleic acid molecules each differing by at least one codon and encoding candidate LEADs.

11. The method of claim 6, wherein the number of LEAD amino  
5 acid positions generated on a single nucleic acid molecule is selected from the group consisting of: two, three, four, five, six, seven, eight, nine, ten or more LEAD amino acid positions up to all of the LEAD amino acid positions.

12. The method of claim 1-11, wherein the change in activity is  
10 at least about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 100%, of the activity of the unmodified target protein.

13. The method of claim 1-11, wherein the change in activity is not more than about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 100%, of the activity of the unmodified target protein.

14. The method of claim 1-11, wherein the change in activity is  
15 at least about 2 times, 3 times, 4 times, 5 times, 6 times, 7 times, 8 times, 9 times, 10 times, 20 times, 30 times, 40 times, 50 times, 60 times, 70 times, 80 times, 90 times, 100 times, 200 times, 300 times, 400 times, 500 times, 600 times, 700 times, 800 times, 900 times,  
20 1000 times, or more greater than the activity of the unmodified target protein.

15. The method of any of claims 1-14, wherein the activity modified is selected from among increased catalytic activity, altered substrate and ligand recognition, increased thermostability, increased  
25 stability, increased resistance to proteases, increased resistance to glomerular filtration, increased immunogenicity, increased cationization, increased anionization and pseudo wild-type function.

16. The method of claims 1-14, wherein each is-HIT target amino acid is susceptible to digestion by one or more proteases.

-154-

17. The method of claim 16, wherein the LEADs or super-LEADs possess increased resistance to proteolysis compared to unmodified target protein.

18. The method of claims 1-14, wherein in a modified protein,  
5 each is-HIT target amino acid is resistant to digestion by one or more proteases compared to in unmodified protein.

19. The method of claim 18, wherein the LEADs or super-LEADs possess increased digestibility compared to unmodified target protein.

20. The method of claims 1-14, wherein each is-HIT target  
10 amino acid affects protein conformation and/or antigenicity.

21. The method of claim 20, wherein the LEADs or super-LEADs possess either increased or decreased antigenicity compared to unmodified target protein.

22. The method of claims 1-14, wherein each is-HIT target  
15 amino acid affects protein amphipathic properties.

23. The method of claim 22, wherein the LEADs or super-LEADs possess either increased or decreased amphipathic properties compared to unmodified target protein.

24. The method of claims 1-14, wherein each is-HIT target  
20 amino acid is amenable to constitute a link or bridge between two regions of a protein.

25. The method of claim 24, wherein the LEADs or super-LEADs possess increased thermostability compared to unmodified target protein.

26. The method of claims 1-14, wherein each is-HIT target  
25 amino acid affects binding affinity to its cognate receptor.

27. The method of claim 26, wherein the LEADs or super-LEADs possess either increased or decreased binding affinity to its cognate receptor compared to unmodified target protein.



-155-

28. A method for generating proteins with a desired property, comprising:

- (a) identifying a target protein;
  - (b) identifying is-HIT target residues associated with the  
5 property;
  - (b) preparing a collection of variant nucleic acid molecules encoding a collection of variant proteins, wherein each variant nucleic acid encodes a candidate LEAD mutant protein that differs by one replacement amino acid from the target protein at one is-HIT target  
10 residue;
  - (c) separately introducing the nucleic acids encoding each candidate LEAD protein into hosts for expression thereof and expressing the nucleic acid molecules encoding each variant protein;
  - (d) screening each variant LEAD candidate proteins to identify any  
15 that have an activity that differs by a predetermined amount from the activity of the unmodified target protein, thereby identifying proteins that are LEADs.
29. The method of claim 28, wherein either: each of the identified is-HIT target residues in the target protein is replaced with  
20 codons encoding a restricted subset of the remaining 19 amino acids; or the total number of is-HIT residues that are replaced with replacement amino acids is less than the total amount of amino acid residues within the full-length of the target protein.
30. The method of claim 28, wherein each of the identified is-HIT  
25 residues in the target protein is replaced with codons encoding a restricted subset of the remaining 19 amino acids.
31. The method of claim 28, wherein the total number of is-HIT residues that are replaced with replacement amino acids is less than the

-156-

total amount of amino acid residues within the full-length of the target protein.

32. The method of claim 28, wherein each of the identified is-HIT residues in the target protein is replaced with codons encoding a restricted subset of the remaining 19 amino acids; and the total number of is-HIT residues that are replaced with replacement amino acids is less than the total amount of amino acid residues within the full-length of the target protein.

33. The method of claims 28-32, further comprising:

10 (d) generating a population of sets of nucleic acid molecules encoding a set of candidate super-LEAD proteins, wherein each candidate super-LEAD protein comprises a combination of two or more of the single amino acid mutations derived from two or more LEAD mutant proteins;

(e) introducing each set of nucleic acid molecules encoding candidate super-LEADs into cells and expressing the encoded candidate super-LEAD proteins; and

15 (f) individually screening the sets of encoded candidate super-LEAD proteins to identify one or more proteins that has activity that differs from the unmodified target protein and has properties that differ from the original LEADs, wherein each such protein is designated a super-LEAD.

34. The method of claim 33, wherein the nucleic acid molecules in step (f) are produced by a method selected from among additive directional mutagenesis (ADM), multi-overlapped primer extensions, oligonucleotide-mediated mutagenesis, nucleic acid shuffling, recombination, site-specific mutagenesis, and *de novo* synthesis.

35. The method of claim 33, wherein the number of LEAD amino acid positions generated on a single nucleic acid molecule is selected from the group consisting of: two, three, four, five, six, seven, eight, nine, ten

-157-

or more LEAD amino acid positions up to all of the LEAD amino acid positions.

36. The method of claims 28-35, wherein each is-HIT target residue is susceptible to digestion by one or more proteases.

5 37. The method of claim 36, wherein the LEADs or super-LEADs possess increased resistance to proteolysis compared to unmodified target protein.

38. The method of claims 28-35, wherein each is-HIT target residue is resistant to digestion by one or more proteases.

10 39. The method of claim 38, wherein the LEADs or super-LEADs possess increased digestibility compared to unmodified target protein.

40. The method of claims 28-35, wherein each is-HIT target residue affects protein conformation.

15 41. The method of claim 40, wherein the LEADs or super-LEADs possess either increased or decreased antigenicity compared to unmodified target protein.

42. The method of claims 28-35, wherein each is-HIT target amino acid affects protein amphipathic properties.

20 43. The method of claim 42, wherein the LEADs or super-LEADs possess either increased or decreased amphipathic properties compared to unmodified target protein.

44. The method of claims 28-35, wherein each is-HIT target amino acid is amenable to constitute a link or bridge between two regions of a protein.

25 45. The method of claim 44, wherein the LEADs or super-LEADs possess increased thermostability compared to unmodified target protein.

46. The method of claims 28-35, wherein each is-HIT target amino acid affects binding affinity to its cognate receptor.

-158-

47. The method of claim 46, wherein the LEADs or super-LEADs possess either increased or decreased binding affinity to its cognate receptor compared to unmodified target protein.

48. The method of claim 28-47, wherein the change in activity is  
5 at least about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 100%, of the activity of the unmodified target protein.

49. The method of claim 28-47, wherein the change in activity is not more than about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 100%, of the activity of the unmodified target protein.

10 50. The method of claim 28-47, wherein the change in activity is at least about 2 times, 3 times, 4 times, 5 times, 6 times, 7 times, 8 times, 9 times, 10 times, 20 times, 30 times, 40 times, 50 times, 60 times, 70 times, 80 times, 90 times, 100 times, 200 times, 300 times, 400 times, 500 times, 600 times, 700 times, 800 times, 900 times,  
15 1000 times, or more greater than the activity of the unmodified target protein.

51. A method for the production of a protein having an evolved property or activity compared to a unmodified target protein, the method comprising:

20 (a) selecting, on the target protein, one or more target amino acids amenable to providing the evolved property or activity upon amino acid replacement;

(b) replacing each target amino acid with a replacement amino acid amenable to providing the evolved property or activity to form a  
25 candidate LEAD protein, wherein only one amino acid replacement occurs on each target protein;

(c) expressing from a nucleic acid molecule each candidate LEAD protein in a cell contained in an addressable array; and

-159-

(d) assaying each candidate LEAD protein for the presence or absence of the evolved property or activity compared to a unmodified target protein, thereby identifying proteins that are LEADs.

52. The method of claim 51, wherein the selection of the one or  
5 more target amino acids in step a) is conducted *in silico* and the targets amino acids are designated is-Hits.

53. The method of claim 52, wherein the *in silico* selection step further comprises selecting an is-HIT target residue that is susceptible to digestion by one or more proteases.

10 54. The method of claim 53, wherein the LEADs possess increased resistance to proteolysis compared to unmodified target protein.

55. The method of claim 52, wherein the *in silico* selection step further comprises selecting an is-HIT target residue is resistant to digestion by one or more proteases.

15 56. The method of claim 55, wherein the LEADs possess increased digestibility compared to unmodified target protein.

57. The method of claim 52, wherein the *in silico* selection step further comprises selecting an is-HIT target residue affects protein conformation and/or immunogenicity.

20 58. The method of claim 57, wherein the LEADs possess either increased or decreased antigenicity compared to unmodified target protein.

59. The method of claim 51, wherein the *in silico* selection step further comprises selecting an is-HIT target amino acid affects protein  
25 amphipathic properties.

60. The method of claim 59, wherein the LEADs possess either increased or decreased amphipathic properties compared to unmodified target protein.

-160-

61. The method of claim 60, wherein the *in silico* selection step further comprises selecting an is-HIT target amino acid is amenable to constitute a link or bridge between two regions of a protein.

62. The method of claim 61, wherein the LEADs possess  
5 increased thermostability compared to unmodified target protein.

63. The method of claim 62, wherein the *in silico* selection step further comprises selecting an is-HIT target amino acid affects binding affinity to its cognate receptor.

64. The method of claim 63, wherein the LEADs possess either  
10 increased or decreased binding affinity to its cognate receptor compared to unmodified target protein.

65. The method of claim 51-64, wherein the change in activity is at least about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 100%, of the activity of the unmodified target protein.

15 66. The method of claim 51-64, wherein the change inactivity is not more than about 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or 100%, of the activity of the unmodified target protein.

67. The method of claim 51-64, wherein the change in activity is at least about 2 times, 3 times, 4 times, 5 times, 6 times, 7 times, 8  
20 times, 9 times, 10 times, 20 times, 30 times, 40 times, 50 times, 60 times, 70 times, 80 times, 90 times, 100 times, 200 times, 300 times, 400 times, 500 times, 600 times, 700 times, 800 times, 900 times, 1000 times, or more greater than the activity of the unmodified target protein.

25 68. A LEAD mutant protein produced by the methods of any of claims 1-67.

69. A super-LEAD mutant protein produced by the methods of any one of claims 6-27 or 33-50.

-161-

70. A method of displaying the amino acid sequence of a protein, said method comprising:

providing a first axis that corresponds to amino acid positions along the length of the protein sequence, wherein each amino acid position is  
5 designated as a position-cell;

providing a second axis at each amino acid position within said protein, wherein said second axis contains 20 type-cells thereon, wherein each type-cell corresponds to a mutually exclusive amino acid; and

indicating the particular amino acid residue at the respective cell-  
10 type/position-cell intersection by a detectable signal.

71. The method of claim 70, wherein the number of position-cells is variable depending on the size of the protein.

72. The method of claim 70, wherein the number of position-cells equals the number of amino acids in the protein sequence.

15 73. The method of claim 70, wherein the first axis is vertical and the second axis is horizontal.

74. A two-dimensional (2-D) matrix representation of a protein sequence comprising:

a first axis that corresponds to amino acid positions along the  
20 length of the protein sequence, wherein each amino acid position is designated as a position-cell;

a second axis at each amino acid position within said protein, wherein said second axis contains 20 type-cells thereon, wherein each type-cell corresponds to a mutually exclusive amino acid; and

25 a detectable signal indicating the particular amino acid residue at the respective cell-type/position-cell intersection.

75. A method for making a modified protein having substantially the same activity as unmodified protein, the method comprising:

-162-

replacing each amino acid position over the entire length of a target protein with the same reference amino acid, wherein only one reference amino acid is substituted on each molecule, to form a candidate HIT;

assaying each candidate HIT for a decrease in a requisite protein  
5 activity;

identifying loci on the target protein that are amenable to amino acid replacement without decrease in the requisite protein activity as a pseudo-wild type position.

76. The method of claim 75, further comprising replacing one or  
10 more pseudo-wild type positions with candidate pseudo-wild type amino acids, wherein an amino acid replacement that does not result in a decrease in the requisite protein activity is designated a pseudo-wild type amino acid at that pseudo-wild type position.

77. The method of claim 76, wherein at least 1%, at least 2%,  
15 at least 3%, at least 4%, at least 5%, at least 6%, at least 7%, at least 8%, at least 9%, at least 10%, at least 15%, at least 20%, at least 25%, of amino acid residue positions on a target protein are replaced.

78. The method of claims 1, 28, and 51, wherein the replacing amino acids are selected using Percent Accepted Mutations (PAM)  
20 matrices.

79. The method of claims 1, 28, and 51, wherein the replacing amino acids are pseudo-wild type amino acids.






FIG.1A




FIG.1B

Identification of LEADs : the optimized sequences at the is-HIT positions




FIG.2



# Identification of SUPERLEADS




FIG.3A




FIG.3B

“Additive Directional Mutagenesis” (ADM)





FIG.4

LEADs and SuperLEADs obtained for the Rep protein





Amino acid sequence of human mature IFN $\alpha$ -2b

1                    10                    20                    30                    40                    50

IFN $\alpha$ -2b                    CDLPQTHSLGSRRTLMLLAQMRRISLFSCCKDRHDFGFPQEEFGNQFQKA

51                    60                    70                    80                    90                    100

IFN $\alpha$ -2b                    ETIPVLHEMIQQIFNLFSTKDSSAAWDETLLDKFYTELYQQQLNDLEACVI

101                    110                    120                    130                    140                    150

IFN $\alpha$ -2b                    QGVGVTETPLMKEDSILAVRKYFQRITYLKEKKYSPCAWEVVRAEIMRS

151                    160

IFN $\alpha$ -2b                    FSLSTNLQESLSRKE

FIG.6A



Three dimensional structure of INF $\alpha$ -2b  
showing candidate LEADs




FIG.6B

The "Percent Accepted Mutation" (PAM250) matrix

	A	R	N	D	C	Q	E	G	H	I	L	K	M	F	P	S	T	W	Y	V
A	2	-2	0	0	-2	0	0	1	-1	-1	-2	-1	-1	-3	1	1	1	-6	-3	0
R	-2	6	0	-1	-4	1	-1	-3	2	-2	-3	3	0	-4	0	0	-1	2	-4	-2
N	0	0	2	2	-4	1	1	0	2	-2	-3	1	-2	-3	0	1	0	-4	-2	-2
D	0	-1	2	4	-5	2	3	1	1	-2	-4	0	-3	-6	-1	0	0	-7	-4	-2
C	-2	-4	-4	-5	12	-5	-5	-3	-3	-2	-6	-5	-5	-4	-3	0	-2	-8	0	-2
Q	0	1	1	2	-5	4	2	-1	3	-2	-2	1	-1	-5	0	-1	-1	-5	-4	-2
E	0	-1	1	3	-5	2	4	0	1	-2	-3	0	-2	-5	-1	0	0	-7	-4	-2
G	1	-3	0	1	-3	-1	0	5	-2	-3	-4	-2	-3	-5	0	1	0	-7	-5	-1
H	-1	2	2	1	-3	3	1	-2	6	-2	-2	0	-2	-2	0	-1	-1	-3	0	-2
I	-1	-2	-2	-2	-2	-2	-2	-3	-2	5	2	-2	2	1	-2	-1	0	-5	-1	4
L	-2	-3	-3	-4	-6	-2	-3	-4	-2	2	6	-3	4	2	-3	-3	-2	-2	-1	2
K	-1	3	1	0	-5	1	0	-2	0	-2	-3	5	0	-5	-1	0	0	-3	-4	-2
M	-1	0	-2	-3	-5	-1	-2	-3	-2	2	4	0	6	0	-2	-2	-1	-4	-2	2
F	-3	-4	-3	-6	-4	-5	-5	-5	-2	1	2	-5	0	9	-5	-3	-3	0	7	-1
P	1	0	0	-1	-3	0	-1	0	0	-2	-3	-1	-2	-5	6	1	0	-6	-5	-1
S	1	0	1	0	0	-1	0	1	-1	-1	-3	0	-2	-3	1	2	1	-2	-3	-1
T	1	-1	0	0	-2	-1	0	0	-1	0	-2	0	-1	-3	0	1	3	-5	-3	0
W	-6	2	-4	-7	-8	-5	-7	-7	-3	-5	-2	-3	-4	0	-6	-2	-5	17	0	-6
Y	-3	-4	-2	-4	0	-4	-4	-5	0	-1	-1	-4	-2	7	-5	-3	-3	0	10	-2
V	0	-2	-2	-2	-2	-2	-2	-1	-2	4	2	-2	2	-1	-1	-1	0	-6	-2	4

FIG.7

Scores from PAM250, given to residue substitutions to protect  
human INF  $\alpha$ -2b against proteolysis

	R	D	E	L	K	M	F	P	W	Y
A	-2	0	0	-2	-1	-1	-3	1	-6	-3
N	0	2	1	-3	1	-2	-3	0	-4	-2
C	-4	-5	-5	-6	-5	-5	-4	-3	-8	0
Q	1	2	2	-2	1	-1	-5	0	-5	-4
G	-3	1	0	-4	-2	-3	-5	0	-7	-5
H	2	1	1	-2	0	-2	-2	0	-3	0
I	-2	-2	-2	2	-2	2	1	-2	-5	-1
S	0	0	0	-3	0	-2	-3	1	-2	-3
T	-1	0	0	-2	0	-1	-3	0	-5	-3
V	-2	-2	-2	2	-2	2	-1	-1	-6	-2

FIG.8

Residue substitutions expected to allow the  
creation of a disulfide bond



FIG.9A



FIG.9B



Residue substitutions expected to destroy linking interactions




FIG.10A




FIG.10B

Tri-dimensional model of an amphipathic polypeptide





FIG.11

FIG.12

FIG. 13A







[illegible]

FIG. 13D

Multi overlapped primer extensions for rational recombination of LEADs




FIG.14

## SEQUENCE LISTING

<110> Nautilus Biotech  
Gantier, Rene  
Guyon, Thierry  
Hugo, Cruz Ramos  
Vega, Manuel  
Drittanti, Lila

<120> Rational Directed Protein Evolution Using Two Dimensional Rational  
Mutagenesis Scanning

<130> BLOcpl374/7PCT

<150> 60/457,063  
<151> 21-MAR-2003

<150> 60/410,258  
<151> 09-SEP-2002

<160> 501  
<170> PatentIn Ver. 2.1

<210> 1  
<211> 165  
<212> PRT  
<213> Homo sapiens

<400> 1  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
145 150 155 160  
Leu Arg Ser Lys Glu  
165

<210> 2  
<211> 165  
<212> PRT  
<213> Artificial Sequence  
  
<220>

-2-

&lt;223&gt; D2A Mutant INF-alpha 2b

&lt;400&gt; 2

5 Cys Ala Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 10 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 15 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 20 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 25 Leu Arg Ser Lys Glu  
 165

&lt;210&gt; 3

&lt;211&gt; 165

&lt;212&gt; PRT

30 &lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; P4A Mutant INF-alpha 2b

35 &lt;400&gt; 3

Cys Asp Leu Ala Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 40 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 45 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 50 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 55 Leu Arg Ser Lys Glu  
 165

&lt;210&gt; 4

60 &lt;211&gt; 165

&lt;212&gt; PRT

-3-

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Q5A Mutant INF-alpha 2b

5

&lt;400&gt; 4

Cys	Asp	Leu	Pro	Ala	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
1				5					10					15	
Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
			20					25					30		
Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Phe	Gln
		35					40					45			
Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe
	50					55					60				
Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu
65					70				75					80	
Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu
				85				90						95	
Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
			100					105					110		
Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
		115					120					125			
Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
	130					135					140				
Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
145					150					155					160
Leu	Arg	Ser	Lys	Glu											
				165											

30

&lt;210&gt; 5

&lt;211&gt; 165

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

35

&lt;220&gt;

&lt;223&gt; T6A Mutant INF-alpha 2b

&lt;400&gt; 5

Cys	Asp	Leu	Pro	Gln	Ala	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
1				5					10					15	
Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
			20					25					30		
Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Phe	Gln
		35					40					45			
Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe
	50					55					60				
Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu
65					70				75					80	
Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu
				85				90						95	
Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
			100					105					110		
Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
		115					120					125			
Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
	130					135					140				
Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
145					150					155					160
Leu	Arg	Ser	Lys	Glu											
				165											

60

-4-

<210> 6  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 5  
 <220>  
 <223> H7A Mutant INF-alpha 2b  
 <400> 6  
 10 Cys Asp Leu Pro Gln Thr Ala Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 15 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 20 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 25 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 30 Leu Arg Ser Lys Glu  
 165  
 <210> 7  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 35  
 <220>  
 <223> S8A Mutant INF-alpha 2b  
 40  
 <400> 7  
 Cys Asp Leu Pro Gln Thr His Ala Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 45 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 55 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 60 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160



-5-

Leu Arg Ser Lys Glu  
165

5 <210> 8  
<211> 165  
<212> PRT  
<213> Artificial Sequence

10 <220>  
<223> L9A Mutant INF-alpha 2b

<400> 8  
Cys Asp Leu Pro Gln Thr His Ser Ala Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
15 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
20 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
25 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
30 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
145 150 155 160  
Leu Arg Ser Lys Glu  
165

35 <210> 9  
<211> 165  
<212> PRT  
<213> Artificial Sequence

40 <220>  
<223> G10A Mutant INF-alpha 2b

<400> 9  
Cys Asp Leu Pro Gln Thr His Ser Leu Ala Ser Arg Arg Thr Leu Met  
1 5 10 15  
Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
50 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
55 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
60 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg

-6-

130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 5 165  
  
 <210> 10  
 <211> 165  
 <212> PRT  
 10 <213> Artificial Sequence  
  
 <220>  
 <223> S11A Mutant INF-alpha 2b  
  
 15 <400> 10  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ala Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 25 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 30 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 35 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 <210> 11  
 <211> 165  
 <212> PRT  
 40 <213> Artificial Sequence  
  
 <220>  
 45 <223> R12A Mutant INF-alpha 2b  
  
 <400> 11  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Ala Arg Thr Leu Met  
 1 5 10 15  
 50 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 55 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 60 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110

-7-

Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
           115                          120          125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
           130                          135          140  
 5 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                          150          155          160  
    Leu Arg Ser Lys Glu  
                           165

10 <210> 12  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence

15 <220>  
     <223> R13A Mutant INF-alpha 2b

    <400> 12  
 20 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Ala Thr Leu Met  
    1                          5          10          15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                           20          25          30  
    Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                           35          40          45  
 25 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
    50                          55          60  
    Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
    65                          70          75          80  
 30 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
    85                          90          95  
    Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                           100          105          110  
    Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                           115          120          125  
 35 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
    130                          135          140  
    Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                          150          155          160  
    Leu Arg Ser Lys Glu  
                           165

40 <210> 13  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence

45 <220>  
     <223> T14A Mutant INF-alpha 2b

    <400> 13  
 50 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Ala Leu Met  
    1                          5          10          15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                           20          25          30  
 55 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
    35                          40          45  
    Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
    50                          55          60  
    Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
    65                          70          75          80  
 60 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu

	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
5				100					105					110		
	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120					125			
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
10							135					140				
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
						150					155					160
	Leu	Arg	Ser	Lys	Glu											
15																
	<210>	14														
	<211>	165														
	<212>	PRT														
20	<213>	Artificial Sequence														
	<220>															
	<223>	L15A Mutant INF-alpha 2b														
	<400>	14														
25	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Ala	Met
										10					15	
	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
				20					25					30		
30	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Phe	Gln
			35					40					45			
	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe
		50					55					60				
35	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu
						70					75					80
	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu
					85					90					95	
40	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
					100				105					110		
	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120					125			
45	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
							135					140				
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
						150					155					160
50	Leu	Arg														

-9-

Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 5 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 10 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 15  
 <210> 16  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 20  
 <220>  
 <223> L17A Mutant INF-alpha 2b  
 25  
 <400> 16  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Ala Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 30 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 35 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 40 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 45 Leu Arg Ser Lys Glu  
 165  
 50  
 <210> 17  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 <223> Q20A Mutant INF-alpha 2b  
 55  
 <400> 17  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 60 Leu Leu Ala Ala Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln

-10-

35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 5 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 10 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 15 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 20 <210> 18  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 25 <220>  
 <223> R23A Mutant INF-alpha 2b  
  
 <400> 18  
 30 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Ala Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 35 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 40 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 45 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 50 <210> 19  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 55 <220>  
 <223> I24A Mutant INF-alpha 2b  
  
 <400> 19  
 60 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15

-11-

Leu Leu Ala Gln Met Arg Arg Ala Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 5 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   65                  70                  75                  80  
 10 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 15 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
   145                  150                  155                  160  
 20 Leu Arg Ser Lys Glu  
                   165  
  
 <210> 20  
 <211> 165  
 <212> PRT  
 25 <213> Artificial Sequence  
  
 <220>  
 <223> S25A Mutant INF-alpha 2b  
  
 30 <400> 20  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
   1                  5                  10                  15  
 Leu Leu Ala Gln Met Arg Arg Ile Ala Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 35 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
   50                  55                  60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   65                  70                  75                  80  
 40 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
 45 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
   130                  135                  140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
   145                  150                  155                  160  
 50 Leu Arg Ser Lys Glu  
                   165  
  
 <210> 21  
 55 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 60 <223> L26A Mutant INF-alpha 2b

-12-

<400> 21  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 5 Leu Leu Ala Gln Met Arg Arg Ile Ser Ala Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 10 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 15 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 20 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 25 <210> 22  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 30 <220>  
 <223> S28A Mutant INF-alpha 2b  
  
 <400> 22  
 35 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ala Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 40 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 45 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 50 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 55 165  
  
 <210> 23  
 <211> 165  
 <212> PRT  
 60 <213> Artificial Sequence



-13-

&lt;220&gt;

&lt;223&gt; C29A Mutant INF-alpha 2b

&lt;400&gt; 23

5 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Ala Leu Lys Asp  
 20 25 30  
 10 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 15 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 20 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 25 Leu Arg Ser Lys Glu  
 165

&lt;210&gt; 24

&lt;211&gt; 165

30 &lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; L30A Mutant INF-alpha 2b

35

&lt;400&gt; 24

Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 40 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Ala Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 45 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 50 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 55 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

60

&lt;210&gt; 25

&lt;211&gt; 165

-14-

<212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 5 <223> K31A Mutant INF-alpha 2b  
  
 <400> 25  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 10 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Ala Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 15 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 20 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 25 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 30  
 <210> 26  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 35  
 <220>  
 <223> D32A Mutant INF-alpha 2b  
  
 <400> 26  
 40 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Ala  
 20 25 30  
 45 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 50 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 55 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 60 Leu Arg Ser Lys Glu  
 165

-15-

<210> 27  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 5  
 <220>  
 <223> R33A Mutant INF-alpha 2b  
 <400> 27  
 10 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
     1                    5                    10                    15  
     Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                     20                    25                    30  
 15 Ala His Asp Phe Gly Phe Pro Gln Glu Phe Gly Asn Gln Phe Gln  
                     35                    40                    45  
     Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
                     50                    55                    60  
     Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
     65                    70                    75                    80  
 20 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                     85                    90                    95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                     100                    105                    110  
 25 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                     115                    120                    125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                     130                    135                    140  
     Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
     145                    150                    155                    160  
 30 Leu Arg Ser Lys Glu  
                     165  
 <210> 28  
 <211> 165  
 35 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 <223> D35A Mutant INF-alpha 2b  
 40 <400> 28  
     Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
     1                    5                    10                    15  
 45 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                     20                    25                    30  
     Arg His Ala Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                     35                    40                    45  
     Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
                     50                    55                    60  
 50 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
     65                    70                    75                    80  
     Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                     85                    90                    95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                     100                    105                    110  
 55 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                     115                    120                    125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                     130                    135                    140  
 60 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
     145                    150                    155                    160

-16-

Leu Arg Ser Lys Glu  
165

5 <210> 29  
<211> 165  
<212> PRT  
<213> Artificial Sequence

10 <220>  
<223> G37A Mutant INF-alpha 2b

<400> 29  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
15 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Ala Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
20 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
25 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
30 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
145 150 155 160  
Leu Arg Ser Lys Glu  
165

35 <210> 30  
<211> 165  
<212> PRT  
<213> Artificial Sequence

40 <220>  
<223> P39A Mutant INF-alpha 2b

<400> 30  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Ala Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
50 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
55 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
60 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg

-17-

130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 5 Leu Arg Ser Lys Glu  
 165  
 <210> 31  
 <211> 165  
 <212> PRT  
 10 <213> Artificial Sequence  
 <220>  
 <223> E41A Mutant INF-alpha 2b  
 15 <400> 31  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Ala Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 25 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 30 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 35 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 <210> 32  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 45 <223> E42A Mutant INF-alpha 2b  
 <400> 32  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 50 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Ala Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 60 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110

-18-

Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                   130                  135                  140  
 5 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                  150                  155                  160  
    Leu Arg Ser Lys Glu  
                   165

10 <210> 33  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence

15 <220>  
     <223> F43A Mutant INF-alpha 2b

    <400> 33  
 20 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5                  10                  15  
       Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
       Arg His Asp Phe Gly Phe Pro Gln Glu Glu Ala Gly Asn Gln Phe Gln  
                   35                  40                  45  
 25 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
       Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                  70                  75                  80  
 30 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
       Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
       Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 35 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
       Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
       145                  150                  155                  160  
       Leu Arg Ser Lys Glu  
                   165

40 <210> 34  
     <211> 165  
     <212> PRT  
 45 <213> Artificial Sequence

    <220>  
     <223> N45A Mutant INF-alpha 2b

50 <400> 34  
     Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5                  10                  15  
       Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 55 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Ala Gln Phe Gln  
       35                  40                  45  
       Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
       Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                  70                  75                  80  
 60 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu

-19-

				85					90					95		
	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
				100					105					110		
5	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120					125			
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
		130					135					140				
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
	145					150					155					160
10	Leu	Arg	Ser	Lys	Glu											
					165											
	<210> 35															
	<211> 165															
15	<212> PRT															
	<213> Artificial Sequence															
	<220>															
20	<223> F47A Mutant INF-alpha 2b															
	<400> 35															
	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
	1				5					10					15	
25	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
			20					25					30			
	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Ala	Gln
		35					40					45				
	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe
	50					55					60					
30	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu
	65				70					75					80	
	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu
				85					90					95		
35	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
			100					105						110		
	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
		115						120				125				
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
	130					135						140				
40	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
	145					150					155					160
	Leu	Arg	Ser	Lys	Glu											
					165											
45	<210> 36															
	<211> 165															
	<212> PRT															
	<213> Artificial Sequence															
50	<220>															
	<223> E51A Mutant INF-alpha 2b															
	<400> 36															
55	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
	1				5					10					15	
	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
			20					25					30			
	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Phe	Gln
		35					40					45				
60	Lys	Ala	Ala	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe
	50					55						60				



-20-

Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 5 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 10 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 15  
 <210> 37  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 20  
 <220>  
 <223> T52A Mutant INF-alpha 2b  
 <400> 37  
 25 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 30 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Ala Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 35 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 40 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 45 Leu Arg Ser Lys Glu  
 165  
 <210> 38  
 <211> 165  
 50 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 <223> I53A Mutant INF-alpha 2b  
 55 <400> 38  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 60 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln

-21-

5                   35                   40                   45  
 Lys Ala Glu Thr Ala Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                   55                   60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65                   70                   75                   80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                  85                   90                   95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                  100                   105                   110  
 10 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                  115                   120                   125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                  130                   135                   140  
 15 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145                   150                   155                   160  
 Leu Arg Ser Lys Glu  
                  165  
  
 20 <210> 39  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence  
  
 25 <220>  
     <223> P54A Mutant INF-alpha 2b  
  
     <400> 39  
 30 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                   5                   10                   15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                  20                   25                   30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                  35                   40                   45  
 35 Lys Ala Glu Thr Ile Ala Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                   55                   60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65                   70                   75                   80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                  85                   90                   95  
 40 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                  100                   105                   110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                  115                   120                   125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                  130                   135                   140  
 45 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145                   150                   155                   160  
 Leu Arg Ser Lys Glu  
                  165  
  
 50 <210> 40  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence  
  
 55 <220>  
     <223> V55A Mutant INF-alpha 2b  
  
     <400> 40  
 60 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                   5                   10                   15

-22-

Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 5 Lys Ala Glu Thr Ile Pro Ala Leu His Glu Met Ile Gln Gln Ile Phe  
                   50                  55                  60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
                   65                  70                  75                  80  
 10 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 15 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                   130                  135                  140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
                   145                  150                  155                  160  
 20 Leu Arg Ser Lys Glu  
                   165  
  
 <210> 41  
 <211> 165  
 <212> PRT  
 25 <213> Artificial Sequence  
  
 <220>  
 <223> L56A Mutant INF-alpha 2b  
  
 30 <400> 41  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
                   1                  5                  10                  15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 35 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 Lys Ala Glu Thr Ile Pro Val Ala His Glu Met Ile Gln Gln Ile Phe  
                   50                  55                  60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
                   65                  70                  75                  80  
 40 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
 45 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                   130                  135                  140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
                   145                  150                  155                  160  
 50 Leu Arg Ser Lys Glu  
                   165  
  
 <210> 42  
 55 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 60 <223> H57A Mutant INF-alpha 2b

-23-

<400> 42  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 5 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu Ala Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 10 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 15 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 20 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 25 <210> 43  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 30 <220>  
 <223> E58A Mutant INF-alpha 2b  
  
 <400> 43  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 35 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 40 Lys Ala Glu Thr Ile Pro Val Leu His Ala Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 45 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 50 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 55 165  
  
 <210> 44  
 <211> 165  
 <212> PRT  
 60 <213> Artificial Sequence

-24-

&lt;220&gt;

&lt;223&gt; M59A Mutant INF-alpha 2b

&lt;400&gt; 44

5 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 10 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Ala Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 15 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 20 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 25 Leu Arg Ser Lys Glu  
 165

&lt;210&gt; 45

&lt;211&gt; 165

30 &lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; I60A Mutant INF-alpha 2b

35

&lt;400&gt; 45

Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 40 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ala Gln Gln Ile Phe  
 50 55 60  
 45 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 50 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 55 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

60

&lt;210&gt; 46

&lt;211&gt; 165

-25-

```
<212> PRT
<213> Artificial Sequence
```

5 <220>  
<223> I63A Mutant INF-alpha 2b

[illegible]

**30**

<210> 47  
<211> 165  
<212> PRT  
<213> Artificial Sequence

35 <213> Artificial Sequence  
<220>  
<223> F64A Mutant INF-alpha 2b

	<400>	47														
40	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
	1				5					10					15	
	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
				20					25					30		
45	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Phe	Gln
			35					40					45			
	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Ala
		50					55					60				
	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu
	65					70					75					80
50	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu
					85					90					95	
	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
				100					105					110		
55	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120					125			
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
		130					135					140				
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
	145					150					155					160
60	Leu	Arg	Ser	Lys	Glu											
					165											

-26-

<210> 48  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 5  
 <220>  
 <223> N65A Mutant INF-alpha 2b  
 <400> 48  
 10 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
     1                    5                    10                    15  
     Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                     20                    25                    30  
 15 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                     35                    40                    45  
     Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
                     50                    55                    60  
     Ala Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
     65                    70                    75                    80  
 20 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                     85                    90                    95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                     100                    105                    110  
 25 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                     115                    120                    125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                     130                    135                    140  
     Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
     145                    150                    155                    160  
 30 Leu Arg Ser Lys Glu  
                     165  
 <210> 49  
 <211> 165  
 35 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 <223> L66A Mutant INF-alpha 2b  
 40  
 <400> 49  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
     1                    5                    10                    15  
 45 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                     20                    25                    30  
     Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                     35                    40                    45  
     Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
                     50                    55                    60  
 50 Asn Ala Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
     65                    70                    75                    80  
     Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                     85                    90                    95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                     100                    105                    110  
 55 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                     115                    120                    125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                     130                    135                    140  
 60 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
     145                    150                    155                    160



-27-

Leu Arg Ser Lys Glu  
165

5 <210> 50  
<211> 165  
<212> PRT  
<213> Artificial Sequence

10 <220>  
<223> F67A Mutant INF-alpha 2b

<400> 50  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
15 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
20 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Ala Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
25 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
30 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
145 150 155 160  
Leu Arg Ser Lys Glu  
165

35 <210> 51  
<211> 165  
<212> PRT  
<213> Artificial Sequence

40 <220>  
<223> T69A Mutant INF-alpha 2b

<400> 51  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
50 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Ala Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
55 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
60 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg

-28-

130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

5

<210> 52  
 <211> 165  
 <212> PRT  
 10 <213> Artificial Sequence

<220>  
 <223> K70A Mutant INF-alpha 2b

15

<400> 52  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Ala Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 30 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 35 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

40

<210> 53  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 45 <223> D71A Mutant INF-alpha 2b

<400> 53  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 50 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 55 Asn Leu Phe Ser Thr Lys Ala Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 60 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110

-29-

Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
           130                  135                  140  
 5 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                  150                  155                  160  
    Leu Arg Ser Lys Glu  
                   165

10 <210> 54  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence

15 <220>  
     <223> S72A Mutant INF-alpha 2b

    <400> 54  
 20 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5                  10                  15  
       Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
       Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 25 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
       Asn Leu Phe Ser Thr Lys Asp Ala Ser Ala Ala Trp Asp Glu Thr Leu  
       65                  70                  75                  80  
 30 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
       Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
       Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 35 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
       Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
       145                  150                  155                  160  
       Leu Arg Ser Lys Glu  
                   165

40 <210> 55  
     <211> 165  
     <212> PRT  
 45 <213> Artificial Sequence

    <220>  
     <223> W76A Mutant INF-alpha 2b

50 <400> 55  
     Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5                  10                  15  
       Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 55 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
       35                  40                  45  
       Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
       Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Asp Glu Thr Leu  
       65                  70                  75                  80  
       Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu

-30-

				85					90					95		
	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
				100					105					110		
5	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120					125			
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
		130					135					140				
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
	145					150					155					160
10	Leu	Arg	Ser	Lys	Glu											
				165												

<210> 56  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> D77A Mutant INF-alpha 2b

20 <400> 56  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 25 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 30 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Ala Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 35 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 40 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

45 <210> 57  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

50 <220>  
 <223> E78A Mutant INF-alpha 2b

55 <400> 57  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 60 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60

-31-

Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Ala Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 5 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 10 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 15  
 <210> 58  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 20  
 <220>  
 <223> L81A Mutant INF-alpha 2b  
 <400> 58  
 25 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 30 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 35 Ala Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 40 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 45 Leu Arg Ser Lys Glu  
 165  
 <210> 59  
 <211> 165  
 50 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 <223> D82A Mutant INF-alpha 2b  
 55 <400> 59  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 60 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln

-32-

35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 5 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Ala Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 10 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 15 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 20 <210> 60  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 25 <220>  
 <223> K83A Mutant INF-alpha 2b  
  
 <400> 60  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 30 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 35 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Ala Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 40 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 45 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 50 <210> 61  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 55 <220>  
 <223> F84A Mutant INF-alpha 2b  
  
 <400> 61  
 60 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15

-33-

Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 5 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   65                  70                  75                  80  
 10 Leu Asp Lys Ala Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 15 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
   145                  150                  155                  160  
 20 Leu Arg Ser Lys Glu  
                   165  
  
 <210> 62  
 <211> 165  
 <212> PRT  
 25 <213> Artificial Sequence  
  
 <220>  
 <223> Y85A Mutant INF-alpha 2b  
  
 30 <400> 62  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
   1                  5                  10                  15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 35 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
 40 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   65                  70                  75                  80  
 Leu Asp Lys Phe Ala Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
 45 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
 50 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
   145                  150                  155                  160  
 Leu Arg Ser Lys Glu  
                   165  
  
 <210> 63  
 55 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 60 <223> Y89A Mutant INF-alpha 2b



-34-

<400> 63  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 5 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 10 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Ala Gln Leu Asn Asp Leu Glu  
 85 90 95  
 15 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 20 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 25 <210> 64  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 30 <220>  
 <223> Q90A Mutant INF-alpha 2b  
  
 <400> 64  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 35 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 40 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 45 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Ala Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 50 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 55 Leu Arg Ser Lys Glu  
 165  
  
 <210> 65  
 <211> 165  
 <212> PRT  
 60 <213> Artificial Sequence

-35-

&lt;220&gt;

&lt;223&gt; Q91A Mutant INF-alpha 2b

&lt;400&gt; 65

5 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 10 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 15 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Ala Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 20 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 25 Leu Arg Ser Lys Glu  
 165

&lt;210&gt; 66

&lt;211&gt; 165

30 &lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; N93A Mutant INF-alpha 2b

35

&lt;400&gt; 66

Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 40 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 45 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Ala Asp Leu Glu  
 85 90 95  
 50 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 55 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

60

&lt;210&gt; 67

&lt;211&gt; 165

-36-

<212> PRT  
 <213> Artificial Sequence

5 <220>  
 <223> D94A Mutant INF-alpha 2b

<400> 67  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 10 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 15 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Ala Leu Glu  
 85 90 95  
 20 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 25 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

30  
 <210> 68  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

35 <220>  
 <223> C98A Mutant INF-alpha 2b

<400> 68  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 45 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 50 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Ala Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 55 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 60 Leu Arg Ser Lys Glu  
 165

-37-

<210> 69  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 5  
 <220>  
 <223> V99A Mutant INF-alpha 2b  
 <400> 69  
 10 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 15 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 20 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Ala Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 25 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 30 Leu Arg Ser Lys Glu  
 165  
 <210> 70  
 <211> 165  
 35 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 <223> G104A Mutant INF-alpha 2b  
 40 <400> 70  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 45 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Ala Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 55 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 60 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160

-38-

Leu Arg Ser Lys Glu  
165

5 <210> 71  
<211> 165  
<212> PRT  
<213> Artificial Sequence

10 <220>  
<223> L110A Mutant INF-alpha 2b

<400> 71  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
15 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
20 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
25 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Ala Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
30 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
145 150 155 160  
Leu Arg Ser Lys Glu  
165

35 <210> 72  
<211> 165  
<212> PRT  
<213> Artificial Sequence

40 <220>  
<223> S115A Mutant INF-alpha 2b

<400> 72  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
50 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
55 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
60 Glu Asp Ala Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg

-39-

130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 5 Leu Arg Ser Lys Glu  
 165  
 <210> 73  
 <211> 165  
 <212> PRT  
 10 <213> Artificial Sequence  
 <220>  
 <223> Y122A Mutant INF-alpha 2b  
 15 <400> 73  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 25 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 30 Glu Asp Ser Ile Leu Ala Val Arg Lys Ala Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 35 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 <210> 74  
 40 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 45 <223> W140A Mutant INF-alpha 2b  
 <400> 74  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 50 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 60 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110

-40-

Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Ala Glu Val Val Arg  
           130                  135                  140  
 5 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                  150                  155                  160  
    Leu Arg Ser Lys Glu  
                   165

10 <210> 75  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence

15 <220>  
     <223> E146A Mutant INF-alpha 2b

    <400> 75  
 20 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5                  10                  15  
       Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
       Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 25 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
       Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                  70                  75                  80  
 30 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
       Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
       Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 35 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
       Ala Ala Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
       145                  150                  155                  160  
       Leu Arg Ser Lys Glu  
                   165

40 <210> 76  
     <211> 165  
     <212> PRT  
 45 <213> Artificial Sequence

    <220>  
     <223> L3V Mutant INF-alpha 2b

    <400> 76  
 50 Cys Asp Val Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5                  10                  15  
       Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 55 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
       35                  40                  45  
       Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
       Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                  70                  75                  80  
 60 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu



[illegible]

-42-

```

Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu
65      70      75      80
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu
      85      90      95
5  Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys
      100      105      110
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu
      115      120      125
10 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg
      130      135      140
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser
145      150      155      160
Leu Arg Ser Lys Glu
      165
15
<210> 79
<211> 165
<212> PRT
<213> Artificial Sequence
20
<220>
<223> M16V Mutant INF-alpha 2b
25
<400> 79
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Val
1      5      10      15
Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp
      20      25      30
30 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln
      35      40      45
Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe
      50      55      60
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu
65      70      75      80
35 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu
      85      90      95
Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys
      100      105      110
40 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu
      115      120      125
Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg
      130      135      140
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser
145      150      155      160
45 Leu Arg Ser Lys Glu
      165
<210> 80
<211> 165
<212> PRT
<213> Artificial Sequence
50
<220>
<223> M16I Mutant INF-alpha 2b
55
<400> 80
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Ile
1      5      10      15
Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp
      20      25      30
60 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln

```

-43-

5                   35                   40                   45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
      50                   55                   60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65                   70                   75                   80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                  85                   90                   95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                  100                   105                   110  
 10 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                  115                   120                   125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                  130                   135                   140  
 15 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145                   150                   155                   160  
 Leu Arg Ser Lys Glu  
                  165  
  
 20 <210> 81  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence  
  
 25 <220>  
     <223> R22H Mutant INF-alpha 2b  
  
     <400> 81  
 30 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
      1                   5                   10                   15  
 Leu Leu Ala Gln Met His Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                  20                   25                   30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                  35                   40                   45  
 35 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
      50                   55                   60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65                   70                   75                   80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                  85                   90                   95  
 40 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                  100                   105                   110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                  115                   120                   125  
 45 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
      130                   135                   140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145                   150                   155                   160  
 Leu Arg Ser Lys Glu  
                  165  
  
 50 <210> 82  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence  
  
 55 <220>  
     <223> F27I Mutant INF-alpha 2b  
  
     <400> 82  
 60 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
      1                   5                   10                   15

-44-

Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Ile Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 5 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 10 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 15 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 20 Leu Arg Ser Lys Glu  
 165  
 <210> 83  
 <211> 165  
 <212> PRT  
 25 <213> Artificial Sequence  
 <220>  
 <223> F27V Mutant INF-alpha 2b  
 30 <400> 83  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Val Ser Cys Leu Lys Asp  
 20 25 30  
 35 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 40 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 45 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 50 Leu Arg Ser Lys Glu  
 165  
 <210> 84  
 55 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 60 <223> L30I Mutant INF-alpha 2b

-45-

<400> 84  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 5 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Ile Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 10 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 15 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 20 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

25 <210> 85  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

30 <220>  
 <223> K31Q Mutant INF-alpha 2b

<400> 85  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 35 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Gln Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 40 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 45 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 50 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 55 165

<210> 86  
 <211> 165  
 <212> PRT  
 60 <213> Artificial Sequence

-46-

<220>  
 <223> R33H Mutant INF-alpha 2b

5 <400> 86  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 10 His His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 15 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 20 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 25 Leu Arg Ser Lys Glu  
 165

<210> 87  
 <211> 165  
 30 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> E41Q Mutant INF-alpha 2b

35 <400> 87  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 40 Arg His Asp Phe Gly Phe Pro Gln Gln Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 45 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 50 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 55 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

60 <210> 88  
 <211> 165

-47-

<212> PRT  
 <213> Artificial Sequence

<220>  
 5 <223> E41H Mutant INF-alpha 2b

<400> 88  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 10 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln His Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 15 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 20 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 25 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

30  
 <210> 89  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

35  
 <220>  
 <223> E58Q Mutant INF-alpha 2b

<400> 89  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 45 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Gln Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 50 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 55 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 60 Leu Arg Ser Lys Glu  
 165



-48-

<210> 90  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 5  
 <220>  
 <223> E58H Mutant INF-alpha 2b  
 <400> 90  
 10 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
     1                    5                    10                    15  
     Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                     20                    25                    30  
 15 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                     35                    40                    45  
     Lys Ala Glu Thr Ile Pro Val Leu His His Met Ile Gln Gln Ile Phe  
                     50                    55                    60  
     Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
     65                    70                    75                    80  
 20 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                     85                    90                    95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                     100                    105                    110  
 25 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                     115                    120                    125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                     130                    135                    140  
     Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
     145                    150                    155                    160  
 30 Leu Arg Ser Lys Glu  
                     165  
 <210> 91  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 35  
 <220>  
 <223> K70T Mutant INF-alpha 2b  
 40  
 <400> 91  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
     1                    5                    10                    15  
 45 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                     20                    25                    30  
     Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                     35                    40                    45  
     Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
                     50                    55                    60  
 50 Asn Leu Phe Ser Thr Thr Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
     65                    70                    75                    80  
     Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                     85                    90                    95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                     100                    105                    110  
 55 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                     115                    120                    125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                     130                    135                    140  
 60 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
     145                    150                    155                    160

-49-

Leu Arg Ser Lys Glu  
165

5 <210> 92  
<211> 165  
<212> PRT  
<213> Artificial Sequence

10 <220>  
<223> E78Q Mutant INF-alpha 2b

<400> 92  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
15 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
20 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Gln Thr Leu  
65 70 75 80  
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
25 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
30 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
145 150 155 160  
Leu Arg Ser Lys Glu  
165

35 <210> 93  
<211> 165  
<212> PRT  
<213> Artificial Sequence

40 <220>  
<223> E78H Mutant INF-alpha 2b

<400> 93  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
50 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp His Thr Leu  
65 70 75 80  
55 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
60 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg

-50-

130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 5 Leu Arg Ser Lys Glu  
 165  
 <210> 94  
 <211> 165  
 <212> PRT  
 10 <213> Artificial Sequence  
 <220>  
 <223> Y89I Mutant INF-alpha 2b  
 15 <400> 94  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 25 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Ile Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 30 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 35 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 <210> 95  
 40 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 45 <223> E107Q Mutant INF-alpha 2b  
 <400> 95  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 50 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 55 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 60 Ala Cys Val Ile Gln Gly Val Gly Val Thr Gln Thr Pro Leu Met Lys  
 100 105 110

-51-

Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
           115                  120          125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
           130                  135          140  
 5 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                  150                  155          160  
    Leu Arg Ser Lys Glu  
                   165

10 <210> 96  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence

15 <220>  
     <223> E107H Mutant INF-alpha 2b

    <400> 96

20 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
    1                  5          10          15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20          25          30  
    Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35          40          45

25 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
    50                  55          60  
    Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
    65                  70          75          80

30 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
    85                  90          95  
    Ala Cys Val Ile Gln Gly Val Gly Val Thr His Thr Pro Leu Met Lys  
                   100          105          110

   Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115          120          125

35 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
    130                  135          140  
    Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                  150          155          160

40 Leu Arg Ser Lys Glu  
                   165

    <210> 97  
     <211> 165  
     <212> PRT  
 45 <213> Artificial Sequence

    <220>  
     <223> P109A Mutant INF-alpha 2b

    <400> 97

50 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
    1                  5          10          15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20          25          30

55 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
    35                  40          45  
    Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
    50                  55          60

   Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
    65                  70          75          80

60 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu

[illegible]

-53-

Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 5 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Ile Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 10 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 15  
 <210> 100  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 20  
 <220>  
 <223> E113Q Mutant INF-alpha 2b  
 <400> 100  
 25 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 30 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 35 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 40 Gln Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 45 Leu Arg Ser Lys Glu  
 165  
 <210> 101  
 <211> 165  
 50 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 <223> E113H Mutant INF-alpha 2b  
 55 <400> 101  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 60 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln

-54-

5                   35                                   40                                   45  
       Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
           50                                   55                                   60  
 65   Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                                   70                                   75                                   80  
       Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                                   85                                   90                                   95  
 10   Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                                   100                                   105                                   110  
 115   His Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                                   115                                   120                                   125  
       Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                                   130                                   135                                   140  
 15   Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
       145                                   150                                   155                                   160  
       Leu Arg Ser Lys Glu  
                                   165  
  
 20   <210> 102  
       <211> 165  
       <212> PRT  
       <213> Artificial Sequence  
  
 25   <220>  
       <223> L117V Mutant INF-alpha 2b  
  
       <400> 102  
 30   Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                                   5                                   10                                   15  
       Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                                   20                                   25                                   30  
       Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                                   35                                   40                                   45  
 35   Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                                   55                                   60  
       Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                                   70                                   75                                   80  
       Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                                   85                                   90                                   95  
 40   Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                                   100                                   105                                   110  
       Glu Asp Ser Ile Val Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                                   115                                   120                                   125  
 45   Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                                   135                                   140  
       Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
       145                                   150                                   155                                   160  
       Leu Arg Ser Lys Glu  
                                   165  
  
 50   <210> 103  
       <211> 165  
       <212> PRT  
       <213> Artificial Sequence  
  
 55   <220>  
       <223> L117I Mutant INF-alpha 2b  
  
       <400> 103  
 60   Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                                   5                                   10                                   15



-55-

Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 5 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 10 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Ile Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 15 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 20 Leu Arg Ser Lys Glu  
 165  
 <210> 104  
 <211> 165  
 <212> PRT  
 25 <213> Artificial Sequence  
 <220>  
 <223> K121Q Mutant INF-alpha 2b  
 30 <400> 104  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 35 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 40 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 45 Glu Asp Ser Ile Leu Ala Val Arg Gln Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 50 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 <210> 105  
 55 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 60 <223> K121T Mutant INF-alpha 2b

-56-

<400> 105  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 5 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 10 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 15 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Thr Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 20 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 25 <210> 106  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 30 <220>  
 <223> R125H Mutant INF-alpha 2b  
  
 <400> 106  
 35 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 40 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 45 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln His Ile Thr Leu  
 115 120 125  
 50 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 55 165  
  
 <210> 107  
 <211> 165  
 <212> PRT  
 60 <213> Artificial Sequence

-57-

<220>  
 <223> R125Q Mutant INF-alpha 2b

<400> 107  
 5 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
    1                  5          10                  15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20          25                  30  
 10 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
           35                  40                  45  
    Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
           50                  55                  60  
    Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
    65                  70                  75                  80  
 15 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
           85                  90                  95  
    Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
           100                 105                 110  
 20 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Gln Ile Thr Leu  
           115                 120                 125  
    Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
           130                 135                 140  
    Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                 150                 155                 160  
 25 Leu Arg Ser Lys Glu  
                   165

<210> 108  
 <211> 165  
 30 <212> PRT  
    <213> Artificial Sequence

<220>  
 <223> L128V Mutant INF-alpha 2b

<400> 108  
 35 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
    1                  5          10                  15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20          25                  30  
 40 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
           35                  40                  45  
    Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
           50                  55                  60  
 45 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
    65                  70                  75                  80  
    Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
           85                  90                  95  
    Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
           100                 105                 110  
 50 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Val  
           115                 120                 125  
    Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
           130                 135                 140  
 55 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                 150                 155                 160  
    Leu Arg Ser Lys Glu  
                   165

60 <210> 109  
    <211> 165

-58-

<212> PRT  
 <213> Artificial Sequence

5 <220>  
 <223> L128I Mutant INF-alpha 2b

<400> 109  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 10 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 15 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 20 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Ile  
 115 120 125  
 25 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

30  
 <210> 110  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

35 <220>  
 <223> K131Q Mutant INF-alpha 2b

<400> 110  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 45 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 50 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 55 Tyr Leu Gln Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 60 Leu Arg Ser Lys Glu  
 165

-59-

<210> 111  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

5

<220>  
 <223> K131T Mutant INF-alpha 2b

10

<400> 111  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 20 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 25 Tyr Leu Thr Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 30 Leu Arg Ser Lys Glu  
 165

<210> 112  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

35

<220>  
 <223> E132Q Mutant INF-alpha 2b

40

<400> 112  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 50 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 55 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Gln Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 60 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160

-60-

Leu Arg Ser Lys Glu  
165

5 <210> 113  
<211> 165  
<212> PRT  
<213> Artificial Sequence

10 <220>  
<223> E132H Mutant INF-alpha 2b

<400> 113  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
15 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
20 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
25 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
30 Tyr Leu Lys His Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
145 150 155 160  
Leu Arg Ser Lys Glu  
165

35 <210> 114  
<211> 165  
<212> PRT  
<213> Artificial Sequence

40 <220>  
<223> K133Q Mutant INF-alpha 2b

<400> 114  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
50 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
55 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
60 Tyr Leu Lys Glu Gln Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg

-61-

130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 5 Leu Arg Ser Lys Glu  
 165  
  
 <210> 115  
 <211> 165  
 <212> PRT  
 10 <213> Artificial Sequence  
  
 <220>  
 <223> K133T Mutant INF-alpha 2b  
 15 <400> 115  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 25 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 30 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Thr Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 35 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 <210> 116  
 <211> 165  
 <212> PRT  
 40 <213> Artificial Sequence  
  
 <220>  
 45 <223> K134Q Mutant INF-alpha 2b  
  
 <400> 116  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 50 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 55 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 60 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110



-62-

Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
           115                  120          125  
 Tyr Leu Lys Glu Lys Gln Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
           130                  135          140  
 5 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                  150                  155          160  
    Leu Arg Ser Lys Glu  
                   165

10 <210> 117  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence

15 <220>  
     <223> Y135H Mutant INF-alpha 2b

    <400> 117  
 20 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5          10          15  
       Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20          25          30  
       Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35          40          45  
 25 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55          60  
       Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                  70          75          80  
 30 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85          90          95  
       Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100          105          110  
       Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115          120          125  
 35 Tyr Leu Lys Glu Lys Lys His Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135          140  
       Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
       145                  150                  155          160  
       Leu Arg Ser Lys Glu  
                   165

40 <210> 118  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence

    <220>  
     <223> Y135I Mutant INF-alpha 2b

    <400> 118  
 50 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5          10          15  
       Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20          25          30  
 55 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
       35                  40          45  
       Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55          60  
       Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                  70          75          80  
 60 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu

-63-

	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
5					85				90						95	
				100					105					110		
	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120					125			
10	Tyr	Leu	Lys	Glu	Lys	Lys	Ile	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
			130				135					140				
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
					150						155					160
15	Leu	Arg	Ser	Lys	Glu											
					165											
	<210> 119															
	<211> 165															
20	<212> PRT															
	<213> Artificial Sequence															
	<220>															
	<223> P137A Mutant INF-alpha 2b															
25	<400> 119															
	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
					5					10					15	
	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
30				20				25					30			
	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Phe	Gln
			35				40					45				
	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe
35			50			55					60					
	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu
					70					75						80
	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu
40					85				90					95		
	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
			100					105						110		
	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
45			115				120					125				
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Ala	Cys	Ala	Trp	Glu	Val	Val	Arg
			130			135					140					
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
50					150						155					160
	Leu	Arg	Ser	Lys	Glu											
					165											
	<210> 120															
55	<211> 165															
	<212> PRT															
	<213> Artificial Sequence															
	<220>															
60	<223> M148V Mutant INF-alpha 2b															
	<400> 12															

-64-

```

    Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu
    65      70      75      80
    Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu
    85      90      95
5   Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys
    100      105      110
    Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu
    115      120      125
10  Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg
    130      135      140
    Ala Glu Ile Val Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser
    145      150      155      160
    Leu Arg Ser Lys Glu
    165
15
    <210> 121
    <211> 165
    <212> PRT
    <213> Artificial Sequence
20
    <220>
    <223> M148I Mutant INF-alpha 2b
    .
    <400> 121
25  Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met
    1      5      10      15
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp
    20      25      30
30  Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln
    35      40      45
    Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe
    50      55      60
    Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu
    65      70      75      80
35  Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu
    85      90      95
    Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys
    100      105      110
    Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu
    115      120      125
40  Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg
    130      135      140
    Ala Glu Ile Ile Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser
    145      150      155      160
45  Leu Arg Ser Lys Glu
    165
    <210> 122
    <211> 165
    <212> PRT
    <213> Artificial Sequence
50
    <220>
    <223> R149H Mutant INF-alpha 2b
55
    <400> 122
    Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met
    1      5      10      15
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp
    20      25      30
60  Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln

```

-65-

35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 5 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 10 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 15 Ala Glu Ile Met His Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 20 <210> 123  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 25 <220>  
 <223> R149Q Mutant INF-alpha 2b  
  
 <400> 123  
 30 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 35 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 40 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 45 Ala Glu Ile Met Gln Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 50 <210> 124  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 55 <220>  
 <223> E159Q Mutant INF-alpha 2b  
  
 <400> 124  
 60 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15

-66-

Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 5 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 10 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 15 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Gln Ser  
 145 150 155 160  
 20 Leu Arg Ser Lys Glu  
 165  
 <210> 125  
 <211> 165  
 <212> PRT  
 25 <213> Artificial Sequence  
 <220>  
 <223> E159H Mutant INF-alpha 2b  
 30 <400> 125  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 35 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 40 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 45 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln His Ser  
 145 150 155 160  
 50 Leu Arg Ser Lys Glu  
 165  
 <210> 126  
 55 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 60 <223> P4S Mutant INF-alpha 2b

-67-

<400> 126  
 Cys Asp Leu Ser Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 5 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 10 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 15 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 20 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

25 <210> 127  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

30 <220>  
 <223> Q5N/H7S Mutant INF-alpha 2b

<400> 127  
 Cys Asp Leu Pro Asn Thr Ser Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 35 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 40 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 45 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 50 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 55 165

<210> 128  
 <211> 165  
 <212> PRT  
 60 <213> Artificial Sequence

-68-

<220>  
 <223> Q5N/H7T Mutant INF-alpha 2b

<400> 128  
 5 Cys Asp Leu Pro Asn Thr Thr Ser Leu Gly Ser Arg Arg Thr Leu Met  
    1                  5                  10                  15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 10 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
    Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
                   50                  55                  60  
    Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
    65                  70                  75                  80  
 15 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
    Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
 20 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
    Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                   130                  135                  140  
    Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                  150                  155                  160  
 25 Leu Arg Ser Lys Glu  
                   165

<210> 129  
 <211> 165  
 30 <212> PRT  
    <213> Artificial Sequence

<220>  
 <223> T6N/S8S Mutant INF-alpha 2b

<400> 129  
 35 Cys Asp Leu Pro Gln Asn His Ser Leu Gly Ser Arg Arg Thr Leu Met  
    1                  5                  10                  15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 40 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
    Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
                   50                  55                  60  
 45 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
    65                  70                  75                  80  
    Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
    Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
 50 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
    Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                   130                  135                  140  
 55 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                  150                  155                  160  
    Leu Arg Ser Lys Glu  
                   165

60 <210> 130  
    <211> 165



-69-

<212> PRT  
 <213> Artificial Sequence

5 <220>  
 <223> S8N/G10S Mutant INF-alpha 2b

<400> 130  
 Cys Asp Leu Pro Gln Thr His Asn Leu Ser Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 10 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 15 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 20 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 25 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

30 <210> 131  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

35 <220>  
 <223> S8N/G10T Mutant INF-alpha 2b

<400> 131  
 40 Cys Asp Leu Pro Gln Thr His Asn Leu Thr Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 45 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 50 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 55 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 60 Leu Arg Ser Lys Glu  
 165

-70-

<210> 132  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

5

<220>  
 <223> M21N/R23S Mutant INF-alpha 2b

10

<400> 132  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Asn Arg Ser Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 20 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 25 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 30 Leu Arg Ser Lys Glu  
 165

35

<210> 133  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence

40

<220>  
 <223> R23N/S25T Mutant INF-alpha 2b

45

<400> 133  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Asn Ile Thr Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 50 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 55 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 60 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160

-71-

Leu Arg Ser Lys Glu  
165

5 <210> 134  
<211> 165  
<212> PRT  
<213> Artificial Sequence

10 <220>  
<223> I24N/L26S Mutant INF-alpha 2b

<400> 134  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
15 Leu Leu Ala Gln Met Arg Arg Asn Ser Ser Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
20 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
25 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
30 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
145 150 155 160  
Leu Arg Ser Lys Glu  
165

35 <210> 135  
<211> 165  
<212> PRT  
<213> Artificial Sequence

40 <220>  
<223> S25N/F27S Mutant INF-alpha 2b

<400> 135  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
Leu Leu Ala Gln Met Arg Arg Ile Asn Leu Ser Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
50 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
55 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
60 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg

-72-

130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 5  
 <210> 136  
 <211> 165  
 <212> PRT  
 10 <213> Artificial Sequence  
 <220>  
 <223> S25N/F27T Mutant INF-alpha 2b  
 15 <400> 136  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Asn Leu Thr Ser Cys Leu Lys Asp  
 20 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 25 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 30 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 35 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 <210> 137  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 45 <223> L26N/S28S Mutant INF-alpha 2b  
 <400> 137  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 50 Leu Leu Ala Gln Met Arg Arg Ile Ser Asn Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 60 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110

-73-

Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
           130                  135                  140  
 5 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                  150                  155                  160  
    Leu Arg Ser Lys Glu  
                   165

10 <210> 138  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence

15 <220>  
     <223> L26N/S28T Mutant INF-alpha 2b

    <400> 138  
 20 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5                  10                  15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Asn Phe Thr Cys Leu Lys Asp  
                   20                  25                  30  
    Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 25 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
    Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                  70                  75                  80  
 30 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
    Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
    Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 35 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
    Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
       145                  150                  155                  160  
    Leu Arg Ser Lys Glu  
                   165

40 <210> 139  
     <211> 165  
     <212> PRT  
 45 <213> Artificial Sequence

    <220>  
     <223> L30N/D32S Mutant INF-alpha 2b

    <400> 139  
 50 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5                  10                  15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Asn Lys Ser  
                   20                  25                  30  
 55 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
       35                  40                  45  
    Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
    Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                  70                  75                  80  
 60 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu

[illegible]

-75-

Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 5 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 10 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 15  
 <210> 142  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 20  
 <220>  
 <223> H34N/F36S Mutant INF-alpha 2b  
 <400> 142  
 25 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 30 Arg Asn Asp Ser Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 35 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 40 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 45 Leu Arg Ser Lys Glu  
 165  
 <210> 143  
 <211> 165  
 50 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 <223> H34N/F36T Mutant INF-alpha 2b  
 55 <400> 143  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 60 Arg Asn Asp Thr Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln



-76-

5 Lys Ala 35 Thr Ile Pro Val 40 Leu His Glu Met Ile 45 Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 10 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 15 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 20 <210> 144  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 25 <220>  
 <223> D35N/G37S Mutant INF-alpha 2b  
  
 <400> 144  
 30 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asn Phe Ser Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 35 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 40 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 45 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 50 <210> 145  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 55 <220>  
 <223> F36N/F38S Mutant INF-alpha 2b  
  
 <400> 145  
 60 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15

-77-

Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Asn Gly Ser Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 5 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 10 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 15 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 20 Leu Arg Ser Lys Glu  
 165  
 <210> 146  
 <211> 165  
 <212> PRT  
 25 <213> Artificial Sequence  
 <220>  
 <223> F36N/F38T Mutant INF-alpha 2b  
 30 <400> 146  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 35 Arg His Asp Asn Gly Thr Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 40 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 45 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 50 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 <210> 147  
 55 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 60 <223> G37N/P39T Mutant INF-alpha 2b

-78-

<400> 147  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 5 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Asn Phe Thr Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 10 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 15 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 20 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 25 <210> 148  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 30 <220>  
 <223> F38N/Q40S Mutant INF-alpha 2b  
  
 <400> 148  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 35 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Asn Pro Ser Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 40 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 45 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 50 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 55 <210> 149  
 <211> 165  
 <212> PRT  
 60 <213> Artificial Sequence

-79-

&lt;220&gt;

&lt;223&gt; F38N/Q40T Mutant INF-alpha 2b

&lt;400&gt; 149

5 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 10 Arg His Asp Phe Gly Asn Pro Thr Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 15 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 20 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 25 Leu Arg Ser Lys Glu  
 165

&lt;210&gt; 150

&lt;211&gt; 165

30

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; P39N/E41S Mutant INF-alpha 2b

35

&lt;400&gt; 150

Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 40 Arg His Asp Phe Gly Phe Asn Gln Ser Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 45 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 50 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 55 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

60

&lt;210&gt; 151

&lt;211&gt; 165

-80-

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

5 &lt;223&gt; P39N/E41T Mutant INF-alpha 2b

&lt;400&gt; 151

Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 10 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Asn Gln Thr Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 15 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 20 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 25 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

&lt;210&gt; 152

&lt;211&gt; 165

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

35

&lt;220&gt;

&lt;223&gt; Q40N/E42S Mutant INF-alpha 2b

&lt;400&gt; 152

Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 40 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Asn Glu Ser Phe Gly Asn Gln Phe Gln  
 35 40 45  
 45 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 50 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 55 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 60 Leu Arg Ser Lys Glu  
 165

-81-

<210> 153  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 5  
 <220>  
 <223> Q40N/E42T Mutant INF-alpha 2b  
 <400> 153  
 10 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
     1                    5                    10                    15  
     Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                     20                    25                    30  
 15 Arg His Asp Phe Gly Phe Pro Asn Glu Thr Phe Gly Asn Gln Phe Gln  
                     35                    40                    45  
     Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
                     50                    55                    60  
     Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
                     65                    70                    75                    80  
 20 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                     85                    90                    95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                     100                    105                    110  
 25 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                     115                    120                    125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                     130                    135                    140  
     Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
                     145                    150                    155                    160  
 30 Leu Arg Ser Lys Glu  
                     165  
  
 <210> 154  
 <211> 165  
 35 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 <223> E41N/F43S Mutant INF-alpha 2b  
 40 <400> 154  
     Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
         1                    5                    10                    15  
 45 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                     20                    25                    30  
     Arg His Asp Phe Gly Phe Pro Gln Asn Glu Ser Gly Asn Gln Phe Gln  
                     35                    40                    45  
     Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
                     50                    55                    60  
 50 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
                     65                    70                    75                    80  
     Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                     85                    90                    95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                     100                    105                    110  
 55 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                     115                    120                    125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                     130                    135                    140  
 60 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
                     145                    150                    155                    160

-82-

Leu Arg Ser Lys Glu  
165

5 <210> 155  
<211> 165  
<212> PRT  
<213> Artificial Sequence

10 <220>  
<223> E41N/F43T Mutant INF-alpha 2b

<400> 155  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
15 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Asn Glu Thr Gly Asn Gln Phe Gln  
35 40 45  
20 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
25 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
30 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
145 150 155 160  
Leu Arg Ser Lys Glu  
165

35 <210> 156  
<211> 165  
<212> PRT  
<213> Artificial Sequence

40 <220>  
<223> G44N/Q46S Mutant INF-alpha 2b

<400> 156  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
45 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Asn Asn Ser Phe Gln  
35 40 45  
50 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
55 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
60 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg



-83-

130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 5 Leu Arg Ser Lys Glu  
 165  
 <210> 157  
 <211> 165  
 <212> PRT  
 10 <213> Artificial Sequence  
 <220>  
 <223> G44N/Q46T Mutant INF-alpha 2b  
 15 <400> 157  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Asn Asn Thr Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 25 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 30 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 35 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 <210> 158  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 45 <223> .N45N/F47S Mutant INF-alpha 2b  
 <400> 158  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 50 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Ser Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 55 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 60 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110

-84-

Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
           130                  135                  140  
 5 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
    145                  150                  155                  160  
    Leu Arg Ser Lys Glu  
                   165  
  
 10 <210> 159  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence  
  
 15 <220>  
     <223> N45N/F47T Mutant INF-alpha 2b  
  
     <400> 159  
 20 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5                  10                  15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
    Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Thr Gln  
                   35                  40                  45  
 25 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
    Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                  70                  75                  80  
 30 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
    Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
    Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 35 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
    Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
       145                  150                  155                  160  
    Leu Arg Ser Lys Glu  
                   165  
  
     <210> 160  
     <211> 165  
     <212> PRT  
 45 <213> Artificial Sequence  
  
     <220>  
     <223> Q46N/Q48S Mutant INF-alpha 2b  
  
     <400> 160  
 50 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5                  10                  15  
    Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 55 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Asn Phe Ser  
       35                  40                  45  
    Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
    Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
       65                  70                  75                  80  
 60 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu

-85-

				85					90					95		
	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
				100					105					110		
5	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120					125			
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
		130					135					140				
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
	145					150					155					160
10	Leu	Arg	Ser	Lys	Glu											
					165											
	<210> 161															
	<211> 165															
15	<212> PRT															
	<213> Artificial Sequence															
	<220>															
20	<223> Q46N/Q48T Mutant INF-alpha 2b															
	<400> 161															
	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
	1				5					10					15	
25	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
			20						25				30			
	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Asn	Phe	Thr
			35					40					45			
	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe
		50					55					60				
30	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu
	65					70					75					80
	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu
					85					90					95	
	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
35					100				105					110		
	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120					125			
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
		130					135					140				
40	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
	145					150					155					160
	Leu	Arg	Ser	Lys	Glu											
					165											
45	<210> 162															
	<211> 165															
	<212> PRT															
	<213> Artificial Sequence															
50	<220>															
	<223> F47N/K49S Mutant INF-alpha 2b															
	<400> 162															
55	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
	1				5					10					15	
	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
			20						25				30			
	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Asn	Gln
			35					40					45			
60	Ser	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe
		50					55					60				

-86-

Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 5 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 10 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 15  
 <210> 163  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 20  
 <220>  
 <223> F47N/K49T Mutant INF-alpha 2b  
 <400> 163  
 25 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 30 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Asn Gln  
 35 40 45  
 Thr Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 35 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 40 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 45 Leu Arg Ser Lys Glu  
 165  
 <210> 164  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 50  
 <220>  
 <223> K49N/E51S Mutant INF-alpha 2b  
 55  
 <400> 164  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 60 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln

-87-

5                   35                                   40                                   45  
 Asn Ala Ser Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                                   55                                   60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65                                   70                                   75                                   80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                                   90                                   95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                                   105                                   110  
 10 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                                   120                                   125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                   130                                   135                                   140  
 15 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145                                   150                                   155                                   160  
 Leu Arg Ser Lys Glu  
                                   165  
  
 20                   <210> 165  
                   <211> 165  
                   <212> PRT  
                   <213> Artificial Sequence  
  
 25                   <220>  
                   <223> A75N/D77S Mutant INF-alpha 2b  
  
                   <400> 165  
 30 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                                   5                                   10                                   15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                                   25                                   30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                                   40                                   45  
 35 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                                   55                                   60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Asn Trp Ser Glu Thr Leu  
 65                                   70                                   75                                   80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                                   90                                   95  
 40 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                                   105                                   110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                                   120                                   125  
 45 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                                   135                                   140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145                                   150                                   155                                   160  
 Leu Arg Ser Lys Glu  
                                   165  
  
 50                   <210> 166  
                   <211> 165  
                   <212> PRT  
                   <213> Artificial Sequence  
  
 55                   <220>  
                   <223> I100N/G102S Mutant INF-alpha 2b  
  
                   <400> 166  
 60 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                                   5                                   10                                   15

-88-

Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 5 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   65                  70                  75                  80  
 10 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
 Ala Cys Val Asn Gln Ser Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 15 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
   145                  150                  155                  160  
 20 Leu Arg Ser Lys Glu  
                   165  
  
 <210> 167  
 <211> 165  
 <212> PRT  
 25 <213> Artificial Sequence  
  
 <220>  
 <223> I100N/G102T Mutant INF-alpha 2b  
  
 30 <400> 167  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
   1                  5                  10                  15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 35 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   65                  70                  75                  80  
 40 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
 Ala Cys Val Asn Gln Thr Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
 45 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
   145                  150                  155                  160  
 50 Leu Arg Ser Lys Glu  
                   165  
  
 <210> 168  
 55 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 <220>  
 60 <223> V103N/V105S Mutant INF-alpha 2b

-89-

<400> 168  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 5 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 10 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 15 Ala Cys Val Ile Gln Gly Asn Gly Ser Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 20 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 25 <210> 169  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
  
 30 <220>  
 <223> V103N/V105T Mutant INF-alpha 2b  
  
 <400> 169  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 35 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 40 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 45 Ala Cys Val Ile Gln Gly Asn Gly Thr Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 50 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
  
 55 <210> 170  
 <211> 165  
 <212> PRT  
 60 <213> Artificial Sequence

-90-

&lt;220&gt;

&lt;223&gt; G104N/T106T Mutant INF-alpha 2b

&lt;400&gt; 170

5 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 10 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 15 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Asn Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 20 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 25 Leu Arg Ser Lys Glu  
 165

&lt;210&gt; 171

&lt;211&gt; 165

30 &lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; V105N/E107S Mutant INF-alpha 2b

35

&lt;400&gt; 171

Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 40 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 45 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Asn Thr Ser Thr Pro Leu Met Lys  
 100 105 110  
 50 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 55 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

60 &lt;210&gt; 172

&lt;211&gt; 165



-91-

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

5 &lt;223&gt; T106N/T108S Mutant INF-alpha 2b

&lt;400&gt; 172

10 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 15 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 20 Ala Cys Val Ile Gln Gly Val Gly Val Asn Glu Ser Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 25 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165

30

&lt;210&gt; 173

&lt;211&gt; 165

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

35

&lt;220&gt;

&lt;223&gt; T106N/T108T Mutant INF-alpha 2b

&lt;400&gt; 173

40 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 45 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 50 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Asn Glu Thr Pro Leu Met Lys  
 100 105 110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 55 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
 145 150 155 160  
 60 Leu Arg Ser Lys Glu  
 165

-92-

<210> 174  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 5  
 <220>  
 <223> E107N/P109S Mutant INF-alpha 2b  
 <400> 174  
 10 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
     1                    5                    10                    15  
     Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                     20                    25                    30  
 15 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                     35                    40                    45  
     Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
                     50                    55                    60  
     Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
                     65                    70                    75                    80  
 20 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                     85                    90                    95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Asn Thr Ser Leu Met Lys  
                     100                    105                    110  
 25 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                     115                    120                    125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                     130                    135                    140  
     Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
                     145                    150                    155                    160  
 30 Leu Arg Ser Lys Glu  
                     165  
 <210> 175  
 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 35  
 <220>  
 <223> E107N/P109T Mutant INF-alpha 2b  
 40  
 <400> 175  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
     1                    5                    10                    15  
 45 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                     20                    25                    30  
     Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                     35                    40                    45  
     Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
                     50                    55                    60  
 50 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
                     65                    70                    75                    80  
     Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                     85                    90                    95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Asn Thr Thr Leu Met Lys  
                     100                    105                    110  
 55 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                     115                    120                    125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
                     130                    135                    140  
 60 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
                     145                    150                    155                    160

-93-

Leu Arg Ser Lys Glu  
165

5 <210> 176  
<211> 165  
<212> PRT  
<213> Artificial Sequence

10 <220>  
<223> K134N/S136T Mutant INF-alpha 2b

<400> 176  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
15 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
20 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
25 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
30 Tyr Leu Lys Glu Lys Asn Tyr Thr Pro Cys Ala Trp Glu Val Val Arg  
130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
145 150 155 160  
Leu Arg Ser Lys Glu  
165

35 <210> 177  
<211> 165  
<212> PRT  
<213> Artificial Sequence

40 <220>  
<223> L157N/E159S Mutant INF-alpha 2b

<400> 177  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
50 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
55 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
60 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg

-94-

130 135 140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Asn Gln Ser Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 5  
 <210> 178  
 <211> 165  
 <212> PRT  
 10 <213> Artificial Sequence  
 <220>  
 <223> L157N/E159T Mutant INF-alpha 2b  
 15 <400> 178  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 25 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110  
 30 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
 115 120 125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
 130 135 140  
 35 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Asn Gln Thr Ser  
 145 150 155 160  
 Leu Arg Ser Lys Glu  
 165  
 <210> 179  
 40 <211> 165  
 <212> PRT  
 <213> Artificial Sequence  
 <220>  
 45 <223> Q158N/S160T Mutant INF-alpha 2b  
 <400> 179  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
 1 5 10 15  
 50 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
 20 25 30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
 35 40 45  
 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
 50 55 60  
 55 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
 65 70 75 80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
 85 90 95  
 60 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
 100 105 110

-95-

Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
           115                  120          125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135          140  
 5 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Asn Glu Thr  
    145                  150          155          160  
   Leu Arg Ser Lys Glu  
                   165

10 <210> 180  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence

15 <220>  
     <223> E159N/L161S Mutant INF-alpha 2b

    <400> 180

20 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
    1                  5          10          15  
   Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20          25          30  
   Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35          40          45  
 25 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
    50                  55          60  
   Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   65                  70          75          80  
 30 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85          90          95  
   Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100         105         110  
   Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                  115         120         125  
 35 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
    130                 135         140  
   Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Asn Ser  
   145                 150         155         160  
   Ser Arg Ser Lys Glu  
                  165

40 <210> 181  
     <211> 165  
     <212> PRT  
     <213> Artificial Sequence

45 <220>  
     <223> E159N/L161T Mutant INF-alpha 2b

    <400> 181

50 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
    1                  5          10          15  
   Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20          25          30  
 55 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
    35                  40          45  
   Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
    50                  55          60  
   Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   60                  70          75          80  
   Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu

-96-

				85					90					95		
	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
				100					105					110		
5	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120				125				
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
		130					135					140				
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Asn	Ser
	145					150					155				160	
10	Thr	Arg	Ser	Lys	Glu											
				165												

	<210>	182	
	<211>	55	
15	<212>	DNA	
	<213>	Artificial Sequence	

	<220>	
	<223>	EcoRI Forward Primer
20		
	<400>	182
	gcctgtatga tttattggat gttggaattc cctgatgcgg tattttctcc ttacg	55

	<210>	183	
	<211>	55	
25	<212>	DNA	
	<213>	Artificial Sequence	

	<220>	
	<223>	EcoRI Reverse Primer
30		
	<400>	183
	cgtaaggaga aaataccgca tcagggaatt ccaacatcca ataaatcata caggc	55

35	<210>	184	
	<211>	35	
	<212>	DNA	
	<213>	Artificial Sequence	

40	<220>	
	<223>	Seq ClaI Forward Primer
	<400>	184
45	ctgattatca accgcggtac atatgattga catgc	35

	<210>	185	
	<211>	31	
	<212>	DNA	
	<213>	Artificial Sequence	
50	<220>		
	<223>	Seq ClaI Reverse Primer	
	<400>	185	
55	tacgggataa taccgcgcca catagcagaa c	31	

	<210>	186	
	<211>	18	
	<212>	DNA	
60	<213>	Artificial Sequence	

-97-

<220>  
<223> Seq Forward Primer

5 <400> 186  
cctgatgaag gaggactc 18

<210> 187  
<211> 18  
<212> DNA  
10 <213> Artificial Sequence

<220>  
<223> Seq Reverse Primer

15 <400> 187  
ccaagcagca gatgagtc 18

<210> 188  
<211> 31  
20 <212> DNA  
<213> Artificial Sequence

<220>  
<223> IFN alpha-2b 5' Primer

25 <400> 188  
tcagctgcaa gtcaagctgc tctgtgggct g 31

<210> 189  
30 <211> 48  
<212> DNA  
<213> Artificial Sequence

<220>  
35 <223> IFN alpha-2b 3' Primer

<400> 189  
gctctagatc attccttact tcttaaactt tcttgcaagt ttgttgac 48

40 <210> 190  
<211> 36  
<212> DNA  
<213> Artificial Sequence

45 <220>  
<223> IFN alpha-2b HindIII Primer

<400> 190  
50 cccaagctta tggccttgac ctttgcttta ctggtg 36

<210> 191  
<211> 48  
<212> DNA  
<213> Artificial Sequence

55 <220>  
<223> IFN alpha-2b XbaI Primer

<400> 191  
60 gctctagatc attccttact tcttaaactt tcttgcaagt ttgttgac 48

-98-

5 <210> 192  
<211> 80  
<212> DNA  
<213> Artificial Sequence  
<220>  
<223> IFN alpha-2b 80 bp 5' Primer

10 <400> 192  
cccaagctta tggccttgac ctttgcttta ctggtggccc tcctggtgct cagctgcaag 60  
tcaagctgct ctgtgggctg

15 <210> 193  
<211> 20  
<212> DNA  
<213> Artificial Sequence  
<220>  
<223> EMCV Forward Primer

20 <400> 193  
cccctacatt gaggcattcca 20

25 <210> 194  
<211> 21  
<212> DNA  
<213> Artificial Sequence  
<220>  
<223> EMCV Reverse Primer

30 <400> 194  
caggagcagg acaagggtcac t 21

35 <210> 195  
<211> 24  
<212> DNA  
<213> Artificial Sequence

40 <220>  
<223> EMCV Probe

45 <221> misc\_feature  
<222> 1  
<223> n is FAM

50 <221> misc\_feature  
<222> 24  
<223> n is TAMR A

55 <400> 195  
ncagccgtca agaccaacc gctn 24

60 <210> 196  
<211> 165  
<212> PRT  
<213> Homo sapiens

60 <400> 196  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15



-99-

Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 5 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   65                  70                  75                  80  
 10 Leu Asp Lys Phe Tyr Thr Glu Leu His Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100                  105                  110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 15 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
   145                  150                  155                  160  
 20 Leu Arg Ser Lys Glu  
                   165  
  
 <210> 197  
 <211> 165  
 <212> PRT  
 25 <213> Homo sapiens  
  
 <400> 197  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
   1                  5                  10                  15  
 30 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
                   35                  40                  45  
 35 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55                  60  
 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   65                  70                  75                  80  
 Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85                  90                  95  
 40 Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Val Lys  
                   100                  105                  110  
 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
                   115                  120                  125  
 45 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                  135                  140  
 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Pro Glu Ser  
   145                  150                  155                  160  
 Leu Arg Ser Lys Glu  
                   165  
  
 50 <210> 198  
     <211> 165  
     <212> PRT  
     <213> Homo sapiens  
  
 55 <400> 198  
 Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
   1                  5                  10                  15  
 60 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20                  25                  30  
 Arg His Asp Phe Gly Phe Pro Gln His Glu Phe Gly Asp Gln Phe Gln

-100-

		35		40		45											
	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe	
		50					55					60					
5	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu	
	65					70				75				80			
	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	His	Gln	Gln	Leu	Asn	Asp	Leu	Glu	
					85					90				95			
	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys	
				100					105					110			
10	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu	
			115					120					125				
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg	
		130					135					140					
15	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser	
	145					150					155					160	
	Leu	Arg	Ser	Lys	Glu												
					165												
20	<210> 199																
	<211> 165																
	<212> PRT																
	<213> Homo sapiens																
25	<400> 199																
	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met	
	1				5					10				15			
	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp	
			20						25				30				
30	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Gln	Glu	Phe	Gly	Asn	Gln	Phe	Gln	
			35					40					45				
	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe	
		50					55					60					
	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu	
	65					70				75				80			
35	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Gly	Leu	Glu	
					85					90				95			
	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys	
			100						105					110			
40	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu	
			115					120					125				
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg	
		130					135					140					
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser	
	145					150					155					160	
45	Leu	Arg	Ser	Lys	Glu												
					165												
50	<210> 200																
	<211> 165																
	<212> PRT																
	<213> Homo sapiens																
55	<400> 200																
	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met	
	1				5					10				15			
	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Val	Ser	Cys	Leu	Lys	Asp	
			20						25				30				
	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Phe	Gln	
			35					40					45				
60	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Gln	Met	Ile	Gln	Gln	Ile	Phe	
		50					55					60					

-101-

	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu
	65					70					75					80
	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu
					85					90					95	
5	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
				100					105					110		
	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120					125			
10	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
	130						135					140				
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
	145					150					155					160
	Leu	Arg	Ser	Lys	Glu											
					165											
15																
	<210> 201															
	<211> 165															
	<212> PRT															
	<213> Homo sapiens															
20																
	<400> 201															
	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
	1				5					10					15	
25	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
				20					25					30		
	His	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Phe	Gln
			35					40					45			
	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	His	Met	Ile	Gln	Gln	Ile	Phe
	50						55					60				
30	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	His	Thr	Leu
	65					70					75					80
	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu
					85					90					95	
35	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Val	Met	Lys
				100					105					110		
	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Lys	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120					125			
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
	130						135					140				
40	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
	145					150					155					160
	Leu	Arg	Ser	Lys	Glu											
					165											
45																
	<210> 202															
	<211> 165															
	<212> PRT															
	<213> Homo sapiens															
50																
	<400> 202															
	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
	1				5					10					15	
	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
				20					25					30		
55	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Phe	Gln
			35					40					45			
	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe
	50						55					60				
60	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu
	65					70					75					80
	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu

-102-

				85					90					95		
	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Ala	Leu	Met	Lys
				100					105					110		
5	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Gln	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120				125				
	Tyr	Leu	Lys	Glu	Lys	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
		130					135					140				
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
10		145				150					155					160
	Leu	Arg	Ser	Lys	Glu											
				165												
	<210> 203															
	<211> 165															
15	<212> PRT															
	<213> Homo sapiens															
	<400> 203															
20	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
	1				5					10					15	
	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
				20					25				30			
	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Phe	Gln
		35					40					45				
25	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe
		50				55				60						
	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu
	65					70				75						80
30	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu
				85					90				95			
	Ala	Cys	Val	Ile	Gln	Arg	Val	Gly	Val	Thr	Glu	Thr	Ala	Leu	Met	Lys
				100					105					110		
	Glu	Asp	Ser	Ile	Leu	Ala	Val	Arg	Gln	Tyr	Phe	Gln	Arg	Ile	Thr	Leu
			115					120				125				
35	Tyr	Leu	Lys	Glu	Gln	Lys	Tyr	Ser	Pro	Cys	Ala	Trp	Glu	Val	Val	Arg
		130					135					140				
	Ala	Glu	Ile	Met	Arg	Ser	Phe	Ser	Leu	Ser	Thr	Asn	Leu	Gln	Glu	Ser
	145					150					155					160
40	Leu	Arg	Ser	Lys	Glu											
				165												
	<210> 204															
	<211> 165															
	<212> PRT															
45	<213> Homo sapiens															
	<400> 204															
50	Cys	Asp	Leu	Pro	Gln	Thr	His	Ser	Leu	Gly	Ser	Arg	Arg	Thr	Leu	Met
	1				5					10					15	
	Leu	Leu	Ala	Gln	Met	Arg	Arg	Ile	Ser	Leu	Phe	Ser	Cys	Leu	Lys	Asp
				20					25				30			
	Arg	His	Asp	Phe	Gly	Phe	Pro	Gln	Glu	Glu	Phe	Gly	Asn	Gln	Phe	Gln
		35					40					45				
55	Lys	Ala	Glu	Thr	Ile	Pro	Val	Leu	His	Glu	Met	Ile	Gln	Gln	Ile	Phe
		50				55				60						
	Asn	Leu	Phe	Ser	Thr	Lys	Asp	Ser	Ser	Ala	Ala	Trp	Asp	Glu	Thr	Leu
	65					70				75						80
	Leu	Asp	Lys	Phe	Tyr	Thr	Glu	Leu	Tyr	Gln	Gln	Leu	Asn	Asp	Leu	Glu
				85					90				95			
60	Ala	Cys	Val	Ile	Gln	Gly	Val	Gly	Val	Thr	Glu	Thr	Pro	Leu	Met	Lys
				100					105					110		

-103-

Glu Asp Ser Ile Val Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
           115                  120          125  
 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Gly Trp Glu Val Val Arg  
       130                  135          140  
 5 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
   145                  150          155          160  
 Leu Arg Ser Lys Glu  
                   165

10 <210> 205  
     <211> 165  
     <212> PRT  
     <213> Homo sapiens

15 <400> 205  
     Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5          10          15  
     Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20          25          30

20 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
       35                  40          45  
     Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55          60

25 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   65                  70          75          80  
     Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
                   85          90          95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Val Lys  
                   100         105         110

30 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln His Ile Thr Leu  
       115                 120         125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
       130                 135         140

35 Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Pro Glu Ser  
   145                 150         155         160  
     Leu Arg Ser Lys Glu  
                   165

40 <210> 206  
     <211> 165  
     <212> PRT  
     <213> Homo sapiens

45 <400> 206  
     Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
       1                  5          10          15  
     Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
                   20          25          30

50 Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
       35                  40          45  
     Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
       50                  55          60

55 Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
   65                  70          75          80  
     Leu Asp Lys Phe Tyr Thr Glu Leu His Gln Gln Leu Asn Asp Leu Glu  
                   85          90          95  
     Ala Cys Val Ile Gln Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
                   100         105         110

60 Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
       115                 120         125  
     Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg

-104-

130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln His Ser  
145 150 155 160  
5 Leu Arg Ser Lys Glu  
165

<210> 207  
<211> 165  
<212> PRT  
10 <213> Homo sapiens

<400> 207  
Cys Asp Leu Pro Gln Thr His Ser Leu Gly Ser Arg Arg Thr Leu Met  
1 5 10 15  
15 Leu Leu Ala Gln Met Arg Arg Ile Ser Leu Phe Ser Cys Leu Lys Asp  
20 25 30  
Arg His Asp Phe Gly Phe Pro Gln Glu Glu Phe Gly Asn Gln Phe Gln  
35 40 45  
20 Lys Ala Glu Thr Ile Pro Val Leu His Glu Met Ile Gln Gln Ile Phe  
50 55 60  
Asn Leu Phe Ser Thr Lys Asp Ser Ser Ala Ala Trp Asp Glu Thr Leu  
65 70 75 80  
Leu Asp Lys Phe Tyr Thr Glu Leu Tyr Gln Gln Leu Asn Asp Leu Glu  
85 90 95  
25 Ala Cys Val Ile Ala Gly Val Gly Val Thr Glu Thr Pro Leu Met Lys  
100 105 110  
Glu Asp Ser Ile Leu Ala Val Arg Lys Tyr Phe Gln Arg Ile Thr Leu  
115 120 125  
30 Tyr Leu Lys Glu Lys Lys Tyr Ser Pro Cys Ala Trp Glu Val Val Arg  
130 135 140  
Ala Glu Ile Met Arg Ser Phe Ser Leu Ser Thr Asn Leu Gln Glu Ser  
145 150 155 160  
Leu Arg Ser Lys Glu  
165

35 <210> 208  
<211> 41  
<212> DNA  
<213> Artificial Sequence

40 <220>  
<223> Oligonucleotide

<400> 208  
45 aacatatgtg tgatctgcct caaacccaca gcctgggtag c 41

<210> 209  
<211> 46  
<212> DNA  
50 <213> Artificial Sequence

<220>  
<223> Oligonucleotide

55 <400> 209  
aaggatcctc attccttact tcttaaactt tcttgcaagt ttgttg 46

<210> 210  
<211> 41  
60 <212> DNA  
<213> Artificial Sequence

-105-

<220>  
 <223> Oligonucleotide

5 <400> 210  
 aacatatgtg tgatctgcct caaaccacaca gcctgggtag c 41

<210> 211  
 <211> 46  
 <212> DNA  
 10 <213> Artificial Sequence

<220>  
 <223> Oligonucleotide

15 <400> 211  
 aaggatcctc attccttact tcttaaactt tcttgcaagt ttgttg 46

<210> 212  
 <211> 166  
 20 <212> PRT  
 <213> Homo sapiens

<400> 212  
 25 Val Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 30 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 35 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 40 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 45 Thr Gly Tyr Leu Arg Asn  
 165

<210> 213  
 <211> 166  
 <212> PRT  
 50 <213> Homo sapiens

<400> 213  
 55 Ile Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 60 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn

-106-

	65				70				75				80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His
					85				90				95
5	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu
				100					105				110
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr
			115					120				125	
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys
		130					135					140	
10	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile
	145					150					155		
	Thr	Gly	Tyr	Leu	Arg	Asn							
					165								
15	<210> 214												
	<211> 166												
	<212> PRT												
	<213> Homo sapiens												
20	<400> 214												
	Thr	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser
	1				5					10			15
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu
			20						25			30	
25	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys
			35					40				45	
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu
		50				55					60		
30	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr
	65				70					75			80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His
					85				90				95
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu
			100						105				110
35	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr
			115					120				125	
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys
		130					135					140	
40	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile
	145					150					155		
	Thr	Gly	Tyr	Leu	Arg	Asn							
					165								
45	<210> 215												
	<211> 166												
	<212> PRT												
	<213> Homo sapiens												
50	<400> 215												
	Ala	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser
	1				5					10			15
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu
			20						25			30	
55	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys
			35					40				45	
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu
		50				55					60		
60	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr
	65				70					75			80



-107-

Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                                   85                                  90                                  95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                                   100                                  105                                  110  
 5 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                                   115                                  120                                  125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                                   130                                  135                                  140  
 10 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
     145                                  150                                  155                                  160  
 Thr Gly Tyr Leu Arg Asn  
                                   165

<210> 216  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

<400> 216  
 20 Met Ser Tyr Asn Val Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
     1                                  5                                  10                                  15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                                   20                                  25                                  30  
 25 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                                   35                                  40                                  45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
                                   50                                  55                                  60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
     65                                  70                                  75                                  80  
 30 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                                   85                                  90                                  95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                                   100                                  105                                  110  
 35 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                                   115                                  120                                  125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                                   130                                  135                                  140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
     145                                  150                                  155                                  160  
 40 Thr Gly Tyr Leu Arg Asn  
                                   165

<210> 217  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

<400> 217  
 50 Met Ser Tyr Asn Ile Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
     1                                  5                                  10                                  15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                                   20                                  25                                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                                   35                                  40                                  45  
 55 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
                                   50                                  55                                  60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
     65                                  70                                  75                                  80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                                   85                                  90                                  95  
 60 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr

-108-

			100					105				110				
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
5	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
10	<210> 218 <211> 166 <212> PRT <213> Homo sapiens															
15	<400> 218 Met Ser Tyr Asn Thr Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln 1 5 10 15 Cys Gln Lys Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu 20 25 30															
20	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
	50					55					60					
25	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70				75						80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90				95		
30	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105				110			
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
35	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
40	<210> 219 <211> 166 <212> PRT <213> Homo sapiens															
45	<400> 219 Met Ser Tyr Asn Gln Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln 1 5 10 15 Cys Gln Lys Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu 20 25 30															
50	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
	50					55					60					
55	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70				75						80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90				95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105				110			
60	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			

-109-

Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
     130                    135                    140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
   145                    150                    155                    160  
 5 Thr Gly Tyr Leu Arg Asn  
                     165

<210> 220  
 <211> 166  
 10 <212> PRT  
     <213> Homo sapiens

<400> 220  
 15 Met Ser Tyr Asn His Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
     1                    5                    10                    15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                     20                    25                    30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                     35                    40                    45  
 20 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
     50                    55                    60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
   65                    70                    75                    80  
 25 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                     85                    90                    95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                     100                    105                    110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                     115                    120                    125  
 30 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
     130                    135                    140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
   145                    150                    155                    160  
 35 Thr Gly Tyr Leu Arg Asn  
                     165

<210> 221  
 <211> 166  
 40 <212> PRT  
     <213> Homo sapiens

<400> 221  
 45 Met Ser Tyr Asn Ala Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
     1                    5                    10                    15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                     20                    25                    30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                     35                    40                    45  
 50 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
     50                    55                    60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
   65                    70                    75                    80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                     85                    90                    95  
 55 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                     100                    105                    110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                     115                    120                    125  
 60 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
     130                    135                    140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu

-110-

	145				150				155					160
	Thr	Gly	Tyr	Leu	Arg	Asn								
					165									

5 <210> 222  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10 <400> 222  
 Met Ser Tyr Asn Leu Leu Gly Ile Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30

15 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60

20 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110

25 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140

30 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

35 <210> 223  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40 <400> 223  
 Met Ser Tyr Asn Leu Leu Gly Val Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30

45 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60

50 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110

55 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140

60 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

-111-

<210> 224  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

5

<400> 224  
 Met Ser Tyr Asn Leu Leu Gly Phe Val Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 10 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 15 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 25 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

30

<210> 225  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35

<400> 225  
 Met Ser Tyr Asn Leu Leu Gly Phe Ile Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 45 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 50 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

55

<210> 226  
 <211> 166  
 <212> PRT

60

-112-

&lt;213&gt; Homo sapiens

&lt;400&gt; 226

5 Met Ser Tyr Asn Leu Leu Gly Phe Thr Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 10 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 15 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 20 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 25

&lt;210&gt; 227

&lt;211&gt; 166

&lt;212&gt; PRT

30 &lt;213&gt; Homo sapiens

&lt;400&gt; 227

Met Ser Tyr Asn Leu Leu Gly Phe Gln Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 35 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 40 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 45 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 55

&lt;210&gt; 228

&lt;211&gt; 166

&lt;212&gt; PRT

60 &lt;213&gt; Homo sapiens

&lt;400&gt; 228

-113-

	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	His	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
5	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
10	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75					80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
15	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
20	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
25	<210> 229															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
30	<400> 229															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Ala	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
35	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75					80
40	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
45	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
50	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
55	<210> 230															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
60	<400> 230															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	His	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu

-114-

			20					25				30				
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35					40					45			
5	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
10	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
			100					105					110			
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
		115					120					125				
15	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
	130					135						140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145				150						155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
				165												
20																
	<210>	231														
	<211>	166														
	<212>	PRT														
	<213>	Homo sapiens														
25																
	<400>	231														
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Gln	Ser	Ser	Asn	Phe	Gln
	1			5					10					15		
30	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
			20					25					30			
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
	50					55					60					
35	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70				75						80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
40	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
			100					105					110			
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
		115					120					125				
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
	130					135						140				
45	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145				150						155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
				165												
50																
	<210>	232														
	<211>	166														
	<212>	PRT														
	<213>	Homo sapiens														
55																
	<400>	232														
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Ile	Gln
	1			5					10					15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
			20					25					30			
60	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				



-115-

Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 5 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 10 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 15 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 233  
 <211> 166  
 20 <212> PRT  
 <213> Homo sapiens  
  
 <400> 233  
 25 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Val Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 30 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 35 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 40 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 45 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 234  
 <211> 166  
 <212> PRT  
 50 <213> Homo sapiens  
  
 <400> 234  
 55 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Gln Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 60 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn

-116-

	65				70					75				80		
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90				95		
5	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
10	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
15	<210> 235															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
20	<400> 235															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Thr	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
25	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
30	65				70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
35	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
40	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
45	<210> 236															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
50	<400> 236															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Ser	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
55	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
60	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		

-117-

His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 5 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 10  
 <210> 237  
 <211> 166  
 <212> PRT  
 15 <213> Homo sapiens  
 <400> 237  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 20 Cys Gln His Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 25 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 30 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 40  
 <210> 238  
 <211> 166  
 <212> PRT  
 45 <213> Homo sapiens  
 <400> 238  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 50 Cys Gln Lys Leu Leu Ser Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 55 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 60 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg

-118-

115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
  
 10 <210> 239  
 <211> 165  
 <212> PRT  
 <213> Homo sapiens  
  
 15 <400> 239  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu His Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 25 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 30 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 35 Thr Gly Tyr Leu Arg  
 165  
  
 40 <210> 240  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 45 <400> 240  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu His Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 50 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 55 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 60 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140

-119-

Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

5  
 <210> 241  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10  
 <400> 241  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Ser Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 20 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 25 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 30 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

35  
 <210> 242  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40  
 <400> 242  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Gln Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 45 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 55 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 60 Thr Gly Tyr Leu Arg Asn

-120-

165

5 <210> 243  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10 <400> 243  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly His Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 15 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 20 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 25 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 30 Thr Gly Tyr Leu Arg Asn  
 165

35 <210> 244  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40 <400> 244  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Gln Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 45 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 55 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

60 <210> 245

-121-

<211> 166  
 <212> PRT  
 <213> Homo sapiens

5 <400> 245  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Val Glu Tyr Cys Leu  
 20 25 30  
 10 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 15 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 20 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 25 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

30 <210> 246  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35 <400> 246  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Ile Glu Tyr Cys Leu  
 20 25 30  
 40 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 45 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

60 <210> 247  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

-122-

<400> 247  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 5 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Thr Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 10 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 15 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 20 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

25 <210> 248  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

30 <400> 248  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Gln Glu Tyr Cys Leu  
 20 25 30  
 35 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 40 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 45 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 50 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

55 <210> 249  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

60 <400> 249  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15



-123-

Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg His Glu Tyr Cys Leu  
                   20                  25                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                  40                  45  
 5 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50                  55                  60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
   65                  70                  75                  80  
 10 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85                  90                  95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                   100                  105                  110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                   115                  120                  125  
 15 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
       130                  135                  140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
   145                  150                  155                  160  
 20 Thr Gly Tyr Leu Arg Asn  
                   165  
  
 <210> 250  
 <211> 166  
 <212> PRT  
 25 <213> Homo sapiens  
  
 <400> 250  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
   1                  5                  10                  15  
 30 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Ala Glu Tyr Cys Leu  
                   20                  25                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                  40                  45  
 35 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50                  55                  60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
   65                  70                  75                  80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85                  90                  95  
 40 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                   100                  105                  110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                   115                  120                  125  
 45 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
       130                  135                  140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
   145                  150                  155                  160  
 Thr Gly Tyr Leu Arg Asn  
                   165  
  
 50 <210> 251  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens  
  
 55 <400> 251  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
   1                  5                  10                  15  
 60 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Gln Tyr Cys Leu  
                   20                  25                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln

-124-

			35				40				45					
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50					55					60				
5	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75				80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
			100					105					110			
10	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
15	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
20	<210> 252															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
25	<400> 252															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	His	Tyr	Cys	Leu
			20					25					30			
30	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50					55					60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70				75					80	
35	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90				95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
			100					105					110			
40	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
45	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
50	<210> 253															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
55	<400> 253															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	His	Cys	Leu
			20					25					30			
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				
60	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50					55					60				

-125-

	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75					80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
5	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
10	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
15																
	<210> 254															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
20																
	<400> 254															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
25	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Ile	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55				60					
30	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75					80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
35	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
40	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
45																
	<210> 255															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
50																
	<400> 255															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Val
				20					25					30		
55	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55				60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
60	65					70					75					80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn

-126-

				85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
5	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
			130				135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
10	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
	<210> 256															
	<211> 166															
15	<212> PRT															
	<213> Homo sapiens															
	<400> 256															
20	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Ile
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
25	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
30	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
35	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
40	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
	<210> 257															
	<211> 166															
	<212> PRT															
45	<213> Homo sapiens															
	<400> 257															
50	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Thr
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
55	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
60	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		

-127-

Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
           115                          120          125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
           130                          135          140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
    145                          150          155          160  
    Thr Gly Tyr Leu Arg Asn  
                           165

10 <210> 258  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens

15 <400> 258  
    Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1                  5          10          15  
    Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Gln  
                   20                  25          30

20 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
       35                  40          45  
    Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50                  55          60

25 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
    65                  70          75          80  
    Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85          90          95

30 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
       100                  105          110  
    Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
       115                  120          125

35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
    130                  135          140  
    Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
    145                  150          155          160  
    Thr Gly Tyr Leu Arg Asn  
                           165

40 <210> 259  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens

45 <400> 259  
    Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1                  5          10          15  
    Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys His  
                   20                  25          30

50 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
       35                  40          45  
    Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50                  55          60

55 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
    65                  70          75          80  
    Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85          90          95

60 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
       100                  105          110  
    Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
       115                  120          125  
    Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr

-128-

130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 5 165  
  
 <210> 260  
 <211> 166  
 <212> PRT  
 10 <213> Homo sapiens  
  
 <400> 260  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 15 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Ala  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 25 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 30 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 35 165  
  
 <210> 261  
 <211> 166  
 <212> PRT  
 40 <213> Homo sapiens  
  
 <400> 261  
 Gln Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 45 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 60 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160

-129-

Thr Gly Tyr Leu Arg Asn  
165

5 <210> 262  
<211> 166  
<212> PRT  
<213> Homo sapiens

10 <400> 262  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
15 Gln Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
65 70 75 80  
20 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
25 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
30 Thr Gly Tyr Leu Arg Asn  
165

35 <210> 263  
<211> 166  
<212> PRT  
<213> Homo sapiens

40 <400> 263  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
Thr Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
45 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
65 70 75 80  
50 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
60 Thr Gly Tyr Leu Arg Asn  
165

-130-

<210> 264  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

5

<400> 264  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Ser Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

10

15

20

25

30

<210> 265  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35

<400> 265  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 His Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

40

45

50

55

60

<210> 266  
 <211> 166  
 <212> PRT



-131-

&lt;213&gt; Homo sapiens

&lt;400&gt; 266

5 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp His Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 10 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 15 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 20 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 25 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 267

&lt;211&gt; 166

&lt;212&gt; PRT

30 &lt;213&gt; Homo sapiens

&lt;400&gt; 267

Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 35 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Gln Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 40 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 45 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 268

&lt;211&gt; 166

&lt;212&gt; PRT

60 &lt;213&gt; Homo sapiens

&lt;400&gt; 268

-132-

	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
5	Lys	Asp	Arg	Val	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
10	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70				75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
15	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115				120						125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
20	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
25	<210> 269															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
30	<400> 269															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
35	Lys	Asp	Arg	Ile	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70				75					80	
40	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
45	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115				120						125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
50	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
55	<210> 270															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
60	<400> 270															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu

-133-

			20				25				30					
	Lys	Asp	Arg	Thr	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40					45				
5	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
10	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
			100					105					110			
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
15		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145				150						155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
				165												
20																
	<210>	271														
	<211>	166														
	<212>	PRT														
	<213>	Homo sapiens														
25																
	<400>	271														
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
30	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
			20						25				30			
	Lys	Asp	Arg	Gln	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55					60					
35	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
40			100					105					110			
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
45	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145				150						155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
				165												
50																
	<210>	272														
	<211>	166														
	<212>	PRT														
	<213>	Homo sapiens														
55																
	<400>	272														
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
			20						25				30			
60	Lys	Asp	Arg	Ala	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				

-134-

Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 5 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 10 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 15 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 273  
 <211> 166  
 20 <212> PRT  
 <213> Homo sapiens  
  
 <400> 273  
 25 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 30 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 35 Glu Thr Ile Val Gln Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 40 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 45 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 274  
 <211> 166  
 <212> PRT  
 50 <213> Homo sapiens  
  
 <400> 274  
 55 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 60 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn

-135-

	65				70				75				80
	Glu	Thr	Ile	Val	His	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His
					85				90				95
5	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu
				100					105				110
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr
			115					120				125	
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys
		130					135				140		
10	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile
						150					155		
	Thr	Gly	Tyr	Leu	Arg	Asn							160
					165								
15	<210> 275												
	<211> 166												
	<212> PRT												
	<213> Homo sapiens												
20	<400> 275												
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser
	1				5					10			15
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu
				20					25				30
25	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys
			35				40					45	
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met
		50				55				60			
30	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr
	65				70					75			80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	His	His
					85				90				95
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu
				100					105				110
35	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr
			115					120				125	
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys
		130					135				140		
40	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile
						150					155		
	Thr	Gly	Tyr	Leu	Arg	Asn							160
					165								
45	<210> 276												
	<211> 166												
	<212> PRT												
	<213> Homo sapiens												
50	<400> 276												
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser
	1				5					10			15
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu
				20					25				30
55	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys
			35				40					45	
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met
		50				55				60			
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr
	65				70					75			80
60	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Ile	His
					85				90				95

-136-

His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 5 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 10  
 <210> 277  
 <211> 166  
 <212> PRT  
 15 <213> Homo sapiens  
 <400> 277  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 20 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 25 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 30 His Leu Gln Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 40  
 <210> 278  
 <211> 166  
 <212> PRT  
 45 <213> Homo sapiens  
 <400> 278  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 50 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 55 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Thr Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 60 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg

-137-

115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 279  
 10 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 279  
 15 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 25 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Ser Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 30 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 35 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 280  
 40 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 280  
 45 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 50 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 55 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu His Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 60 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140

-138-

Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

5

<210> 281  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10

<400> 281  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Gln Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

15

20

25

30

35

<210> 282  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40

<400> 282  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu His Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn

45

50

55

60



-139-

165

5 <210> 283  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10 <400> 283  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 15 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 20 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Gln Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 25 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 30 Thr Gly Tyr Leu Arg Asn  
 165

35 <210> 284  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40 <400> 284  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 45 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu His Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

60 <210> 285

-140-

<211> 166  
 <212> PRT  
 <213> Homo sapiens

5 <400> 285  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 10 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 15 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Gln Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 20 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 25 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

30 <210> 286  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35 <400> 286  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 40 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 45 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Thr Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

60 <210> 287  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

-141-

<400> 287  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 5 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 10 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 15 His Leu Lys Thr Val Leu Glu Glu Ser Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 20 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 25 <210> 288  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 30 <400> 288  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 35 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 40 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu His Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 45 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 50 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 55 <210> 289  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 60 <400> 289  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15

-142-

Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                  40                  45  
 5 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50                  55                  60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
       65                  70                  75                  80  
 10 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85                  90                  95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                   100                  105                  110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                   115                  120                  125  
 15 Ile Leu His Tyr Leu Lys Ala Lys Glu His Ser His Cys Ala Trp Thr  
       130                  135                  140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
       145                  150                  155                  160  
 20 Thr Gly Tyr Leu Arg Asn  
                   165  
  
 <210> 290  
 <211> 166  
 <212> PRT  
 25 <213> Homo sapiens  
  
 <400> 290  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1                  5                  10                  15  
 30 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                  40                  45  
 35 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50                  55                  60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
       65                  70                  75                  80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85                  90                  95  
 40 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                   100                  105                  110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                   115                  120                  125  
 45 Ile Leu His Tyr Leu Lys Ala Lys Glu Ile Ser His Cys Ala Trp Thr  
       130                  135                  140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
       145                  150                  155                  160  
 Thr Gly Tyr Leu Arg Asn  
                   165  
  
 50 <210> 291  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 291  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1                  5                  10                  15  
 60 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln

-143-

		35		40		45											
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55					60					
5	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn	
	65					70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn	
					85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr	
				100					105					110			
10	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg	
			115					120					125				
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr	
		130					135					140					
15	Ile	Val	Arg	Val	Glu	Ile	Leu	His	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu	
	145					150					155					160	
	Thr	Gly	Tyr	Leu	Arg	Asn											
					165												
20	<210> 292																
	<211> 166																
	<212> PRT																
	<213> Homo sapiens																
25	<400> 292																
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln	
	1				5					10				15			
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu	
				20					25					30			
30	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln	
		35					40					45					
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn	
	65				70					75						80	
35	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn	
					85					90				95			
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr	
				100					105					110			
40	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg	
			115					120					125				
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr	
		130					135					140					
	Ile	Val	Arg	Val	Glu	Ile	Leu	Gln	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu	
	145					150					155					160	
45	Thr	Gly	Tyr	Leu	Arg	Asn											
					165												
50	<210> 293																
	<211> 166																
	<212> PRT																
	<213> Homo sapiens																
55	<400> 293																
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln	
	1				5					10				15			
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu	
				20					25					30			
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln	
		35					40					45					
60	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55					60					

-144-

Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 5 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 10 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe His Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 15  
 <210> 294  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 20  
 <400> 294  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 25 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 30 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 35 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 40 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Ile Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 45  
 <210> 295  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 50  
 <400> 295  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 55 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 60 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn

-145-

				85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
5	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
			130				135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	His	Leu
10	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
	<210> 296															
	<211> 166															
15	<212> PRT															
	<213> Homo sapiens															
	<400> 296															
20	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
25	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
			50			55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
30	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85						90				95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
35	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
			130				135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Gln	Leu
	145					150					155					160
40	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
	<210> 297															
	<211> 166															
	<212> PRT															
45	<213> Homo sapiens															
	<400> 297															
50	Asp	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
55	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
			50			55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85						90				95		
60	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		

-146-

Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
           115                  120          125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
           130                  135          140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
    145                  150          155          160  
    Thr Gly Tyr Leu Arg Asn  
                   165

10 <210> 298  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens

15 <400> 298  
    Glu Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1          5          10          15  
    Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
           20          25          30

20 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
       35          40          45  
    Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50          55          60

25 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
    65          70          75          80  
    Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
           85          90          95

30 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
       100          105          110  
    Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
       115          120          125

35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
    130          135          140  
    Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
    145          150          155          160  
    Thr Gly Tyr Leu Arg Asn  
                   165

40 <210> 299  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens

45 <400> 299  
    Lys Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1          5          10          15  
    Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
           20          25          30

50 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
       35          40          45  
    Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50          55          60

55 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
    65          70          75          80  
    Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
           85          90          95

60 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
       100          105          110  
    Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
       115          120          125

Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr



-147-

130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 5 165  
  
 <210> 300  
 <211> 166  
 <212> PRT  
 10 <213> Homo sapiens  
  
 <400> 300  
 Asn Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 15 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 25 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 30 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 35 165  
  
 <210> 301  
 <211> 166  
 <212> PRT  
 40 <213> Homo sapiens  
  
 <400> 301  
 Arg Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 45 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 55 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160

-148-

Thr Gly Tyr Leu Arg Asn  
165

5 <210> 302  
<211> 166  
<212> PRT  
<213> Homo sapiens

10 <400> 302  
Ser Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
15 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
65 70 75 80  
20 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
25 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
30 Thr Gly Tyr Leu Arg Asn  
165

35 <210> 303  
<211> 166  
<212> PRT  
<213> Homo sapiens

40 <400> 303  
Met Ser Tyr Asn Asp Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
45 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
65 70 75 80  
50 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
60 Thr Gly Tyr Leu Arg Asn  
165

-149-

<210> 304  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

5

<400> 304  
 Met Ser Tyr Asn Glu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

20

<210> 305  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

30

<400> 305  
 Met Ser Tyr Asn Lys Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

40

<210> 306  
 <211> 166  
 <212> PRT

50

<400> 306  
 Met Ser Tyr Asn Lys Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

55

<210> 306  
 <211> 166  
 <212> PRT

60

-150-

&lt;213&gt; Homo sapiens

&lt;400&gt; 306

5 Met Ser Tyr Asn Arg Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 10 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 15 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 20 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 25 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 307

&lt;211&gt; 166

&lt;212&gt; PRT

30 &lt;213&gt; Homo sapiens

&lt;400&gt; 307

Met Ser Tyr Asn Asn Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 35 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 40 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 45 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 308

&lt;211&gt; 166

&lt;212&gt; PRT

60 &lt;213&gt; Homo sapiens

&lt;400&gt; 308

-151-

Met Ser Tyr Asn Ser Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 5 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 10 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 15 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 20 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
  
 25 <210> 309  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 30 <400> 309  
 Met Ser Tyr Asn Leu Asp Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 35 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 40 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 45 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 50 Thr Gly Tyr Leu Arg Asn  
 165  
  
 55 <210> 310  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 60 <400> 310  
 Met Ser Tyr Asn Leu Glu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu

-152-

			20					25				30				
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35					40				45				
5	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75				80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
10	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
			100					105					110			
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
15	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
	130					135						140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
				165												
20																
	<210>	311														
	<211>	166														
	<212>	PRT														
	<213>	Homo sapiens														
25																
	<400>	311														
	Met	Ser	Tyr	Asn	Leu	Lys	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1			5					10					15		
30	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
			20					25				30				
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
	50					55					60					
35	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75				80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
40	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
			100					105					110			
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
	130					135						140				
45	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
				165												
50																
	<210>	312														
	<211>	166														
	<212>	PRT														
	<213>	Homo sapiens														
55																
	<400>	312														
	Met	Ser	Tyr	Asn	Leu	Asn	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1			5					10					15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
			20					25				30				
60	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				

-153-

Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 5 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 10 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 15 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 313  
 <211> 166  
 20 <212> PRT  
 <213> Homo sapiens  
  
 <400> 313  
 25 Met Ser Tyr Asn Leu Gln Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 30 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 35 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 40 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 45 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 314  
 <211> 166  
 <212> PRT  
 50 <213> Homo sapiens  
  
 <400> 314  
 55 Met Ser Tyr Asn Leu Arg Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 60 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn

-154-

	65				70					75				80		
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90				95		
5	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
			130				135					140				
10	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
15	<210> 315															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
20	<400> 315															
	Met	Ser	Tyr	Asn	Leu	Ser	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
25	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
30	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90				95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
35	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
			130				135					140				
40	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
45	<210> 316															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
50	<400> 316															
	Met	Ser	Tyr	Asn	Leu	Thr	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
55	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
60	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90				95		



-155-

His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 5 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 10  
 <210> 317  
 <211> 166  
 <212> PRT  
 15 <213> Homo sapiens  
 <400> 317  
 Met Ser Tyr Asn Leu Leu Gly Asp Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 20 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 25 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 30 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 40  
 <210> 318  
 <211> 166  
 <212> PRT  
 45 <213> Homo sapiens  
 <400> 318  
 Met Ser Tyr Asn Leu Leu Gly Glu Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 50 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 55 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 60 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg

-156-

115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

<210> 319  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

<400> 319  
 15 Met Ser Tyr Asn Leu Leu Gly Lys Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 25 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 30 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 35 Thr Gly Tyr Leu Arg Asn  
 165

<210> 320  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

<400> 320  
 45 Met Ser Tyr Asn Leu Leu Gly Arg Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 50 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 55 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 60 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140

-157-

Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

5

<210> 321  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10

<400> 321  
 Met Ser Tyr Asn Leu Leu Gly Phe Asp Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

15

20

25

30

35

<210> 322  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40

<400> 322  
 Met Ser Tyr Asn Leu Leu Gly Phe Glu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn

45

50

55

60

-158-

165

5 <210> 323  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 323  
 10 Met Ser Tyr Asn Leu Leu Gly Phe Lys Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 15 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 20 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 25 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 30 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 324  
 <211> 166  
 <212> PRT  
 35 <213> Homo sapiens  
  
 <400> 324  
 40 Met Ser Tyr Asn Leu Leu Gly Phe Asn Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 45 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 60 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 325

-159-

<211> 166  
 <212> PRT  
 <213> Homo sapiens

5 <400> 325  
 Met Ser Tyr Asn Leu Leu Gly Phe Arg Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 10 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 15 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 20 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 25 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

30 <210> 326  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35 <400> 326  
 Met Ser Tyr Asn Leu Leu Gly Phe Ser Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 40 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 45 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

60 <210> 327  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

-160-

<400> 327  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Asp Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 5 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 10 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 15 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 20 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

25 <210> 328  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

30 <400> 328  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Glu Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 35 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 40 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 45 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 50 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

55 <210> 329  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

60 <400> 329  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Lys Arg Ser Ser Asn Phe Gln  
 1 5 10 15

-161-

Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 5 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 10 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 15 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 20 Thr Gly Tyr Leu Arg Asn  
 165  
 <210> 330  
 <211> 166  
 <212> PRT  
 25 <213> Homo sapiens  
 <400> 330  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Asn Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 30 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 35 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 40 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 45 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 50 <210> 331  
 <211> 166  
 <212> PRT  
 55 <213> Homo sapiens  
 <400> 331  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Arg Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 60 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln

-162-

		35		40		45											
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55					60					
5	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn	
	65					70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn	
					85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr	
				100					105					110			
10	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg	
			115					120					125				
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr	
		130					135					140					
15	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu	
	145					150					155					160	
	Thr	Gly	Tyr	Leu	Arg	Asn											
					165												
20	<210>	332															
	<211>	166															
	<212>	PRT															
	<213>	Homo sapiens															
25	<400>	332															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Ser	Arg	Ser	Ser	Asn	Phe	Gln	
	1				5					10				15			
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu	
				20					25					30			
30	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln	
			35				40						45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn	
	65				70						75					80	
35	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn	
					85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr	
				100					105					110			
40	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg	
			115					120					125				
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr	
		130					135					140					
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu	
	145					150					155					160	
45	Thr	Gly	Tyr	Leu	Arg	Asn											
					165												
50	<210>	333															
	<211>	166															
	<212>	PRT															
	<213>	Homo sapiens															
55	<400>	333															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Thr	Arg	Ser	Ser	Asn	Phe	Gln	
	1				5					10				15			
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu	
				20					25					30			
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln	
			35				40						45				
60	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55					60					



-163-

Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 5 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 10 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 15  
 <210> 334  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 20  
 <400> 334  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Asp Ser Asn Phe Gln  
 1 5 10 15  
 25 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 30 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 35 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 40 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 45  
 <210> 335  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 50  
 <400> 335  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Glu Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 55 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 60 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn

-164-

5 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 10 Thr Gly Tyr Leu Arg Asn  
 165  
 <210> 336  
 <211> 166  
 15 <212> PRT  
 <213> Homo sapiens  
 <400> 336  
 20 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Lys Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 25 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 30 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 40 Thr Gly Tyr Leu Arg Asn  
 165  
 <210> 337  
 <211> 166  
 <212> PRT  
 45 <213> Homo sapiens  
 <400> 337  
 50 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Arg Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 55 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 60 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110

-165-

Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

10 <210> 338  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

15 <400> 338  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Asp Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 20 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 25 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 30 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 35 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

40 <210> 339  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

45 <400> 339  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Glu Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 50 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 55 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 60 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr

-166-

130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 5 Thr Gly Tyr Leu Arg Asn  
 165  
 <210> 340  
 <211> 166  
 <212> PRT  
 10 <213> Homo sapiens  
 <400> 340  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Lys Asn Phe Gln  
 1 5 10 15  
 15 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 25 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 30 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 35 <210> 341  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 40 <400> 341  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Asn Asn Phe Gln  
 1 5 10 15  
 45 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 60 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160

-167-

Thr Gly Tyr Leu Arg Asn  
165

5 <210> 342  
<211> 166  
<212> PRT  
<213> Homo sapiens

10 <400> 342  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Gln Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
15 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
65 70 75 80  
20 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
25 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
30 Thr Gly Tyr Leu Arg Asn  
165

35 <210> 343  
<211> 166  
<212> PRT  
<213> Homo sapiens

40 <400> 343  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Arg Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
45 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
65 70 75 80  
50 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
60 Thr Gly Tyr Leu Arg Asn  
165

-168-

<210> 344  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

5

<400> 344  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Thr Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

15

20

25

30

<210> 345  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35

<400> 345  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asp Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

40

45

50

55

60

<210> 346  
 <211> 166  
 <212> PRT

-169-

&lt;213&gt; Homo sapiens

&lt;400&gt; 346

5 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Glu Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 10 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 15 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 20 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 25 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 347

&lt;211&gt; 166

&lt;212&gt; PRT

30 &lt;213&gt; Homo sapiens

&lt;400&gt; 347

35 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Lys Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 40 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 45 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 348

&lt;211&gt; 166

&lt;212&gt; PRT

60 &lt;213&gt; Homo sapiens

&lt;400&gt; 348

-170-

Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Gln Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 5 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 10 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 15 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 20 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 <210> 349  
 25 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 <400> 349  
 30 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Arg Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 35 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 40 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 45 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 50 Thr Gly Tyr Leu Arg Asn  
 165  
 <210> 350  
 55 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 <400> 350  
 60 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Ser Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu



-171-

			20					25					30			
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35					40					45			
5	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70				75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
10	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
15	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
20																
	<210>	351														
	<211>	166														
	<212>	PRT														
	<213>	Homo sapiens														
25																
	<400>	351														
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Thr	Phe	Gln
	1				5					10				15		
30	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35					40					45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
35	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70				75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
40	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
45	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
50																
	<210>	352														
	<211>	166														
	<212>	PRT														
	<213>	Homo sapiens														
55																
	<400>	352														
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Asp	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
60	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35						40					45			

-172-

Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
     50      55      60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
     65      70      75      80  
 5 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
     85      90      95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
     100     105     110  
 10 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
     115     120     125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
     130     135     140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
     145     150     155     160  
 15 Thr Gly Tyr Leu Arg Asn  
     165  
  
 <210> 353  
 <211> 166  
 20 <212> PRT  
     <213> Homo sapiens  
  
 <400> 353  
 25 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Glu Gln  
     1      5     10     15  
 Cys Gln Lys Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
     20     25     30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
     35     40     45  
 30 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
     50     55     60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
     65     70     75     80  
 35 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
     85     90     95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
     100     105     110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
     115     120     125  
 40 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
     130     135     140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
     145     150     155     160  
 45 Thr Gly Tyr Leu Arg Asn  
     165  
  
 <210> 354  
 <211> 166  
 50 <212> PRT  
     <213> Homo sapiens  
  
 <400> 354  
 55 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Lys Gln  
     1      5     10     15  
 Cys Gln Lys Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
     20     25     30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
     35     40     45  
 60 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
     50     55     60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn

-173-

	65				70				75				80			
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
5	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
10	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
15	<210> 355															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
20	<400> 355															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Arg	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
25	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
30	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75						80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85				90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
35	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
40	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
45	<210> 356															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
50	<400> 356															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Asp
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
55	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75						80
60	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	

-174-

His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 5 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 10 Thr Gly Tyr Leu Arg Asn  
 165  
 <210> 357  
 <211> 166  
 <212> PRT  
 15 <213> Homo sapiens  
 <400> 357  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Glu  
 1 5 10 15  
 20 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 25 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 30 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 40  
 <210> 358  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 45  
 <400> 358  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Lys  
 1 5 10 15  
 50 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 55 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 60 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg

-175-

115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
  
 10 <210> 359  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 359  
 15 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Asn  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 25 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 30 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 35 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 360  
 <211> 166  
 40 <212> PRT  
 <213> Homo sapiens  
  
 <400> 360  
 45 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Arg  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 50 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 55 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 60 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140

-176-

Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

5  
 <210> 361  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10  
 <400> 361  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Ser  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 20 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 25 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 30 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

35  
 <210> 362  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40  
 <400> 362  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Thr  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 45 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 55 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn

60

-177-

165

5 <210> 363  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10 <400> 363  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Asp Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 15 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 20 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 25 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 30 Thr Gly Tyr Leu Arg Asn  
 165

35 <210> 364  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40 <400> 364  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Glu Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 45 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 55 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

60 <210> 365

-178-

<211> 166  
 <212> PRT  
 <213> Homo sapiens

5 <400> 365  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Lys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 10 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 15 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 20 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 25 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

30 <210> 366  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35 <400> 366  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Asn Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 40 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 45 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

60 <210> 367  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens



-179-

<400> 367  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 5 Gln Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 10 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 15 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 20 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
  
 25 <210> 368  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 30 <400> 368  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Arg Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 35 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 45 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 50 Thr Gly Tyr Leu Arg Asn  
 165  
  
 55 <210> 369  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 60 <400> 369  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15

-180-

Ser Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                  40                  45  
 5 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
                   50                  55                  60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
   65                  70                  75                  80  
 10 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85                  90                  95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                   100                  105                  110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                   115                  120                  125  
 15 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                   130                  135                  140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
   145                  150                  155                  160  
 20 Thr Gly Tyr Leu Arg Asn  
                   165  
  
 <210> 370  
 <211> 166  
 <212> PRT  
 25 <213> Homo sapiens  
  
 <400> 370  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
   1                  5                  10                  15  
 30 Thr Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                  40                  45  
 35 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
                   50                  55                  60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
   65                  70                  75                  80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85                  90                  95  
 40 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                   100                  105                  110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                   115                  120                  125  
 45 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                   130                  135                  140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
   145                  150                  155                  160  
 Thr Gly Tyr Leu Arg Asn  
                   165  
  
 50 <210> 371  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 371  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
   1                  5                  10                  15  
 55 Cys Gln Lys Asn Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30  
 60 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln

-181-

5                   35                                   40                                   45  
           Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
               50                                   55                                   60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65                                   70                                   75                                   80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                                   85                                   90                                   95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                                   100                                   105                                   110  
 10 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                                   115                                   120                                   125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                                   130                                   135                                   140  
 15 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145                                   150                                   155                                   160  
 Thr Gly Tyr Leu Arg Asn  
                                   165  
  
 20                   <210> 372  
                   <211> 166  
                   <212> PRT  
                   <213> Homo sapiens  
  
 25                   <400> 372  
           Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
               1                                   5                                   10                                   15  
 Cys Gln Lys Gln Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                                   20                                   25                                   30  
 30 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                                   35                                   40                                   45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
               50                                   55                                   60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65                                   70                                   75                                   80  
 35 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                                   85                                   90                                   95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                                   100                                   105                                   110  
 40 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                                   115                                   120                                   125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                                   130                                   135                                   140  
 45 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145                                   150                                   155                                   160  
 Thr Gly Tyr Leu Arg Asn  
                                   165  
  
 50                   <210> 373  
                   <211> 166  
                   <212> PRT  
                   <213> Homo sapiens  
  
 55                   <400> 373  
           Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
               1                                   5                                   10                                   15  
 Cys Gln Lys Arg Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                                   20                                   25                                   30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                                   35                                   40                                   45  
 60 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
               50                                   55                                   60

-182-

Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 5 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 10 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 15  
 <210> 374  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 20  
 <400> 374  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 25 Cys Gln Lys Ser Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 30 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 35 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 40 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 45  
 <210> 375  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 50  
 <400> 375  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Thr Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 55 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 60 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn

-183-

					85					90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
5	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
10	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
	<210> 376															
	<211> 166															
15	<212> PRT															
	<213> Homo sapiens															
	<400> 376															
20	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1			5						10				15		
	Cys	Gln	Lys	Asp	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
25	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
30	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115				120						125			
35	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
40	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
	<210> 377															
	<211> 166															
	<212> PRT															
45	<213> Homo sapiens															
	<400> 377															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1			5						10				15		
50	Cys	Gln	Lys	Glu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
55	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
60	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		

-184-

Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
           115                  120          125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
           130                  135          140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
    145                  150          155          160  
    Thr Gly Tyr Leu Arg Asn  
                   165

10 <210> 378  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens

15 <400> 378  
    Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1          5          10          15  
    Cys Gln Lys Lys Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
           20          25          30

20 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
       35          40          45  
    Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50          55          60

25 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
    65          70          75          80  
    Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
           85          90          95

His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
           100          105          110

30 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
       115          120          125  
    Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
       130          135          140

35 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
    145          150          155          160  
    Thr Gly Tyr Leu Arg Asn  
                   165

40 <210> 379  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens

45 <400> 379  
    Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1          5          10          15  
    Cys Gln Lys Leu Leu Asp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
           20          25          30

50 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
       35          40          45  
    Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50          55          60

Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
    65          70          75          80  
    Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
           85          90          95

55 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
           100          105          110

60 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
       115          120          125  
    Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr

-185-

130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 5  
 <210> 380  
 <211> 166  
 <212> PRT  
 10 <213> Homo sapiens  
 <400> 380  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 15 Cys Gln Lys Leu Leu Glu Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 25 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 30 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 35  
 <210> 381  
 <211> 166  
 <212> PRT  
 40 <213> Homo sapiens  
 <400> 381  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 45 Cys Gln Lys Leu Leu Lys Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 60 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160

-186-

Thr Gly Tyr Leu Arg Asn  
165

5 <210> 382  
<211> 166  
<212> PRT  
<213> Homo sapiens

10 <400> 382  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Arg Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
15 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
65 70 75 80  
20 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
25 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
30 Thr Gly Tyr Leu Arg Asn  
165

35 <210> 383  
<211> 166  
<212> PRT  
<213> Homo sapiens

40 <400> 383  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Trp Asp Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
45 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
65 70 75 80  
50 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
60 Thr Gly Tyr Leu Arg Asn  
165



-187-

<210> 384  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

5

<400> 384  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 10 Cys Gln Lys Leu Trp Glu Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 15 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 20 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 25 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

30

<210> 385  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35

<400> 385  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Trp Lys Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 40 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 45 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 50 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 55 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

60

<210> 386  
 <211> 166  
 <212> PRT

-188-

&lt;213&gt; Homo sapiens

&lt;400&gt; 386

5 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Arg Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 10 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 15 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 20 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 25 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 387

&lt;211&gt; 166

&lt;212&gt; PRT

30 &lt;213&gt; Homo sapiens

&lt;400&gt; 397

35 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Asp Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 40 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 45 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 388

&lt;211&gt; 166

&lt;212&gt; PRT

60 &lt;213&gt; Homo sapiens

&lt;400&gt; 388

-189-

	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Glu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
5	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
10	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85						90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
			100						105					110		
15	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
20	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
25	<210> 389															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
30	<400> 389															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Lys	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
35	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
40	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85						90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
			100						105					110		
45	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
50	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
55	<210> 390															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
60	<400> 390															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Arg	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu

-190-

			20					25					30			
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35					40					45			
5	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
	50						55					60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75				80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
10	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
15		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
20																
	<210>	391														
	<211>	166														
	<212>	PRT														
	<213>	Homo sapiens														
25																
	<400>	391														
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
30	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25				30			
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35					40					45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
	50						55					60				
35	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Asp	Trp	Asn
	65					70					75				80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
40	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
45	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
50																
	<210>	392														
	<211>	166														
	<212>	PRT														
	<213>	Homo sapiens														
55																
	<400>	392														
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25				30			
60	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35						40					45			

-191-

5 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Glu Trp Asn  
 65 70 75 80  
 10 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 15 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 15 Thr Gly Tyr Leu Arg Asn  
 165

<210> 393  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

<400> 393  
 25 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 30 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Lys Trp Asn  
 65 70 75 80  
 35 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 40 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 45 Thr Gly Tyr Leu Arg Asn  
 165

<210> 394  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

<400> 394  
 55 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 60 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Arg Trp Asn

		65	Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn	70		75		80
			85	His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr	90		95	
5			100	Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg	105		110	
			115	Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr	120		125	
			130	Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu	135		140	
10			145	Thr Gly Tyr Leu Arg Asn	150		155	
					165			
15	<210>	395						
	<211>	166						
	<212>	PRT						
	<213>	Homo sapiens						
20	<400>	395						
	Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln							
	1 5							
	Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu							
		20 25						
25	Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln							
		35 40						
	Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln							
		50 55						
	Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Asp Asn							
30	65 70							
	Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn							
		85 90						
	His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr							
		100 105						
35	Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg							
		115 120						
	Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr							
		130 135						
	Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu							
40	145 150							
	Thr Gly Tyr Leu Arg Asn							
		165						
45	<210>	396						
	<211>	166						
	<212>	PRT						
	<213>	Homo sapiens						
50	<400>	396						
	Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln							
	1 5							
	Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu							
		20 25						
55	Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln							
		35 40						
	Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln							
		50 55						
	Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Glu Asn							
		65 70						
60	Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn							
		85 90						

	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105				110			
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
5	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
10	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
	<210> 397															
	<211> 166															
	<212> PRT															
15	<213> Homo sapiens															
	<400> 397															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
20	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
25	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50					55					60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Lys	Asn
	65					70					75					80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
30	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
35	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
40	<210> 398															
	<211> 166															

-194-

115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 399  
 10 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 399  
 15 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asp  
 65 70 75 80  
 25 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 30 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 35 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 400  
 40 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 400  
 45 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 50 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Glu  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 55 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 60 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140



-195-

Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

5  
 <210> 401  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10  
 <400> 401  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 20 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Lys  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 25 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 30 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

35  
 <210> 402  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40  
 <400> 402  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 45 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 50 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Arg  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 55 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 60 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn

-196-

165

5 <210> 403  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10 <400> 403  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 15 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 20 Glu Asp Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 25 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 30 Thr Gly Tyr Leu Arg Asn  
 165

35 <210> 404  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40 <400> 404  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 45 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Glu Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 60 Thr Gly Tyr Leu Arg Asn  
 165

60 <210> 405

-197-

<211> 166  
 <212> PRT  
 <213> Homo sapiens

5 <400> 405  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 10 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 15 65 70 75 80  
 Glu Lys Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 20 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 25 Thr Gly Tyr Leu Arg Asn  
 165

30 <210> 406  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35 <400> 406  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 40 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 45 Glu Arg Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

60 <210> 407  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

-198-

<400> 407  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 5 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 10 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Asp Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 15 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 20 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 25 <210> 408  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 30 <400> 408  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 35 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 40 Glu Thr Glu Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 45 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 50 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 55 <210> 409  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 60 <400> 409  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15

-199-

Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                  40                  45  
 5 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
                   50                  55                  60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
                   65                  70                  75                  80  
 10 Glu Thr Lys Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85                  90                  95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                   100                  105                  110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                   115                  120                  125  
 15 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                   130                  135                  140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
                   145                  150                  155                  160  
 20 Thr Gly Tyr Leu Arg Asn  
                   165  
  
 <210> 410  
 <211> 166  
 <212> PRT  
 25 <213> Homo sapiens  
  
 <400> 410  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
                   1                  5                  10                  15  
 30 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                  40                  45  
 35 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
                   50                  55                  60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
                   65                  70                  75                  80  
 Glu Thr Arg Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85                  90                  95  
 40 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                   100                  105                  110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                   115                  120                  125  
 45 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                   130                  135                  140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
                   145                  150                  155                  160  
 Thr Gly Tyr Leu Arg Asn  
                   165  
  
 50 <210> 411  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 55 <400> 411  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
                   1                  5                  10                  15  
 60 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln

-200-

		35				40			45								
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55					60					
5	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn	
	65					70					75					80	
	Glu	Thr	Asn	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn	
					85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr	
				100					105					110			
10	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg	
			115					120					125				
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr	
	130						135					140					
15	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu	
	145					150					155					160	
	Thr	Gly	Tyr	Leu	Arg	Asn											
					165												
20	<210> 412																
	<211> 166																
	<212> PRT																
	<213> Homo sapiens																
25	<400> 412																
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln	
	1				5					10					15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu	
				20					25					30			
30	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln	
			35					40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn	
	65					70					75					80	
35	Glu	Thr	Gln	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn	
					85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr	
				100					105					110			
40	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg	
			115					120					125				
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr	
	130						135					140					
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu	
	145					150					155					160	
45	Thr	Gly	Tyr	Leu	Arg	Asn											
					165												
50	<210> 413																
	<211> 166																
	<212> PRT																
	<213> Homo sapiens																
55	<400> 413																
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln	
	1				5					10					15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu	
				20					25					30			
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln	
			35					40					45				
60	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55					60					

-201-

Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ser Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 5 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 10 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 15  
 <210> 414  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 20  
 <400> 414  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 25 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 30 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Thr Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 35 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 40 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 45  
 <210> 415  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 50  
 <400> 415  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 55 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 60 Glu Thr Ile Val Glu Asp Leu Leu Ala Asn Val Tyr His Gln Ile Asn

-202-

				85					90				95			
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105				110			
5	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
10	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
	<210> 416															
	<211> 166															
15	<212> PRT															
	<213> Homo sapiens															
	<400> 416															
20	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
25	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70				75						80	
30	Glu	Thr	Ile	Val	Glu	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn	
				85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
35	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
40	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
	<210> 417															
	<211> 166															
	<212> PRT															
45	<213> Homo sapiens															
	<400> 417															
50	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
55	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70				75						80	
	Glu	Thr	Ile	Val	Glu	Lys	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
60	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		



-203-

Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

10 <210> 418  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

15 <400> 418  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 20 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 25 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Arg Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 30 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 35 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

40 <210> 419  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

45 <400> 419  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 50 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 55 Glu Thr Ile Val Glu Gln Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 60 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr

-204-

130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 5  
 <210> 420  
 <211> 166  
 <212> PRT  
 10 <213> Homo sapiens  
 <400> 420  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 15 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Ser Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 25 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 30 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 35  
 <210> 421  
 <211> 166  
 <212> PRT  
 40 <213> Homo sapiens  
 <400> 421  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 45 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Thr Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 60 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

-205-

Thr Gly Tyr Leu Arg Asn  
165

5 <210> 422  
<211> 166  
<212> PRT  
<213> Homo sapiens

10 <400> 422  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
15 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
65 70 75 80  
20 Glu Thr Ile Val Glu Asn Asp Leu Ala Asn Val Tyr His Gln Ile Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
25 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
30 Thr Gly Tyr Leu Arg Asn  
165

35 <210> 423  
<211> 166  
<212> PRT  
<213> Homo sapiens

40 <400> 423  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
45 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
65 70 75 80  
50 Glu Thr Ile Val Glu Asn Glu Leu Ala Asn Val Tyr His Gln Ile Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
60 Thr Gly Tyr Leu Arg Asn  
165

-206-

<210> 424  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

5

<400> 424  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Lys Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

10

15

20

25

30

<210> 425  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35

<400> 425  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Arg Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

40

45

50

55

60

<210> 426  
 <211> 166  
 <212> PRT

-207-

&lt;213&gt; Homo sapiens

&lt;400&gt; 426

5 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 10 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Asn Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 15 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 20 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 25 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 427

&lt;211&gt; 166

&lt;212&gt; PRT

30 &lt;213&gt; Homo sapiens

&lt;400&gt; 427

Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 35 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 40 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Gln Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 45 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 428

&lt;211&gt; 166

&lt;212&gt; PRT

60 &lt;213&gt; Homo sapiens

&lt;400&gt; 428

-208-

	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
5	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
10	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75				80	
	Glu	Thr	Ile	Val	Glu	Asn	Ser	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
15	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
20	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
25	<210> 429															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
30	<400> 429															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
35	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75				80	
40	Glu	Thr	Ile	Val	Glu	Asn	Thr	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
45	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
50	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
55	<210> 430															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
60	<400> 430															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu

-209-

			20					25					30				
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln	
			35					40					45				
5	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn	
	65					70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Asp	Asn	Val	Tyr	His	Gln	Ile	Asn	
					85					90					95		
10	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr	
				100					105					110			
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg	
			115					120					125				
15	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr	
		130					135					140					
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu	
	145					150					155					160	
	Thr	Gly	Tyr	Leu	Arg	Asn											
					165												
20																	
	<210>	431															
	<211>	166															
	<212>	PRT															
	<213>	Homo sapiens															
25																	
	<400>	431															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln	
	1				5					10				15			
30	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu	
				20					25				30				
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln	
			35					40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50					55					60					
35	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn	
	65					70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Glu	Asn	Val	Tyr	His	Gln	Ile	Asn	
					85					90					95		
40	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr	
				100					105					110			
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg	
			115					120					125				
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr	
		130					135					140					
45	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu	
	145					150					155					160	
	Thr	Gly	Tyr	Leu	Arg	Asn											
					165												
50																	
	<210>	432															
	<211>	166															
	<212>	PRT															
	<213>	Homo sapiens															
55																	
	<400>	432															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln	
	1				5					10				15			
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu	
				20					25				30				
60	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln	
			35					40					45				

-210-

Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 5 Glu Thr Ile Val Glu Asn Leu Leu Lys Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 10 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 15 Thr Gly Tyr Leu Arg Asn  
 165

<210> 433  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

<400> 433  
 25 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 30 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 35 Glu Thr Ile Val Glu Asn Leu Leu Arg Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 40 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 45 Thr Gly Tyr Leu Arg Asn  
 165

<210> 434  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

<400> 434  
 55 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 60 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn



-211-

	65				70					75				80		
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asp	Val	Tyr	His	Gln	Ile	Asn
					85					90				95		
5	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
10	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
15	<210> 435															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
20	<400> 435															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
25	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
30	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70				75						80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Glu	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
			100					105					110			
35	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
40	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
45	<210> 436															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
50	<400> 436															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
55	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55					60					
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70				75						80	
60	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Lys	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		

-212-

His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 5 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 10 165  
  
 <210> 437  
 <211> 166  
 <212> PRT  
 15 <213> Homo sapiens  
  
 <400> 437  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 20 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 25 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Gln Val Tyr His Gln Ile Asn  
 85 90 95  
 30 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 40 165  
  
 <210> 438  
 <211> 166  
 <212> PRT  
 45 <213> Homo sapiens  
  
 <400> 438  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 50 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 55 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Arg Val Tyr His Gln Ile Asn  
 85 90 95  
 60 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg

-213-

115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

10 <210> 439  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

15 <400> 439  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 25 Glu Thr Ile Val Glu Asn Leu Leu Ala Ser Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 30 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 35 Thr Gly Tyr Leu Arg Asn  
 165

40 <210> 440  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

45 <400> 440  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 50 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 55 Glu Thr Ile Val Glu Asn Leu Leu Ala Thr Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 60 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140

-214-

Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

5  
 <210> 441  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10  
 <400> 441  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 20 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Asp Tyr His Gln Ile Asn  
 85 90 95  
 25 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 30 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

35  
 <210> 442  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40  
 <400> 442  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 45 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 50 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Glu Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 55 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 60 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn

-215-

165

5 <210> 443  
<211> 166  
<212> PRT  
<213> Homo sapiens

10 <400> 443  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
15 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
65 70 75 80  
20 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Lys Tyr His Gln Ile Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
25 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
30 Thr Gly Tyr Leu Arg Asn  
165

35 <210> 444  
<211> 166  
<212> PRT  
<213> Homo sapiens

40 <400> 444  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
45 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
65 70 75 80  
Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Tyr His Gln Ile Asn  
85 90 95  
50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
55 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
Thr Gly Tyr Leu Arg Asn  
165

60 <210> 445

-216-

<211> 166  
 <212> PRT  
 <213> Homo sapiens

5 <400> 445  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 10 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 15 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Gln Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 20 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 25 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

30 <210> 446  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35 <400> 446  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 40 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 45 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Arg Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

60 <210> 447  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

-217-

<400> 447  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 5 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 10 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Ser Tyr His Gln Ile Asn  
 85 90 95  
 15 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 20 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

25 <210> 448  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

30 <400> 448  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 35 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 40 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Thr Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 45 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 50 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

55 <210> 449  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

60 <400> 449  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15

-218-

Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 5 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 10 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Asp Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 15 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 20 Thr Gly Tyr Leu Arg Asn  
 165  
 <210> 450  
 <211> 166  
 <212> PRT  
 25 <213> Homo sapiens  
 <400> 450  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 30 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 35 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Glu Ile Asn  
 85 90 95  
 40 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 45 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 50 <210> 451  
 <211> 166  
 <212> PRT  
 55 <213> Homo sapiens  
 <400> 451  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 60 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln



-219-

			35				40				45					
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50					55					60				
5	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75					80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Lys	Ile	Asn
					85					90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
10	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
15	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
20	<210> 452															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
25	<400> 452															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
30	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50					55					60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75					80
35	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Asn	Ile	Asn
					85					90					95	
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
40	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
45	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
50	<210> 453															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
55	<400> 453															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
		35					40					45				
60	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50					55					60				

-220-

Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Arg Ile Asn  
 85 90 95  
 5 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 10 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 15  
 <210> 454  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 20  
 <400> 454  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 25 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 30 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Ser Ile Asn  
 85 90 95  
 35 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 40 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 45  
 <210> 455  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 50  
 <400> 455  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 55 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Thr Ile Asn

-221-

5 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 10 Thr Gly Tyr Leu Arg Asn  
 165  
 <210> 456  
 <211> 166  
 15 <212> PRT  
 <213> Homo sapiens  
 <400> 456  
 20 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 25 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 30 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Asp Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 40 Thr Gly Tyr Leu Arg Asn  
 165  
 <210> 457  
 <211> 166  
 <212> PRT  
 45 <213> Homo sapiens  
 <400> 457  
 50 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 55 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Glu Asn  
 85 90 95  
 60 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110

-222-

Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
           115                          120          125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
           130                          135          140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
    145                          150          155          160  
    Thr Gly Tyr Leu Arg Asn  
                           165

10 <210> 458  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens

15 <400> 358  
    Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1                  5                  10          15  
    Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
           20                          25          30

20 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
       35                          40          45  
    Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50                          55          60

25 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
    65                          70          75          80  
    Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Lys Asn  
           85                          90          95

30 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
       100                          105          110  
    Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
           115                          120          125

35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
    130                          135          140  
    Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
    145                          150          155          160  
    Thr Gly Tyr Leu Arg Asn  
                           165

40 <210> 459  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens

45 <400> 359  
    Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1                  5                  10          15  
    Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
           20                          25          30

50 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
       35                          40          45  
    Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50                          55          60

55 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
    65                          70          75          80  
    Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Asn Asn  
           85                          90          95

60 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
       100                          105          110  
    Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
           115                          120          125

Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr

-223-

130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 5 165

<210> 460  
 <211> 166  
 <212> PRT  
 10 <213> Homo sapiens

<400> 460  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 15 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Gln Asn  
 85 90 95  
 25 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 30 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 35 165

<210> 461  
 <211> 166  
 <212> PRT  
 40 <213> Homo sapiens

<400> 461  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 45 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Arg Asn  
 85 90 95  
 50 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 60 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160

-224-

Thr Gly Tyr Leu Arg Asn  
165

5 <210> 462  
<211> 166  
<212> PRT  
<213> Homo sapiens

10 <400> 462  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
15 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
65 70 75 80  
20 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ser Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
25 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
30 Thr Gly Tyr Leu Arg Asn  
165

35 <210> 463  
<211> 166  
<212> PRT  
<213> Homo sapiens

40 <400> 463  
Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
1 5 10 15  
Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
20 25 30  
45 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
35 40 45  
Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
50 55 60  
Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
65 70 75 80  
50 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Thr Asn  
85 90 95  
His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
100 105 110  
Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
115 120 125  
55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
130 135 140  
Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
145 150 155 160  
60 Thr Gly Tyr Leu Arg Asn  
165

-225-

<210> 464  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

5

<400> 464  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 10 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 15 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 20 Asp Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 25 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165

30

<210> 465  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

35

<400> 465  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 40 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 Glu Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 50 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

60

<210> 466  
 <211> 166  
 <212> PRT

-226-

&lt;213&gt; Homo sapiens

&lt;400&gt; 466

5 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 10 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 15 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 Lys Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 20 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 25 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 467

&lt;211&gt; 166

&lt;212&gt; PRT

30 <213> Homo sapiens  
 <400> 467

35 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 40 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 45 Asn Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 50 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 55 Thr Gly Tyr Leu Arg Asn  
 165

&lt;210&gt; 468

&lt;211&gt; 166

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

60

&lt;400&gt; 468



-227-

	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
5	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
10	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85						90				95		
	Gln	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
15	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
20	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145				150						155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
25	<210> 469															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
30	<400> 469															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
35	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50				55						60				
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
40	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85						90				95		
	Arg	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
45	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145				150						155					160
50	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
55	<210> 470															
	<211> 166															
	<212> PRT															
	<213> Homo sapiens															
60	<400> 470															
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu

-228-

5                   20                   25                   30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                   40                   45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
                   50                   55                   60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
                   65                   70                   75                   80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                                   85                   90                   95  
 10 Ser Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                                  100                   105                   110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                                  115                   120                   125  
 15 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                                  130                   135                   140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
                                  145                   150                   155                   160  
 Thr Gly Tyr Leu Arg Asn  
                                  165  
 20  
     <210> 471  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens  
 25  
     <400> 471  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
   1                   5                   10                   15  
 30 Cys Gln Lys Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                   25                   30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                   40                   45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
                   50                   55                   60  
 35 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
                   65                   70                   75                   80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                                   85                   90                   95  
 40 Thr Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                                  100                   105                   110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                                  115                   120                   125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                                  130                   135                   140  
 45 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
                                  145                   150                   155                   160  
 Thr Gly Tyr Leu Arg Asn  
                                  165  
 50  
     <210> 472  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens  
 55  
     <400> 472  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
   1                   5                   10                   15  
 Cys Gln Lys Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                   25                   30  
 60 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                   40                   45

-229-

Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 5 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Asp Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 10 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 15 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 473  
 <211> 166  
 20 <212> PRT  
 <213> Homo sapiens  
  
 <400> 473  
 25 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 30 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 35 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Glu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 40 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 45 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 474  
 <211> 166  
 50 <212> PRT  
 <213> Homo sapiens  
  
 <400> 474  
 55 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 60 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn

-230-

	65				70					75				80		
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90				95		
5	His	Lys	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
10	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											

15 <210> 475  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

20	<400> 475
	Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln
	1 5 10 15
	Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu
	20 25 30
25	Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln
	35 40 45
	Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln
	50 55 60
30	Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn
	65 70 75 80
	Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn
	85 90 95
	His Asn Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr
	100 105 110
35	Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg
	115 120 125
	Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr
	130 135 140
40	Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu
	145 150 155 160
	Thr Gly Tyr Leu Arg Asn
	165

45 <210> 476  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

50	<400> 476
	Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln
	1 5 10 15
	Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu
	20 25 30
55	Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln
	35 40 45
	Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln
	50 55 60
	Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn
	65 70 75 80
60	Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn
	85 90 95

-231-

His Gln Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 5 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 10  
 <210> 477  
 <211> 166  
 <212> PRT  
 15 <213> Homo sapiens  
 <400> 477  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 20 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 25 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 30 His Arg Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 40  
 <210> 478  
 <211> 166  
 <212> PRT  
 45 <213> Homo sapiens  
 <400> 478  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 50 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 55 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 60 His Ser Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg

-232-

115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 479  
 10 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 479  
 15 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 20 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 25 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Thr Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 30 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 35 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 480  
 40 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 480  
 45 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 50 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 55 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Asp Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 60 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140

	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
5					165											
	<210>	481														
	<211>	166														
	<212>	PRT														
10	<213>	Homo sapiens														
	<400>	481														
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
15	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50					55					60				
20	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65					70					75					80
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
					85					90					95	
25	His	Leu	Lys	Thr	Glu	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
30	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155					160
	Thr	Gly	Tyr	Leu	Arg	Asn										
					165											
35	<210>	482														
	<211>	166														
	<212>	PRT														
	<213>	Homo sapiens														
40	<400>	482														
	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10					15	
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
45	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40						45			
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln
		50														

-234-

165

5 <210> 483  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

10 <400> 483  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 15 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 20 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Asn Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 25 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 30 Thr Gly Tyr Leu Arg Asn  
 165

35 <210> 484  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

40 <400> 484  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 45 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 50 His Leu Lys Thr Gln Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 55 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 60 Thr Gly Tyr Leu Arg Asn  
 165

60 <210> 385



-235-

<211> 166  
 <212> PRT  
 <213> Homo sapiens

**5** <400> 485  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
   1                  5                  10                  15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30

**10** Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                  40                  45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
                   50                  55                  60

**15** Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
   65                  70                  75                  80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85                  90                  95

**20** His Leu Lys Thr Arg Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                   100                  105                  110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                   115                  120                  125

**25** Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                   130                  135                  140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
   145                  150                  155                  160  
 Thr Gly Tyr Leu Arg Asn  
                   165

<210> 486  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

**30** <400> 486  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
   1                  5                  10                  15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30

**35** Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                   35                  40                  45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
                   50                  55                  60

**40** Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
   65                  70                  75                  80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85                  90                  95

**45** His Leu Lys Thr Ser Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
                   100                  105                  110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                   115                  120                  125

**50** Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                   130                  135                  140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
   145                  150                  155                  160  
 Thr Gly Tyr Leu Arg Asn  
                   165

**55**

<210> 487  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens

**60**

-236-

<400> 487  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 5 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 10 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 15 His Leu Lys Thr Thr Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 20 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 25 <210> 488  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 30 <400> 488  
 Cys Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 35 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 40 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 45 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 50 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 55 <210> 489  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 60 <400> 489  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15

-237-

Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                     20                    25                    30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
                     35                    40                    45  
 5 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50                    55                    60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
   65                    70                    75                    80  
 10 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
       85                    90                    95  
 His Leu Lys Thr Cys Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
      100                    105  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
      115                    120                    125  
 15 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
      130                    135                    140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
  145                    150                    155                    160  
 20 Thr Gly Tyr Leu Arg Asn  
                     165  
  
 <210> 490  
 <211> 166  
 <212> PRT  
 25 <213> Homo sapiens  
  
 <400> 490  
 Met Ser Tyr Asn Leu Cys Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
   1                    5                    10                    15  
 30 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
      20                    25                    30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
      35                    40                    45  
 35 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
      50                    55                    60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
   65                    70                    75                    80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
      85                    90                    95  
 40 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
      100                    105  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
      115                    120                    125  
 45 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
      130                    135                    140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
  145                    150                    155                    160  
 Thr Gly Tyr Leu Arg Asn  
                     165  
  
 50 <210> 491  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens  
 55 <400> 491  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
   1                    5                    10                    15  
 60 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
      20                    25                    30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln

-238-

35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 5 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Cys Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 10 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 15 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 492  
 20 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 492  
 25 Met Ser Tyr Asn Leu Leu Gly Phe Leu Cys Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 30 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 35 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 40 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 45 Thr Gly Tyr Leu Arg Asn  
 165  
  
 <210> 493  
 50 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 493  
 55 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 60 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60

-239-

Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 5 Cys Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 10 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 15  
 <210> 494  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 20  
 <400> 494  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Cys Asn Phe Gln  
 1 5 10 15  
 25 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 30 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
 85 90 95  
 35 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
 100 105 110  
 Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
 115 120 125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
 130 135 140  
 40 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
 145 150 155 160  
 Thr Gly Tyr Leu Arg Asn  
 165  
 45  
 <210> 495  
 <211> 166  
 <212> PRT  
 <213> Homo sapiens  
 50  
 <400> 495  
 Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
 1 5 10 15  
 Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
 20 25 30  
 55 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
 35 40 45  
 Gln Phe Gln Lys Glu Asp Ala Leu Thr Ile Tyr Glu Met Leu Gln  
 50 55 60  
 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Thr Gly Trp Asn  
 65 70 75 80  
 Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Cys Ile Asn

-240-

				85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
5	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
10	Thr	Gly	Tyr	Leu	Arg	Asn										
				165												
	<210> 496															
	<211> 166															
15	<212> PRT															
	<213> Homo sapiens															
	<400> 496															
20	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Cys
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40					45				
25	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55				60						
	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
30	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Asn	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
35	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
40	Thr	Gly	Tyr	Leu	Arg	Asn										
				165												
	<210> 497															
	<211> 166															
	<212> PRT															
45	<213> Homo sapiens															
	<400> 497															
50	Met	Ser	Tyr	Asn	Leu	Leu	Gly	Phe	Leu	Gln	Arg	Ser	Ser	Asn	Phe	Gln
	1				5					10				15		
	Cys	Gln	Lys	Leu	Leu	Trp	Gln	Leu	Asn	Gly	Arg	Leu	Glu	Tyr	Cys	Leu
				20					25					30		
	Lys	Asp	Arg	Met	Asn	Phe	Asp	Ile	Pro	Glu	Glu	Ile	Lys	Gln	Leu	Gln
			35				40					45				
	Gln	Phe	Gln	Lys	Glu	Asp	Ala	Leu	Thr	Ile	Tyr	Glu	Met	Leu	Gln	
		50				55				60						
55	Asn	Ile	Phe	Ala	Ile	Phe	Arg	Gln	Asp	Ser	Ser	Ser	Thr	Gly	Trp	Asn
	65				70					75					80	
	Glu	Thr	Ile	Val	Glu	Asn	Leu	Leu	Ala	Cys	Val	Tyr	His	Gln	Ile	Asn
				85					90					95		
60	His	Leu	Lys	Thr	Val	Leu	Glu	Glu	Lys	Leu	Glu	Lys	Glu	Asp	Phe	Thr
				100					105					110		

-241-

Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
                   115                  120                  125  
 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
                   130                  135                  140  
 5 Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
    145                  150                  155                  160  
    Thr Gly Tyr Leu Arg Asn  
                   165

10 <210> 498  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens

15 <400> 498  
    Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1                  5                  10                  15  
    Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30

20 Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
       35                  40                  45  
    Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50                  55                  60

25 Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
    65                  70                  75                  80  
    Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Cys Tyr His Gln Ile Asn  
                   85                  90                  95

30 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr  
       100                  105                  110  
    Arg Gly Lys Leu Met Ser Ser Leu His Leu Lys Arg Tyr Tyr Gly Arg  
       115                  120                  125

35 Ile Leu His Tyr Leu Lys Ala Lys Glu Tyr Ser His Cys Ala Trp Thr  
    130                  135                  140  
    Ile Val Arg Val Glu Ile Leu Arg Asn Phe Tyr Phe Ile Asn Arg Leu  
    145                  150                  155                  160  
    Thr Gly Tyr Leu Arg Asn  
                   165

40 <210> 499  
     <211> 166  
     <212> PRT  
     <213> Homo sapiens

45 <300>  
     <308> Genbank AAC41702  
     <309> 1995-01-01

50 <400> 499  
    Met Ser Tyr Asn Leu Leu Gly Phe Leu Gln Arg Ser Ser Asn Phe Gln  
       1                  5                  10                  15  
    Cys Gln Lys Leu Leu Trp Gln Leu Asn Gly Arg Leu Glu Tyr Cys Leu  
                   20                  25                  30  
    Lys Asp Arg Met Asn Phe Asp Ile Pro Glu Glu Ile Lys Gln Leu Gln  
       35                  40                  45

55 Gln Phe Gln Lys Glu Asp Ala Ala Leu Thr Ile Tyr Glu Met Leu Gln  
       50                  55                  60  
    Asn Ile Phe Ala Ile Phe Arg Gln Asp Ser Ser Ser Thr Gly Trp Asn  
    65                  70                  75                  80  
    Glu Thr Ile Val Glu Asn Leu Leu Ala Asn Val Tyr His Gln Ile Asn  
                   85                  90                  95

60 His Leu Lys Thr Val Leu Glu Glu Lys Leu Glu Lys Glu Asp Phe Thr

-242-

				100					105					110		
	Arg	Gly	Lys	Leu	Met	Ser	Ser	Leu	His	Leu	Lys	Arg	Tyr	Tyr	Gly	Arg
			115					120					125			
5	Ile	Leu	His	Tyr	Leu	Lys	Ala	Lys	Glu	Tyr	Ser	His	Cys	Ala	Trp	Thr
		130					135					140				
	Ile	Val	Arg	Val	Glu	Ile	Leu	Arg	Asn	Phe	Tyr	Phe	Ile	Asn	Arg	Leu
	145					150					155				160	
	Thr	Gly	Tyr	Leu	Arg	Asn										
						165										

10 <210> 500  
 <211> 46  
 <212> DNA  
 <213> Artificial Sequence

15 <220>  
 <223> primer reverse INFA-E159H

20 <400> 500  
 aaggatcctc attccttact tcttaaactg tggtgcaagt ttggtg 46

<210> 501  
 <211> 46  
 <212> DNA

25 <213> Artificial Sequence

<220>  
 <223> primer reverse INFA-E159Q

30 <400> 501  
 aaggatcctc attccttact tcttaaactc tggtgcaagt ttggtg 46



# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/IB 03/04255

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 7 C12N15/10 G06F17/50 G06F19/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 C12N G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 223 409 A (KENT RACHEL B ET AL) 29 June 1993 (1993-06-29) column 11, last paragraph ---	1-69, 75-79
X	WO 01 61344 A (VOIGT CHRISTOPHER ; MAYO STEPHEN L (US); WANG ZHEN GANG (US); ARNOL) 23 August 2001 (2001-08-23) the whole document --- -/--	1-69, 75-79

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*G\* document member of the same patent family

Date of the actual completion of the international search

12 January 2004

Date of mailing of the international search report

28/01/2004

Name and mailing address of the ISA  
European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Smalt, R

# INTERNATIONAL SEARCH REPORT

International A      stion No  
PCT/IB 03/04255

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>MANETTI F ET AL: "Design and realization of a tailor-made enzyme to modify the molecular recognition of 2-arylpropionic esters by Candida rugosa lipase" BIOCHIMICA ET BIOPHYSICA ACTA. PROTEIN STRUCTURE AND MOLECULAR ENZYMOLOGY, ELSEVIER, AMSTERDAM,, NL, vol. 1543, no. 1, 30 November 2000 (2000-11-30), pages 146-158, XP004279102 ISSN: 0167-4838 the whole document</p>	1-69, 75-79
X	<p>LEWERENZ M ET AL: "Shared receptor components but distinct complexes for alpha and beta interferons" JOURNAL OF MOLECULAR BIOLOGY, LONDON, GB, vol. 282, no. 3, 1998, pages 585-599, XP002242613 ISSN: 0022-2836 the whole document</p>	1-69, 75-79
X	<p>KUHN H: "Structural basis for the positional specificity of lipoxygenases" PROSTAGLANDINS AND OTHER LIPID MEDIATORS, BUTTERWORTH, STONEHAM, MA, US, vol. 62, no. 3, August 2000 (2000-08), pages 255-270, XP004214951 ISSN: 0090-6980 the whole document</p>	1-69, 75-79
P,X	<p>WO 03 023032 A (VEGA MANUEL ;DRITTANTI LILA (FR); FLAUX MARJORIE (FR); NAUTILUS BI) 20 March 2003 (2003-03-20) cited in the application the whole document</p>	1-51, 65-69, 75-79

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/IB 03/04255

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 70-74  
because they relate to subject matter not required to be searched by this Authority, namely:  
Art.17(2)(a)(i) & Rule 39.1(v) PCT - Presentation of information
2. ☒ Claims Nos.: -  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  
see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.  
☐ No protest accompanied the payment of additional search fees.

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

## Continuation of Box I.2

Present claims 68 and 69 relate to a compounds defined by reference to a desirable characteristic or property, namely that they can be identified by methods as defined in some of the preceeding claims.

The claims cover all products having this characteristic or property, whereas the application provides support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT for only a very limited number of such products. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Independent of the above reasoning, the claims also lack clarity (Article 6 PCT). An attempt is made to define the product by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search over the whole of the claimed scope impossible. Consequently, the search has been carried out for those parts of the claims which appear to be clear, supported and disclosed, namely those parts relating to the (super-)LEAD mutant proteins actually described in the application.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

# INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/IB 03/04255

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5223409	A	29-06-1993	AT 243710 T	15-07-2003
			AU 1545692 A	06-10-1992
			AU 1578792 A	06-10-1992
			AU 1581692 A	06-10-1992
			AU 8740491 A	28-04-1992
			CA 2105300 A1	02-09-1992
			CA 2105303 A1	02-09-1992
			CA 2105304 A1	02-09-1992
			DE 69233108 D1	31-07-2003
			DE 573603 T1	06-05-1999
			DK 573603 T3	20-10-2003
			EP 1279731 A1	29-01-2003
			EP 1325931 A1	09-07-2003
			EP 0575485 A1	29-12-1993
			EP 0573603 A1	15-12-1993
			EP 0573611 A1	15-12-1993
			ES 2124203 T1	01-02-1999
			JP 7501923 T	02-03-1995
			JP 6510522 T	24-11-1994
			JP 3447731 B2	16-09-2003
			JP 7501203 T	09-02-1995
			JP 2003159086 A	03-06-2003
			US 5403484 A	04-04-1995
			US 2003175919 A1	18-09-2003
			US 5571698 A	05-11-1996
			WO 9206191 A1	16-04-1992
			WO 9215677 A1	17-09-1992
			WO 9215605 A2	17-09-1992
			WO 9215679 A1	17-09-1992
			US 2003223977 A1	04-12-2003
			US 2003219722 A1	27-11-2003
			US 5663143 A	02-09-1997
			US 5837500 A	17-11-1998
			US 2002150881 A1	17-10-2002
			US 2003113717 A1	19-06-2003
			US 2003219886 A1	27-11-2003
			AT 151110 T	15-04-1997
			AU 4308689 A	02-04-1990
			CA 1340288 C	29-12-1998
			DE 68927933 D1	07-05-1997
			DE 768377 T1	02-01-1998
			EP 1026240 A2	09-08-2000
			EP 0436597 A1	17-07-1991
			EP 0768377 A1	16-04-1997
			IL 91501 A	10-03-1998
			IL 120939 A	24-07-2001
			JP 4502700 T	21-05-1992
WO 0161344	A	23-08-2001	AU 3839701 A	27-08-2001
			WO 0161344 A1	23-08-2001
			US 2001051855 A1	13-12-2001
WO 03023032	A	20-03-2003	US 2003134351 A1	17-07-2003
			WO 03023032 A2	20-03-2003
			WO 03018820 A2	06-03-2003
			US 2003129203 A1	10-07-2003

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☒ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**